

130

Dependent Resurvey, Portion of Subdivisional Lines, 16275
T. 33 S., R. 7 W., Willamette Meridian, Oregon

CHAINS					
	<p>A fir snag, 50 ins. diam., bears S. 3° W., 13 lks. dist., with scribe marks $\frac{1}{4}$ S BT visible on bark blaze.</p> <p>and a bearing tree mkd. by Powell</p> <p>A tan oak, 7 ins. diam., bears S. 48$\frac{1}{4}$° E., 42 lks. dist., with scribe marks $\frac{1}{4}$ S10 CS BT visible on partially healed double blaze.</p> <hr/> <p>S. 85° 15' W., beginning new measurement.</p> <p>Descend 220 ft. over broken NW. slope, through scattered timber and dense undergrowth.</p>				
4.75	Abandoned dirt road, 20 lks. wide, bears N. 40° E. and S. 60° W., in curve.				
24.85	Perkins Creek, 10 lks. wide, course N. 40° E.; asc. 435 ft. over broken SE. slope, along N. edge of logged area.				
40.57	<p>The cor. of secs. 3, 4, 9, and 10, perpetuated and recorded by Norman D. Price, Registered Land Surveyor No. 33, in 1954, monumented with an iron pipe, 2 ins. diam., firmly set, projecting 4 ins. above ground, from which the remaining original bearing tree:</p> <p>A fir, 35 ins. diam., bears N. 80° W., 10 lks. dist., with scribe mark S and other illegible scribe marks visible on opened blaze.</p> <p>and the remains of bearing trees mkd. by Price</p> <p>A madrone snag, 8 ins. diam., bears N. 47° E., 64 lks. dist., with scribe marks T33S R7W S3 RS33 BT visible on open blaze.</p> <p>A root hole, bears S. 88° E., 44 lks. dist., with a down madrone alongside, 7 ins. diam., with scribe marks T33S R7W S10 RS33 BT visible on open blaze.</p> <p>A root hole, bears S. 26° W., 27 lks. dist., with a down live oak alongside, 7 ins. diam., with scribe marks T33S R7W S9 RS33 visible on open blaze.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 24 ins. in the ground, directly over iron pipe, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 33 S R 7 W</p> <table style="margin: auto;"> <tr> <td>S 4</td> <td>S 3</td> </tr> <tr> <td>S 9</td> <td>S 10</td> </tr> </table> <p>1975</p> </div> <p>from which new bearing trees</p> <p>A tan oak, 7 ins. diam., bears S. 46$\frac{1}{4}$° E., 40 lks. dist., mkd. T33S R7W S10 BT.</p> <p>A fir, 23 ins. diam., bears S. 49$\frac{1}{2}$° W., 91 lks. dist., mkd. T33S R7W S9 BT.</p>	S 4	S 3	S 9	S 10
S 4	S 3				
S 9	S 10				