

Dependent Resurvey, Portion of Subdivisional Lines,
T. 32 S., R. 6 W., Willamette Meridian, Oregon

CHAINS

20.20

Spur, slopes E.; desc. 35 ft. along E. slope.

24.50

Spur, slopes N. 70° E.; desc. 125 ft. over NE. slope.

27.90

Ravine, drains NE.; thence along broken E. slope.

38.30

Ravine, drains S. 70° E.; asc. 65 ft. over S. slope.

39.94

Point for the cor. of secs. 20, 21, 28, and 29, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.

T 32 S R 6 W
S 20 | S 21
S 29 | S 28
1976

from which

A fir, 13 ins. diam., bears N. 60½° E., 30 lks. dist., mkd. T32S R6W S21 BT.

A fir, 10 ins. diam., bears S. 80° E., 159 lks. dist., mkd. T32S R6W S28 BT.

A fir, 6 ins. diam., bears S. 71½° W., 69½ lks. dist., mkd. T32S R6W S29 BT.

A fir, 16 ins. diam., bears N. 9½° W., 16½ lks. dist., mkd. T32S R6W S20 BT.

Land, mountainous.

Soil, rocky clay.

Timber, fir, pine, cedar, oak, yew, hemlock, chinquapin, madrone, and alder; undergrowth, poison oak, ceanothus, manzanita, hazel, salal, and fir and pine reproduction.

From the cor. of secs. 21, 22, 27, and 28.

N. 89° 59' W., bet. secs. 21 and 28.

Ascend 50 ft. over SE. slope, through scattering timber and dense undergrowth.

2.70

Spur, slopes S.; desc. 125 ft. over SW. slope.

10.50

Ravine, drains S.; asc. 60 ft. over SE. slope.

17.30

Top of ascent, slopes S. 20° W.; desc. 95 ft. over SW. slope.

23.90

Dry bed of creek, 5 lks. wide, drains S. 20° E.; asc. 150 ft. over SE. slope.

34.00

Spur, slopes S. 30° E.; desc. 100 ft. over SW. slope.

37.70

Ravine, drains SW.; asc. 15 ft. over SE. slope.

39.90

Top of ascent, slopes S.; desc. 10 ft. over SW. slope.

40.35

Point for the ¼ sec. cor. of secs. 21 and 28, at proportionate distance; there is no remaining evidence of the original corner.