

# County Surveyor's Record, Douglas County, Oregon

Subdivision of Section 5, T. 25 S., R. 8 W.,  
Willamette Meridian, Oregon

16465

**CHAINS**

- N. 0° 38' E., on the N. and S. center line of the SE 1/4 of sec. 5.
- Descend 15 ft. over NW. slope, through logged area.
- 1.10 Ravine, drains S. 50° W.; asc. 110 ft. over SE. slope.
- 3.70 Spur, slopes S. 40° W.; desc. 300 ft. over NW. slope.
- 17.50 Gravelled road, 20 lks. wide, bears N. 30° E. and S. 20° W.
- 20.05 Creek, 3 lks. wide, course N. 80° W.; asc. 865 ft. over SW. slope.
- 21.55 Gravelled road, 20 lks. wide, bears N. 70° W. and S. 70° E.
- 22.60 Enter timber, edge bears E. and W.
- 36.40 Enter logged area, edge bears N. 65° W. and S. 65° E.
- 37.20 Dirt road, 20 lks. wide, bears N. 65° W. and S. 65° E.
- 40.74 The center E 1/16 sec. cor. of sec. 5.

**GENERAL DESCRIPTION**

The lands included in the notes of the foregoing survey are located in Douglas County, Oregon, about 14 miles westerly from the town of Sutherlin. The area is mountainous, with elevations ranging from about 300 feet above sea level at the Little Wolf Creek on the line between sections 1 and 36 on the south boundary of the township, to about 2300 feet above sea level on Case Knife Ridge in section 5. The area is drained by Cougar Creek, Little Wolf Creek, Case Knife Creek, and their tributaries flowing northeasterly, and by Lake Creek and its tributaries flowing northwesterly to the Umpqua River.

The soil is composed mainly of rocky clay with sand along the creek bottoms. The timber is predominately fir, cedar, hemlock, and alder, with lesser stands of madrone, yew, chinquapin, dogwood, and myrtle. The undergrowth consists of vine maple, salal, Oregon grape, hazel, arrowwood, poison oak, rhododendron, huckleberry, blackberry, salmonberry, manzanita, thimbleberry, elderberry, and fern.

Access is gained by way of a county road along the Umpqua River and numerous gravelled and dirt logging roads extending into the area from the county road.

No evidence of mineral activity was noted along the lines resurveyed.

The average of a considerable number of readings taken throughout the area give a value of 20° 00' E. for the mean magnetic declination. There is a range of 0° 30' due to local attraction.