

# County Surveyor's Record, Douglas County, Oregon

16762

T. 32 S., R. 4 W., and 5 W., Willamette Meridian, Oregon

## CHAINS

The directions of the lines were determined by solar transit method and by deflection angles from azimuths obtained by direct solar observations.

The geographic position of the southeast corner of section 30, as scaled in the Days Creek, Oregon, quadrangle map, published by the United States Geological Survey in 1954, is as follows:

Latitude  $42^{\circ}45.4'$  N. Longitude  $123^{\circ}12.6'$  W.

The mean magnetic declination is  $19^{\circ}45'$  E.

---

Dependent Resurvey of a Portion of the East Boundary,  
T. 32 S., R. 5 W., Willamette Meridian, Oregon

---

(Restoring the survey by Butler Ives and George W. Hyde, U.S. Deputy Surveyors, in 1854, the resurvey by W.H. Byars, W.S. Chapman and C.S. Nicklin, the resurvey by W.S. Chapman and C.S. Nicklin, U.S. Deputy Surveyors, in 1897, and the resurvey by O.F. Thiel, U.S. Deputy Surveyor, in 1901)

---

Beginning at the cor. of secs. 25, 30, 31, and 36 on the E. bdy. of Tp., established by Ives and Hyde in 1854, changed to a cor. of minimum control by Chapman and Nicklin, in 1897, and subsequently changed to an angle point by Thiel, in 1901, perpetuated and recorded by Arnold G. Gibson, Registered Land Surveyor, No. 359, in 1972, monumented with a galvanized iron pipe,  $1\frac{1}{2}$  ins. diam., firmly set, projecting 3 ins. above ground, with bronze cap mkd.

OREGON STATE BOARD OF FORESTRY  
T32S AP T32S  
S36 | S31  
R5W | R4W  
1972  
RS 359

from which the remains of bearing trees mkd. by Thiel

A decayed fir stump, 24 ins. diam., bears  
N.  $18^{\circ}$ E., 88 lks. dist., no marks remaining.  
(Record, N.  $22^{\circ}$ E., 86 lks.)

A roothole, bears S.  $83^{\circ}$ E., 15 lks. dist.,  
alongside of which is lying a decayed fir, 40  
ins. diam., no marks remaining. (Record, 12 lks.)

and the remains of a bearing tree recorded by Gibson

A rotted white fir stump, 17 ins. diam., bears  
N.  $56^{\circ}$ W., 82 lks. dist., with scribe marks  
S5S visible on detached portion of blaze.

and bearing trees mkd. by Gibson

A fir 12 ins. diam., bears N.  $37\frac{1}{2}^{\circ}$ E.,  $23\frac{1}{2}$   
lks. dist., with scribe marks T32S R4W visible  
on partially healed blaze.

A fir, 12 ins. diam., bears N.  $81\frac{1}{4}^{\circ}$ W.,  $30\frac{1}{2}$  lks.  
dist., with healed blaze.