

# County Surveyor's Record, Douglas County, Oregon

16869

Subdivision, Sec. 13,  
T. 23 S., R. 9 W., Willamette Meridian, Oregon

CHAINS	
	<p>From the S. 1/16 sec. cor. of sec. 13 only, on the E. bdy. of the Tp., hereinbefore described.</p> <p>N. 89° 05' W., on the E. and W. center line of the SE 1/4 of sec. 13.</p> <p>Desc. 45 ft. over SW. slope. through moderate timber and undergrowth.</p>
0.90	Creek, 2 lks. wide, course N. 40° W.; asc. 275 ft. over NE. slope.
8.10	Spur, slopes N. 40° W.; desc. 295 ft. over SW. slope.
18.49	The SE. 1/16 sec. cor. of sec. 13.
	Desc. 155 ft. over broken SW. slope.
22.40	Creek, 3 lks. wide, course N. 80° W.; desc. 110 ft. over W. slope.
24.75	Same Creek, course S. 80° W.; desc. 45 ft. over broken W. slope.
30.90	Same Creek, course N. 35° W.; desc. 60 ft. over broken W. slope.
35.05	Camp Creek Road, asphalt surface 25 lks. wide, bears N. 25° E. and S. 25° W.
36.10	Camp Creek, 20 lks. wide, course N. 25° E.; asc. 5 ft. over nearly level land.
38.11	The center S. 1/16 sec. cor. of sec. 13.
	<p>From the W. 1/16 sec. cor. of secs. 13 and 24, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;"> <math display="block">W \frac{1}{16} \begin{matrix} S 13 \\ S 24 \end{matrix}</math>                     1969                 </p> <p>from which bearing trees mkd. by Jelley and Steward</p> <p style="padding-left: 40px;">A maple, 24 ins. diam., bears N. 11° W., 31 1/2 lks. dist., with scribe marks W. 1/16 S13 BT visible on open blaze.</p> <p style="padding-left: 40px;">A hemlock, 23 ins. diam., bears S. 84° W., 55 lks. dist., with fragmentary scribe marks visible on open blaze.</p> <p>N. 0° 24' W., on the N. and S. center line of the SW 1/4 of sec. 13.</p> <p>Asc. 15 ft. along broken E. slope, along the E. edge of logged area.</p>
19.68	<p>Point for the SW. 1/16 sec. cor. of sec. 13, at intersection with the E. and W. center line of the SW 1/4.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 26 ins in the ground, with aluminum cap mkd.</p>