

# County Surveyor's Record, Douglas County, Oregon

16910

T. 27 S., R. 2 W., Willamette Meridian, Oregon

## CHAINS

The following field notes are those of the dependent resurvey of a portion of the west boundary and subdivisional lines, and subdivision of sections 3, 6, and 7, Township 27 South, Range 2 West, Willamette Meridian, Oregon.

The history of surveys pertaining to this resurvey is as follows:

The north and west boundaries and a portion of the subdivisional lines were surveyed by Samuel C. Flint, U.S. Deputy Surveyor, in 1882.

A portion of the east boundary and subdivisional lines was retraced and a portion of the subdivisional lines was surveyed by Charles E. Roberts, U.S. Deputy Surveyor, in 1905-07.

The north boundary of section 6 was retraced by William C. Gibb, U.S. Deputy Surveyor, in 1909-10.

The remaining subdivisional lines were surveyed by Morris Wygant, Compassman for Zachariah M. Derrick in 1911.

The west four miles of the north boundary were retraced by Charles M. Collier, U.S. Surveyor, in 1913-14.

The east two miles of the north boundary were retraced by Fred Mensch, U.S. Cadastral Engineer, in 1916.

A portion of the north boundary and subdivisional lines was dependently resurveyed by Harold D. Corbin, Cadastral Surveyor, in 1957. This survey was suspended February 21, 1978, pending field corrections.

Certain original corner points on the west boundary were remonumented by Harold D. Corbin, Cadastral Surveyor, in 1958, during his dependent resurvey of a portion of the subdivisional lines and remonumentation of original corners in Township 27 South, Range 3 West.

A portion of the subdivisional lines was dependently resurveyed and section 8 was subdivided by Peter A. Peterson and Daniel L. Berry, Cadastral Surveyors, in 1971.

A portion of the subdivisional lines resurveyed by Corbin in 1957 was corrected by James E. Jelley, Cadastral Surveyor, in 1978.

The survey was executed in accordance with the specifications set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions for Group No. 983, Oregon, dated May 10, 1979.

The directions of the lines were determined by deflections from azimuths obtained by direct solar observations.

Preliminary to the resurvey the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record.

The retracement data were thoroughly verified and only the true line field notes are given herein. The lines not forming a closure were measured twice to preclude