

County Surveyor's Record, Douglas County, Oregon

17071

Subdivision of Sec. 36,
T. 22 S., R. 13 W., Willamette Meridian, Oregon

CHAINS	
	<p>C $\frac{E \ 1/16}{S \ 36}$ C 1982</p>
	<p>from which</p> <p style="padding-left: 40px;">A fir, 10 ins. diam., bears N. 54 1/2° E., 71 lks. dist., mkd. CE 1/16 S36 BT.</p> <p style="padding-left: 40px;">A pine, 12 ins. diam., bears S. 55° E., 95 1/2 lks. dist., mkd. CE 1/16 S36 BT.</p> <p style="padding-left: 40px;">Set a steel fence post alongside the iron post.</p> <p>From this point an iron pipe, 1 in. diam., firmly set 4 ins. below ground surface, bears N. 60° 12' E., 46 1/2 lks. dist., established and recorded by Roy H. Erichsen, Registered Engineer No. 2740, Oregon, in 1964.</p> <p>Ascend 80 ft. over broken NW. slope.</p>
20.30	<p>Leave timber and undergrowth, edge bears N. and S.; enter open rolling sand dunes with widely scattering timber and undergrowth.</p>
40.18	<p>The center 1/4 sec. cor. of sec. 36.</p> <p>Descend 105 ft. over open rolling sand dunes.</p>
80.31	<p>The 1/4 sec. cor. of secs. 35 and 36.</p>
39.86	<p>From the center E 1/16 sec. cor. of sec. 36.</p> <p>N. 0° 02' W., on the N. and S. center line of the NE 1/4 of sec. 36.</p> <p>Descend slightly over broken NW. slope, through moderate timber and dense undergrowth.</p> <p>The E 1/16 sec. cor. of secs. 25 and 36.</p>
20.12	<p>From the standard E 1/16 sec. cor. of secs. 1 and 36, on the S. bdy. of the Tp.</p> <p>N. 0° 03' W., on the N. and S. center line of the SE 1/4 of sec. 36.</p> <p>Descend slightly over open rolling sand dunes.</p> <p>Point for the SE 1/16 sec. cor. of sec. 36, at the intersection with the E. and W. center line of the SE 1/4.</p> <p>Set an aluminum rod, 21 ft. long, 5/8 in. diam., 20 1/2 ft. in the ground, in concrete, with aluminum cap mkd.</p> <p style="text-align: center;">SE 1/16 S 36 1982</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 10 ins. diam., bears S. 78 1/2° E., 521 lks. dist., mkd. SE 1/16 S36 BT.</p> <p style="padding-left: 40px;">No suitable tree available within limits to W.</p>