

# County Surveyor's Record, Douglas County, Oregon

17225

Subdivision of Sec. 17,  
T. 21 S., R. 12 W., Willamette Meridian, Oregon

CHAINS	
	<p>True point for the special meander cor. on the N. and S. center line of the SW 1/4 of sec. 17, with the adjusted meander line of the right bank of the Umpqua River; located in the tide plain of the Umpqua River where it is impractical to establish a permanent monument.</p>
	<p>From the S 1/16 sec. cor. of secs. 17 and 18.</p> <p>S. 89° 17' E., parallel with the E. and W. center line, on the E. and W. center line of the SW 1/4 of sec. 17.</p> <p>Ascend 30 ft. over NW. slope, through moderate timber and dense undergrowth.</p>
1.65	<p>Top of ascent, slopes N.; desc. 65 ft. along N. slope, changing to E. slope.</p>
5.80	<p>Bottom of descent, slopes S.; asc. 85 ft. over W. slope.</p>
13.00	<p>Top of ascent, slopes S.; desc. 110 ft. over broken SE. slope.</p>
20.615	<p>The SW 1/16 sec. cor. of sec. 17.</p> <p>Descend 180 ft. over steep SE. slope.</p>
25.07	<p>Intersect the adjusted meander line of the right bank of the Umpqua River.</p> <p>Point for the special meander cor. on the E. and W. center line of the SW 1/4 of sec. 17, with the adjusted meander line of the right bank of the Umpqua River.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 in. stem, in drill hole in exposed sandstone, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p style="margin: 0;">S ——— <math>\frac{S}{17}</math> ——— S      SMC</p> <p style="margin: 0;">1981</p> </div> <p>from which</p> <p style="margin-left: 40px;">An XBO, chiseled in sandstone cliff, bears N. 14° E., 9 lks. dist.</p> <p style="margin-left: 40px;">An XBO, chiseled in sandstone cliff, bears S. 69° W., 15 lks. dist.</p> <p>The corner is located at base of sandstone cliff, 15 ft. high, bears N. 15° E. and S. 70° W., on the right bank of the Umpqua River.</p>
<p>Subdivision of Section 19, T. 21 S., R. 12 W., Willamette Meridian, Oregon</p>	
0.70	<p>From the 1/4 sec. cor. of secs. 19 and 30.</p> <p>N. 0° 07' E., on the N. and S. center line of sec. 19.</p> <p>Ascend 20 ft. over S. slope, through scattering timber and dense undergrowth.</p> <p>Top of ascent, slopes E.; desc. 70 ft. over broken N. slope.</p>