

# County Surveyor's Record, Douglas County, Oregon

17275

Dependent Resurvey, Portion of Subdivisional Lines,  
T. 30 S., R. 9 W., Willamette Meridian, Oregon

## CHAINS

from which the remains of bearing trees mkd. by Hathorn

A hemlock, 20 ins. diam., bears S. 74° E.,  
34 lks. dist., with scribe marks 9S visible  
on open blaze.

A fir stump, 58 ins. diam., bears S. 38° W.,  
14 lks. dist., with healed blaze.  
(Record, and to face, 12 lks.)

A hemlock snag, 25 ins. diam., bears N. 74° W.,  
41 lks. dist., with axe marks visible on  
open blaze. (Record, and to face, 39 lks.)

and the remains of a bearing tree mkd. by Bushy

A fir stump, 35 ins. diam., bears N. 63 1/2° E.,  
58 1/2 lks. dist., with illegible scribe marks  
visible on open blaze.

and bearing trees mkd. by Tracy

A hemlock, 24 ins. diam., bears N. 12° E.,  
43 lks. dist., with healed blaze.

A hemlock, 13 ins. diam., bears S. 22° W.,  
40 lks. dist., with healed blaze.

No other suitable trees available within limits.

From this point, United States Coast and Geodetic Survey  
triangulation station "CAMAS 2", bears N. 23° 09' E.,  
31.92 chs. dist., monumented with a concrete post, 8 ins.  
square, firmly set, projecting 4 ins. above ground, with  
a standard brass tablet, 3 1/2 ins. diam., set in top, mkd.  
CAMAS 2 1942 and a triangle.

Land, rolling hills.

Soil, sandy loam.

Timber, fir, cedar, hemlock, alder, maple, madrone,  
myrtle, chinquapin, and dogwood; undergrowth,  
huckleberry, hazel, arrowwood, salal, Oregon grape,  
poison oak, wild rose, and ferns.

## GENERAL DESCRIPTION

The area included in the foregoing survey is located  
about 6 miles westerly of the small town of Camas Valley,  
in Douglas County, Oregon.

Access into the area is via Oregon State Highway  
No. 42 to its junction with Panther Creek Road, to the  
vicinity of the corner of sections 4, 5, 8, and 9.

The land is mountainous and is unsuitable for  
agricultural purposes, but supports an excellent growth  
of timber which is predominantly Douglas fir, hemlock,  
and cedar, with lesser stands of alder, maple, chinqua-  
pin, madrone, dogwood, and myrtle. The undergrowth  
consists of vine maple, huckleberry, hazel, arrowwood,  
rhododendron, blackberry, salmonberry, manzanita, poison  
oak, salal, Oregon grape, wild rose, and fern.

The area is drained by a number of small creeks  
which drain in a southeasterly direction through section  
4, and westerly through section 5. The line between