

County Surveyor's Record, Douglas County, Oregon

17459 Dependent Resurvey, Portion of the Subdivisional Lines,
T. 20 S., R. 9 W., Willamette Meridian, Oregon

CHAINS	
	<p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">E 1/16 $\frac{S\ 22}{S\ 27}$ 1982</p> <p>from which</p> <p style="padding-left: 40px;">A hemlock, 25 ins. diam., bears S. 34 1/4° W., 31 lks. dist., mkd. E 1/16 S27 BT.</p> <p style="padding-left: 40px;">An alder, 18 ins. diam., bears N. 42 1/2° W., 45 lks. dist., mkd. E 1/16 S22 BT.</p>
21.70	Creek, 2 lks. wide, course SW.; asc. over SE. slope.
22.90	Spur, slopes S. 50° W.; desc. over SW. slope.
25.40	Creek, 2 lks. wide, course S. 30° W.; asc. over SE. slope.
29.60	Spur, slopes S.; desc. over W. slope.
31.20	Ravine, drains S. 10° E.; asc. over E. slope.
33.30	Top of ascent, slopes S.; continue over nearly level land.
39.32	<p>The 1/4 sec. cor. of secs. 22 and 27, monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd.</p> <p style="text-align: center;">1/4 $\frac{S\ 22}{S\ 27}$ 1953</p> <p>from which the remains of an original bearing tree</p> <p style="padding-left: 40px;">A fir snag, 33 ins. diam., bears S. 64 1/2° W., 300 lks. dist., with scribe marks 1/4 S BT visible on a bark blaze.</p> <p>and bearing trees mkd. by Tillman and Gawron</p> <p style="padding-left: 40px;">A fir, 16 ins. diam., bears S. 81° E., 25 lks. dist., with a healed blaze, (Record, S. 80° E.)</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears N. 44 1/2° W., 19 lks. dist., with a healed blaze. (Record, N. 55° E., 13 lks.)</p>
	<p>_____</p> <p>N. 89° 45' W., beginning new measurement.</p> <p>Continue over nearly level ground.</p>
8.00	Descend along broken N. slope.
15.70	Creek, 1 lk. wide, course S. 80° W.; continue over nearly level land.
19.92	<p>Point for the W 1/16 sec. cor. of secs. 22 and 27.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p>