

County Surveyor's Record, Douglas County, Oregon

17646

Portion of Subdivisions of T. 31 S., R. 1 E.

CHAINS							
72.35	Spur, slopes NW.; desc. 185 ft. over N. slope.						
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 2, 3, 10, and 11, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">T 31 S</td> <td style="padding: 0 5px;">R 1 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 3</td> <td style="padding: 0 5px;">S 2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 10</td> <td style="padding: 0 5px;">S 11</td> </tr> </table> <p>1936</p> </div> <p style="text-align: right;">from which</p> <p>A white fir, 62 ins. diam., bears N. 34° E., 34 lks. dist., mkd. T 31 S R 1 E S 2 B T.</p> <p>A cedar, 75 ins. diam., bears S. 68° E., 99 lks. dist., mkd. T 31 S R 1 E S 11 B T.</p> <p>A white fir, 35 ins. diam., bears S. 26° W., 93 lks. dist., mkd. T 31 S R 1 E S 10 B T.</p> <p>A white fir, 33 ins. diam., bears N. 48° W., 232 lks. dist., mkd. T 31 S R 1 E S 3 B T.</p> <p>This cor. is located in the head of ravine, course N. 30° W.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, pine, and cedar. Undergrowth, vinemaple, cherry, willow, hazel, and bracken.</p>	T 31 S	R 1 E	S 3	S 2	S 10	S 11
T 31 S	R 1 E						
S 3	S 2						
S 10	S 11						
	S. 89° 50' W., on a random line bet. secs. 3 and 10.						
40.00	Set temp. 1/4 sec. cor.						
80.16	<p>Intersect N. and S. line, 23 lks. S. of cor. of secs. 3, 4, 9, and 10.</p> <p>Thence</p> <p>East, on true line bet. secs. 3 and 10.</p> <p>Asc. 23 ft. over NW. slope, through heavy timber and light undergrowth.</p>						
2.50	Spur, slopes N.; desc. 80 ft. over NE. slope.						
14.35	Draw, drains N.; asc. 15 ft. over NW. slope.						
21.55	Spur, slopes N. 15° E.; desc. 170 ft. over NE. slope.						
35.20	Creek, 2 lks. wide, course N. 30° W.; asc. 205 ft. over NW. slope.						
40.08	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor., with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td style="padding: 0 5px;">1/4</td> <td style="border-right: 1px solid black; padding: 0 5px;">S 3</td> <td style="padding: 0 5px;"></td> </tr> <tr> <td></td> <td style="border-right: 1px solid black; padding: 0 5px;">S 10</td> <td style="padding: 0 5px;"></td> </tr> </table> <p>1936</p> </div> <p style="text-align: right;">from which</p> <p>A white fir, 33 ins. diam., bears N. 50° E., 34 lks. dist., mkd. 1/4 S 3 B T.</p> <p>A white fir, 28 ins. diam., bears S. 66° E., 67 lks. dist., mkd. 1/4 S 10 B T.</p> <p>Asc. 350 ft. over W. slope, changing to NW. slope.</p>	1/4	S 3			S 10	
1/4	S 3						
	S 10						