

# County Surveyor's Record, Douglas County, Oregon

Subdivision of Section 33, 17688  
T. 22 S., R. 5 W., Willamette Meridian, Oregon

CHAINS	
	<p>from which new bearing trees</p> <p style="margin-left: 40px;">A fir, 9 ins. diam., bears N. 65 1/4° E., 21 lks. dist., mkd. 1/4 S 34 BT.</p> <p style="margin-left: 40px;">A fir, 6 ins. diam., bears S. 30 1/4° W., 4 1/2 lks. dist., mkd. 1/4 S33 BT.</p> <p>S. 89° 40' W., on the E. and W. center line of sec. 33.</p> <p>Descend over NW. slope, through heavy timber and dense undergrowth.</p>
2.60	Creek, 2 lks. wide, course N. 35° E.; asc. over SE. slope.
11.25	Spur, slopes N. 40° E.; desc. over NW. slope.
20.09	<p>Point for the center E 1/16 sec. cor. of sec. 33.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <math display="block">C \frac{E \ 1/16}{S \ 33} C</math> <p>1983</p> </div>
	<p>from which</p> <p style="margin-left: 40px;">A fir, 8 ins. diam., bears N. 9 3/4° E., 43 lks. dist., mkd. X BT.</p> <p style="margin-left: 40px;">A fir, 11 ins. diam., bears S. 45 1/2° E., 63 lks. dist., mkd. CE 1/16 S33 BT.</p> <p>The corner is located in ravine, drains N. 35° E.</p> <p>Ascend over SE. slope.,</p>
40.18	<p>The center 1/4 sec. cor. of sec. 33.</p> <p>Ascend over SE. slope.</p>
46.60	Spur, slopes N. 15° E.; desc. over broken NW. slope.
55.65	Creek, 4 lks. wide, course N. 15° E.; asc. over NE. slope.
60.24	<p>Point for the center W 1/16 sec. cor. of sec. 33.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in ground to solid roak mkd. X, and in mound of stone, 4 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <math display="block">C \frac{W \ 1/16}{S \ 33} C</math> <p>1983</p> </div> <div style="text-align: right; font-size: small;"> <p>BC FD as described 2 BT now are metal capped stumps Mon + BTs flagged and retagged as needed BY DCSO SJF and MSK 8/5/2013 C.S. File 67/38-52</p> </div>
	<p>from which</p> <p style="margin-left: 40px;">A maple, 11 ins. diam., bears S. 51 1/2° W., 8 lks. dist., mkd. CW 1/16 S33 BT.</p> <p style="margin-left: 40px;">A fir, 5 ins. diam., bears N. 11 1/4° W., 36 lks. dist., mkd. X BT.</p>