

County Surveyor's Record, Douglas County, Oregon

18086

Subdivision of Section 35,
T 22 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	<p>A fir, 18 ins. diam., bears S. 47 3/4° E., 38 lks. dist., with healed blaze.</p> <p>A fir, 53 ins. diam., bears N. 84 3/4° W., 15 lks. dist., with scribe marks C 1/4 S35 BT visible on bark blaze.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, directly over iron rod, is a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 22 S R 7 W C 1/4 S 35 1984</p> <p>From this point, U.S. Geological Survey triangulation station "BELL MOUNTAIN 1953" 1980", bears N. 0° 14' W., 14.26 chs. dist., monumented with a concrete post, 1 ft. diam., firmly set, projecting 4 ins. above ground, with standard brass tablet, 3 1/2 ins. diam., mkd. BELL MOUNTAIN 1953 1980 and a triangle.</p>
	<p style="text-align: center;">N. 9° 29'E., beginning new measurement.</p>
11.70	Dirt road, 15 lks. wide, bears E. and W.
13.30	Ridge, bears NW. and SE.; desc. over NE. slope.
25.85	Creek, 2 lks. wide, course N. 30° W.; asc. over SW. slope.
37.41	<p>The 1/4 sec. cor. of secs. 26 and 35, perpetuated and recorded by Wilford N Haines, Registered Land Surveyor, No. 239, in 1957, monumented with a 1 in. "T" shaped iron rod, firmly set, projecting 4 ins. above ground, from which the remains of an original bearing tree:</p> <p style="padding-left: 40px;">A fir snag, 20 ins. diam., bears S. 60° W., 34 lks. dist., with healed blaze.</p> <p>and a bearing tree mkd. by Haines</p> <p style="padding-left: 40px;">A fir, 46 ins. diam., bears N. 3° W., 86 lks. dist., with healed blaze.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, directly over iron rod, with brass cap mkd.</p>
	<p style="font-size: small; margin-left: 20px;">FD. OK 10/95 BY HOFFINE M 119-78</p> <p style="text-align: center; margin-left: 100px;">T 22 S R 7 W 1/4 S 26 S 35 1984</p>
	<p>from which a new bearing tree</p> <p style="padding-left: 40px;">A hemlock, 16 ins. diam., bears S. 25° E., 31 lks. dist., mkd. 1/4 S35 BT.</p>
	<p>From the 1/4 sec. cor. of secs. 35 and 36.</p>