

County Surveyor's Record, Douglas County, Oregon

18125 Dependent Resurvey, Portion of Subdivisional Lines,
T. 24 S., R. 8 W., Willamette Meridian, Oregon

CHAINS

T 24 S R 8 W

$\frac{1}{4}$ $\frac{S 26}{S 35}$

1986

from which new bearing trees

A hemlock, 28 ins. diam., bears N. 53° E., 102 lks.
dist., mkd. $\frac{1}{4}$ S26 BT.

A cedar, 40 ins. diam., bears S. 9° E., 35 lks.
dist., mkd. $\frac{1}{4}$ S35 BT.

S. 85° 44' W., beginning a new measurement.

Cross creek bottom land.

1.30	Miner Creek, 20 lks. wide, course N.
4.60	Same creek, course SE.
7.80	Same creek, course N. 70° E.
16.10	Same creek, course S.; asc. over steep E. slope.
22.10	Spur, slopes N.; desc. over NW. slope.
28.60	Creek, 10 lks. wide, course N. 20° E.; asc. over steep SE. slope.
34.80	Spur, slopes N.; desc. over NW. slope.
35.51	The cor. of secs. 26, 27, 34, and 35.

GENERAL DESCRIPTION

The lands included in this survey are located in Douglas County, approximately 10 miles northwesterly from the town of Umpqua, Oregon

The drainage is easterly. The elevations range from about 350 feet above sea level at Wolf Creek on the east boundary of section 35, to about 1280 feet above sea level on Case Knife Ridge at the southwest corner of section 35.

Access is via logging roads branching from the Tye Road which follows the Umpqua River.

The soil is composed of rocky clay in the higher elevations and clay loam in the creek bottoms.

The timber consists of fir, hemlock, cedar, pine, yew, maple, chinquapin, oak, madrone, myrtle and alder, with undergrowth of salal, fern, poison oak, vinemaple, rhododendron, arrowwood, blackberry, salmonberry and huckleberry.

No evidence of mineral activity was noted in the course of the survey.

The average of a number of readings over the area gives a value of 20° E., for the mean magnetic declination with a range of 1° due to local attraction.