

# County Surveyor's Record, Douglas County, Oregon

**18137** Dependent Resurvey of a Portion of the East Boundary,  
T. 31 S., R. 4 W., Willamette Meridian, Oregon

**CHAINS**

From the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp., perpetuated and recorded by John H. Markham, Jr., Registered Engineer No. 2880, in 1960, monumented with the original stone, 15 x 12 x 8 ins. firmly set, projecting 8 ins. above ground, with a notch on N. and 5 notches on S. edges, (alongside of which is an iron pipe, 3/4 in. diam., firmly set, projecting 4 ins. above ground,) from which the remains of the original bearing trees:

A fir, 43 ins. diam., bears S. 73° E., 87 lks. dist., with healed blaze.

A fir snag, size indeterminate, bears S. 68° W., 35 lks. dist., no marks visible.

A fir, 47 ins. diam., bears N. 85° W., 61 lks. dist., with healed blaze.

and bearing trees mkd. by Markham

A madrone, 8 ins. diam., bears N. 12° E., 10 lks. dist., with scribe marks T31S R3W S6 BT visible on bark blaze.

A Madrone, 8 ins. diam., bears S. 89° E., 25 lks. dist., with scribe marks T31S R3W S7 BT visible on bark blaze.

A madrone, 8 ins. diam., bears S. 10½° W., 18 lks. dist., with scribe marks T31S R4W S12 BT visible on bark blaze.

A madrone, 8 ins. diam., bears S. 87° W., 17 lks. dist., with scribe marks T31S R4W S1 BT visible on bark blaze.

A madrone, 8 ins. diam., bears N. 49° W., 11½ lks. dist., with scribe marks T31S R4W S1 BT visible on bark blaze.

At the corner point

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.

T 31 S	
R 4 W	R 3 W
S 1	S 6
S 12	S 7
1985	

Deposit corner stone and iron pipe alongside, and white "DEEP-1" magnetic marker at base of stainless steel post.

From this point, United States Geological Survey triangulation station "BLAND MTN 1953," bears N 4° 30' 30" W., 387.455 chs. dist., monumented with a standard brass tablet, 3½ ins. diam., cemented flush with top of bedrock, with top mkd. U S GEOLOGICAL SURVEY BLAND MTN. 1953 and a triangle.

N. 0° 26' E., bet. secs. 1 and 6, marking and blazing the true line.