

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Portion of the Subdivisional Lines,
T. 25 S., R. 7 W., Willamette Meridian, Oregon 18172

CHAINS

A fir, 11 ins. diam., bears S. $76\frac{1}{2}^{\circ}$ E., 161 lks.
dist., mkd. AP S9 BT.

A fir, 9 ins. diam., bears N. $29\frac{1}{4}^{\circ}$ W., 115 lks.
dist., mkd. AP S8 BT.


Deposit a white "DEEP-1" magnetic marker at base
of iron post.

N. $0^{\circ} 56'$ W., beginning new measurement.

1.00 Gravelled road, 20 lks. wide, bears N. 75° W. and
S. 75° E.

1.90 Point selected for the witness cor. to the meander cor.
of secs. 8 and 9, on the left bank of the Umpqua River.

Set and iron post, 28 ins. long $2\frac{1}{2}$ ins. diam., 24 ins.
in the ground, with brass cap mkd.



from which

A fir, 5 ins. diam., bears S. $51\frac{1}{2}^{\circ}$ E., 122 lks.
dist., mkd. X BT.

A fir, 6 ins. diam., bears S. 19° W., $100\frac{1}{2}$ lks.
dist., mkd. X BT.

Deposit a white "DEEP-1" magnetic marker at base
of iron post.

3.70 left bank of Umpqua River, bears N. 85° W. and
S 85° E., course N. 85° W.

3.90 True point for the meander cor. of secs. 8 and 9, on the
left bank of the Umpqua River, at proportionate
distance; there is no remaining evidence of the original
corner. Point is located in the river, where it is
impracticable to establish a permanent monument.

9.99 Point for the meander cor. of secs. 8 and 9, on the
right bank of the Umpqua River at proportionate
distance; there is no remaining evidence of the original
corner. Point is located in the river, no permanent
monument established.

10.60 Right bank of the Umpqua River, bears N. 85° W. and
S. 85° E.; asc. gentle SW. slope, through heavy timber
and moderate undergrowth.

13.70 Tye Road, 35 lks. wide, bears S. 85° E. and W.

26.87 The $\frac{1}{4}$ sec. cor. of secs. 8 and 9, perpetuated by the
County Surveyors Office, in 1923, further perpetuated
and recorded by Milo E. Godfrey, Deputy County Surveyor,
in 1961, monumented with an iron pipe, $1\frac{1}{2}$ ins. diam.,
firmly set, projecting 4 ins. above ground, from which
an original bearing tree: