

County Surveyor's Record, Douglas County, Oregon

18299

Dependent Resurvey, Portion of Subdivisional Lines,
T. 30 S., R. 9 W., Willamette Meridian, Oregon

CHAINS	
	Descend 227 ft. over NW. slope, through moderate timber and dense undergrowth.
14.90	Dirt road, 20 lks. wide, bears N. 80° W. and S. 80° E.
15.60	Left bank of the Middle Fork of the Coquille River, bears N. 80° W. and S. 80° E., course N. 80° W.; thence across river.
16.80	Right bank of the Middle Fork of the Coquille River, bears N. 80° W. and S. 80° E.; asc. 31 ft. over SW. slope.
18.85	Oregon State Highway No. 42, asphaltic surfaced, 60 lks. wide, bears N. 80° W. and S. 80° E.
20.13	<p>The N 1/16 sec. cor. of secs. 17 and 18, established and recorded by Forrest J. Hales, Registered Land Surveyor, NO. 453, in 1969, and accepted as the cor., monumented with an iron rod, 40 ins. long, 5/8 ins. diam., firmly set, projecting 10 ins. above ground, and in a mound of stone, 2½ ft. base, to top.</p> <p>At the corner point</p> <p>Set an aluminum post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, in mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 30 S R 9 W N 1/16 S 18 S 17 1982</p> </div> <p>from which a bearing tree mkd. by Hales</p> <p style="padding-left: 40px;">A madrone, 8 ins. diam., bears S. 74° W., 5 lks. dist., remark this tree N 1/16 S18 BT.</p> <p>and a new bearing tree</p> <p style="padding-left: 40px;">A cedar, 6½ ins. diam., bears S. 83½° E., 60 lks. dist., mkd. N 1/16 S17 BT.</p> <p>Reset the iron rod alongside the iron post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0° 59' W., beginning new measurement.</p> <p>Ascend 581 ft. over SE. slope.</p>
20.18	<p>The cor. of secs. 7, 8, 17, and 18, monumented with an iron post, 2½ ins. diam., firmly set, projecting 2 ins. above ground, and in a mound of stone, 2½ ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 30 S R 9 W S 7 S 8 S 18 S 17 1962</p> </div> <p>from which the remains of two original bearing trees</p> <p style="padding-left: 40px;">A sawed fir stump, 30 ins. diam., bears N. 30° E., 74 lks. dist., with the bottom of part of a healed blaze.</p>