

County Surveyor's Record, Douglas County, Oregon

18393

Dependent: Resurvey of a Portion of the Subdivisional Lines,
T. 30 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	<p>from which</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears S. 22° W., 36 lks. dist., mkd. ¼ S18 BT.</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., bears N. 80° W., 35 lks. dist., mkd. ¼ S7 BT.</p> <p>Deposit white "DEEP-1" magnetic marker at base and iron pipe alongside the stainless steel post.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 87° 53' W., beginning new measurement.</p> <p>Descend over SW. slope.</p>
13.40	Ravine, drains S. 5° W.; asc. over SE. slope.
17.50	Spur, slopes S. 10° E.; desc. over SW. slope.
22.90	Gravelled road, 20 lks. wide, bears N. 30° W. and S. 30° E.
23.70	Creek, 10 lks. wide, course S. 30° E.; asc. over SE. slope.
36.00	Spur, slopes S.; desc. over SW. slope.
44.47	The cor. of secs. 7, 12, 13, and 18, on the W. bdy. of the Tp.
<p>Subdivision of Section 18, T. 30 S., R. 7 W., Willamette Meridian, Oregon</p>	
	<p>From the ¼ sec. cor. of secs. 18 and 19.</p> <p>N. 0° 20' E., on the N. and S. center line of sec. 18.</p> <p>Descend over broken NE. slope, through heavy timber and dense undergrowth.</p>
15.30	Creek, 4 lks. wide, course N. 30° E.; asc. over SE. slope.
19.77	Point for the center S 1/16 sec. cor. of sec. 18.
	<p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>C</p> <p>S 1/16 S 18</p> <p>C</p> <p>1987</p> </div>
	<p>from which</p> <p style="padding-left: 40px;">A fir, 11 ins. diam., bears S. 84° E., 6 lks. dist., mkd. CS 1/16 S18 BT.</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears N. 50° W., 24 lks. dist., mkd. CS 1/16 S18 BT.</p> <p>Deposit white "DEEP-1" magnetic marker at base of stainless steel post.</p> <p>Continue over SE. slope.</p>
29.90	Spur ridge, slopes NE.; desc. over broken NW. slope, through scattering timber and dense undergrowth.
39.54	Point for the center ¼ sec. cor. of sec. 18, at intersection with the E. and W. center line.