

County Surveyor's Record, Douglas County, Oregon

18437

Dependent Resurvey of a Portion of the South Boundary,
T. 28 S., R. 6 W., Willamette Meridian, Oregon

CHAINS

and bearing trees mkd. by Byron

A fir, 36 ins. diam., bears N. $1\frac{1}{4}^{\circ}$ E.,
43 lks. dist., with healed, double blaze.

A fir, 16 ins. diam., bears S. $41\frac{3}{4}^{\circ}$ W.,
67 lks. dist., with healed, double blaze.

A fir, 24 ins. diam., bears N. $86\frac{1}{4}^{\circ}$ W.,
 $17\frac{1}{2}$ lks. dist., with healed, double blaze.

At the corner point

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 22 ins.
in the ground, directly over the iron pipe, with brass cap mkd.

T 28 S	R 6 W
S 31	S 32
S 6	S 5
T 29 S R 6 W	
1987	

from which a new bearing tree

A fir, 26 ins. diam., bears S. $52\frac{1}{2}^{\circ}$ E., $17\frac{1}{2}$ dist.,
mkd. T29S R6W S5 BT.

S. $89^{\circ} 48' 00''$ W., bet. secs. 6 and 31.

Ascend over broken SE. slope, through heavy timber and dense
undergrowth.

- 2.45 Spur, slopes S. 20° E.; desc. over SW. slope.
- 5.90 Ravine, drains S. 35° E.; asc. over broken E. slope, changing to SE. slope.
- 16.10 Spur, slopes S. 20° E.; desc. over SW. slope.
- 18.50 Ravine, drains S.; asc. over broken SE. slope.
- 19.925 The E 1/16 sec. cor. of secs. 6 and 31, established and recorded by Marvin C. Ramsey, Registered Land Surveyor No. 404, in 1963, and is accepted as the corner, monumented with an iron pipe, $\frac{1}{2}$ in. diam., firmly set, projecting 7 ins. above ground, with 1 in. diam., brass disk mkd. RS 404, from which a bearing tree mkd. by Ramsey:

A grand fir, 20 ins. diam., bears S. $28\frac{1}{2}^{\circ}$ W., 28 lks.
dist., with healed blaze.

At the corner point

Set a stainless steel post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins.
in the ground, directly over the iron pipe, with brass cap mkd.

E 1/16	S 31
	S 6
1987	

from which a new bearing tree

A fir, 5 ins. diam., bears N. 20° W., 16 lks. dist.,
mkd. E 1/16 S31 BT.

Deposit a white "DEEP-1" magnetic marker at the base of the
stainless steel post.

S $89^{\circ} 48' 00''$ W., beginning new measurement.