

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of a Portion of the Boundaries of
 Donation Land Claim No. 41,
 T. 29 S., R. 4 W., Willamette Meridian, Oregon

18520

CHAINS	
20.15	Power transmission lines, bear S. 25° E. and N. 25° W.
21.00	Power transmission lines, bear S. 25° E. and N. 25° W.
24.430	<p>Point for the NE. cor. of Donation Land Claim No. 41, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{r} T\ 29\ S\ R\ 4\ W \\ S\ 8 \\ \hline C\ 41\ S\ 17 \\ 1987 \end{array}$ </div> <p>from which</p> <p style="margin-left: 40px;">A fir, 4 ins. diam., bears S. 6½° E., 11½ lks. dist., mkd. X BT.</p> <p style="margin-left: 40px;">A fir, 6 ins. diam., bears S. 46½° W., 27½ lks. dist., mkd. C 41 BT.</p> <p>Deposit white "DEEP-1" magnetic marker at base of stainless steel post</p>
9.50	<p>S. 0° 30' 00" E., on the E. bdy. of Claim No. 41,</p> <p>Descend over broken SW slope, through heavy timber and dense undergrowth.</p> <p>Power transmission lines, bear S. 25° E. and N. 25° W.</p>
10.95	Power transmission lines, bear S. 25° E. and N. 25° W.
40.020	<p>Point for the SE. cor. of Donation Land Claim No. 41, determined at proportionate position by the Grant boundary method, there is no remaining evidence of the original corner.</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> $\begin{array}{r} A\ P \\ C\ C\ 41\ S\ 17\ C \\ \hline 1987 \end{array}$ </div> <p>from which</p> <p style="margin-left: 40px;">A fir, 4 ins. diam., bears N. 66° E., 3½ lks. dist., mkd. X BT.</p> <p style="margin-left: 40px;">A fir, 10 ins. diam., bears N. 30° W., 43 lks. dist., mkd. C 41 BT.</p> <p>Deposit white "DEEP-1" magnetic marker at base of stainless steel post.</p>
25.010	<p>S. 89° 30' 00" W. on the S. bdy. of Claim No. 41, identical with the E. and W. center line of sec. 17.</p> <p>Descend over W. slope, through heavy timber and dense undergrowth.</p> <p>The ¼ sec. cor. of 17 and 18, hereinbefore described.</p>