

County Surveyor's Record, Douglas County, Oregon

18531

Dependent Resurvey of a Portion of the West Boundary,
T. 29 S., R. 7 W., Willamette Meridian, Oregon

CHAINS	
	N. 0° 02' 00" W., on the W. bdy. of sec. 7.
	Descend over broken NW. slope, along the E. edge of a clearcut logging area.
10.50	Leave logged area, edge bears S. and irregular W.; enter scattering timber and dense undergrowth.
12.40	Ravine, drains N. 65° W.; asc. over SW. slope.
13.770	The $\frac{1}{4}$ sec. cor. of sec. 12 only, T. 29 S., R. 8 W., monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd.
	$\begin{array}{c} \frac{1}{4} \\ \\ S 12 \\ \\ 1924 \end{array}$
	from which the remains of the original bearing trees
	A root hole, bears S. 60° E., 28 lks. dist., with an oak, 20 ins. diam., lying alongside, with illegible scribe marks visible on opened blaze.
	A fir snag, 80 ins. diam., bears N. 7° W., 112 lks. dist., with healed blaze
	and a bearing tree mkd. by Mensch
	A fir stump, 37 ins. diam., bears S. 19½° W., 56 lks. dist., with healed blaze.
	And a bearing tree mkd. by Gary L. Langlitz, Deputy County Surveyor, in 1978
	A fir, 16 ins. diam., bears N. 3½° W., 68 lks. dist., with healed double blaze.
	<hr style="width: 20%; margin: 0 auto;"/>
	N. 0° 03' 00" W., beginning new measurement.
	Continue over SW. slope.
1.40	Spur, slopes N. 70° W.; desc. over broken NW. slope.
5.595	Point for the S 1/16 sec. cor. of sec. 7 only.
	Set a stainless steel post, 28 ins. long, 2½ ins. diam., 22 ins. in the ground, with brass cap mkd.
	$\begin{array}{c} \\ S 1/16 \\ \\ S 7 \\ \\ 1988 \end{array}$
	from which
	A madrone, 4 ins. diam., bears N. 50° E., 31 lks. dist., mkd. X at breast height and BT at the base.
	A fir, 15 ins. diam., bears S. 88° E., 59 lks. dist., mkd. S 1/16 S7 BT.
	Continue over NW slope.
19.00	Gravel road, 20 lks. wide, bears N. 60° E and S. 60° W.
24.05	A point established by Burton W. Holt, Registered Land Surveyor No. 418, in 1979, monumented with an iron pipe, 1 in. diam., extending 3 ins. above ground.