

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE
REMONUMENTATION OF CORNER POINTS
AND THE
REHABILITATION OF CORNER POINTS
WITHOUT REMONUMENTATION,
TOWNSHIP 21 SOUTH, RANGE 8 WEST,
OF THE WILLAMETTE MERIDIAN,
IN THE STATE OF OREGON.

EXECUTED BY

Aaron M. Graham, Cadastral Surveyor

Under Special Instructions dated July 13, 1979, approved July 17, 1979,
and Supplemental Special Instructions dated May 20, 1985,
approved May 24, 1985, which provided for the remonumentation and
rehabilitation included under Group No. 1000,
and Assignment Instructions dated April 27, 1999.

Survey commenced May 13, 1999

Survey completed April 6, 2000

T. 21 S., R. 8 W., Willamette Meridian, Oregon

FEET

The following field notes are those of the remonumentation of corner points and the rehabilitation of corner points without remonumentation, township 21 south, range 8 west, Willamette Meridian, Oregon.

The history of surveys pertaining to this remonumentation and rehabilitation is as follows:

In 1874, William H. Byars, U.S. Deputy Surveyor, surveyed a portion of the south boundary.

In 1883, Laban H. Wheeler, U.S. Deputy Surveyor, surveyed the east boundary.

In 1883, William P. Wright, U.S. Deputy Surveyor, surveyed the west boundary and the subdivisional lines.

In 1945, Norman D. Price, Cadastral Engineer, and Geo. F. Rigby, Associate Cadastral Engineer, dependently resurveyed a portion of the south, west, and north boundaries, and a portion of the subdivisional lines.

In 1952-54, Marvin J. Lytle, Palmer Norseth, Thomas A. Tillman, Raymond, M. Bicknell, Joseph S. Gawron, and Hans W. Thielsen, Cadastral Engineers, dependently resurveyed a portion of the south and east boundaries, and a portion of the subdivisional lines.

The remonumentation and rehabilitation was executed in accordance with the specifications set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated July 13, 1979, and Supplemental Special Instructions dated May 20, 1985, for Group No. 1000, Oregon.

Each new bearing tree has a 2½ inch x ¼ inch magnetic nail (Mag Nail) driven at the base on right side center, unless otherwise noted in the corner description.

**South Boundary,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

(Remonumenting and rehabilitating the corners established
by William H. Byars in 1874, and reestablished by
Marvin J. Lytle, et. all in 1952-54)

**South Boundary,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p>The $\frac{1}{4}$ sec. cor. of sec. 36 only, on the S. bdy. of the Tp., monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;"> $\frac{1}{4}$ S 36 <hr style="width: 10%; margin: auto;"/> 1952 </p> <p>from which the remains of an original bearing tree</p> <p style="padding-left: 40px;">A fir stump, size indeterminate, bears N. 40° E., 16.5 ft. dist., no marks visible.</p> <p>and a bearing tree mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir stump, 50 ins. diam., bears N. 7° E., 30.4 ft. dist., with scribe marks $\frac{1}{4}$ S 36 BT visible on open blaze.</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 16 ins. diam., bears N. 69½° E., 47.1 ft. dist., mkd. $\frac{1}{4}$ S36 BT.</p> <p style="padding-left: 40px;">A fir, 7 ins. diam., bears N. 39° W., 10.6 ft. dist., mkd. X BT.</p> <hr/> <p>The cor. of secs. 34 and 35 only, on the S. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;"> T 21 S R 8 W S 34 S 35 <hr style="width: 10%; margin: auto;"/> S 2 T 22 S R 8 W 1952 </p> <p>from which the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir snag, 28 ins. diam., bears N. 35½° E., 66.3 ft. dist., no marks visible. (Record, 60.7 ft. dist.)</p> <p style="padding-left: 40px;">A hemlock, 18 ins. diam., bears N. 78½° W., 23.1 ft. dist., with a healed blaze. (Record, fir)</p> <p>and bearing tree mkd. by Milo E. Godfrey, Deputy County Surveyor in 1963, recorded in Douglas County Surveyor's Office, C.S. file 52\14</p>

**South Boundary,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET

A hemlock , 23 ins. diam., bears N. $6\frac{3}{4}^{\circ}$ W., 70.3 ft. dist.,
with a healed blaze.

and new bearing tree

A fir, 21 ins. diam., bears N. 85° E., 23.4 ft. dist., mkd.
T21S R8W S35 BT.

**East Boundary,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

(Remonumenting and rehabilitating the corners established by
Laban H. Wheeler in 1883 and reestablished by Marvin J. Lytle,
et. all in 1952-54)

The $\frac{1}{4}$ sec. cor. of secs. 31 and 36, on the E. bdy. of the Tp.,
monumented with an iron post, 1 in. diam., firmly set, projecting
12 ins. above the ground, with brass cap mkd.

1/4
S 36 | S 31
1952

from which the remains of the original bearing trees

A fir stump, 29 ins. diam., bears N. 80° E., 17.8 ft. dist.,
no marks visible.

A root hole, bears N. 35° W., 23.8 ft. dist., with fir log
alongside, no marks visible.

and new bearing trees

A fir, 18 ins. diam., bears N. $51\frac{1}{4}^{\circ}$ E., 23.9 ft. dist., mkd.
1/4 S31 BT.

A fir, 15 ins. diam., bears S. 84° W., 27.3 ft. dist., mkd.
1/4 S36 BT.

The $\frac{1}{4}$ sec. cor. of secs. 19 and 24, on the E. bdy. of the Tp.,
monumented with an iron post, 1 in. diam., loosely set, projecting
19 ins. above the ground, and in a mound of stone, 3 ft. base to
top, with brass cap mkd.

**East Boundary,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET

1/4
S 24 | S 19
1954

from which the remains of bearing trees mkd. by Lytle, et. all

A fir, 68 ins. diam., bears S. 20° E., 16.5 ft. dist., with a healed blaze.

A root hole, bears N. 20½° W., 19.1 ft. dist., with fir log alongside, no marks visible.

and new bearing tree

A fir, 54 ins. diam., bears S. 53° W., 33.3 ft. dist., mkd. 1/4 S24 BT.

Rebuild mound of stone around monument.

The cor. of secs. 13, 18, 19, and 24, on the E. bdy of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd.

T 21 S
R 8 W | R 7 W
S 13 | S 18

S 24 | S 19
1954

from which the remains of bearing trees mkd. by Lytle, et. all

A fir stump, 24 ins. diam., bears N. 47° E., 23.8 ft. dist., with a healed blaze.

A fir, 19 ins. diam., bears S. 34½° E., 13.9 ft. dist., with a healed blaze.

A hemlock, 18 ins. diam., bears S. 71° W., 29.7 ft. dist., with a healed blaze.

A fir, 38 ins. diam., bears N. 10½° W., 28.4 ft. dist., with a healed blaze.

and a new bearing tree

A hemlock, 17 ins. diam., bears N. 87½° E., 15.4 ft. dist., mkd. T21S R7W S18 BT.

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p style="text-align: center;">(Remonumenting and rehabilitating the corners established by William P. Wright in 1883, and reestablished by Norman D. Price and Geo. F. Rigby in 1945, and Marvin J. Lytle, et. all, in 1952-54)</p> <hr style="width: 20%; margin: auto;"/> <p>The $\frac{1}{4}$ sec. cor. of secs. 24 and 25, monumented with an iron post, 1 in. diam., firmly set, flush with ground, with brass cap mkd.</p> <p style="text-align: center;">S 24 1/4 _____ S 25 1952</p> <p>from which the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir stump, size indeterminate, bears N. $58\frac{1}{2}^{\circ}$ E., 35.0 ft. dist., no marks visible. (Record, 37.0 ft. dist.)</p> <p style="padding-left: 40px;">An uprooted fir stump, bears S. $28\frac{1}{2}^{\circ}$ E., 31.7 ft. dist., with a healed blaze.</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 11 ins. diam., bears S. 74° E., 10.5 ft. dist., mkd. 1/4 S25 BT.</p> <p style="padding-left: 40px;">A fir, 14 ins. diam., bears N. 38° W., 14.6 ft. dist., mkd. 1/4 S24 BT.</p> <hr/> <p>The $\frac{1}{4}$ sec. cor. of secs. 23 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;">1/4 S 23 S 24 1954</p> <p>from which the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A burned cedar stump, 28 ins. diam., bears N. 48° E., 11.2 ft. dist., with scribe marks 1\4 S24 BT visible on partially opened blaze.</p> <p style="padding-left: 40px;">A burned cedar stump, 26 ins. diam., bears N. $4\frac{1}{4}^{\circ}$ W., 58.1 ft. dist., with a healed blaze.</p> <p>and new bearing trees</p>

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET

A fir, 15 ins. diam., bears N. $83\frac{1}{2}^{\circ}$ E., 9.1 ft. dist., mkd.
1/4 S24 BT.

A fir, 23 ins. diam., bears S. 34° W., 7.5 ft. dist., mkd.
1/4 S23 BT.

The cor. of secs. 13, 14, 23, and 24, monumented with an iron post, 2 ins. diam, firmly set, projecting 4 ins. above the ground, with brass cap mkd.

T 21 S R 8 W	
S 14	S 13

S 23	S 24
1954	

from which the remains of the original bearing trees

A root hole, bears S. 45° E., 19.8 ft. dist.

A fir stump, 41 ins. diam., bears S. 75° W., 17.8 ft. dist.,
with no marks visible.

A fir stump, size indeterminate, bears N. 30° W.,
17.8 ft. dist., with scribe marks S1 visible on rotted
blaze.

and the remains of a bearing tree mkd. by Lytle, et. all

A hemlock stump, 24 ins. diam., bears S. $34\frac{3}{4}^{\circ}$ E.,
66.7 ft. dist., no marks visible.

and new bearing trees

A hemlock, 17 ins. diam., bears N. 33° E., 35.5 ft. dist.,
mkd. T21S R8W S13 BT.

A fir, 14 ins. diam., bears S. $61\frac{1}{2}^{\circ}$ E., 20.9 ft. dist., mkd.
T21S R8W S24 BT.

A cedar, 6 ins. diam., bears S. $58\frac{1}{2}^{\circ}$ W., 31.0 ft. dist., mkd.
T21S R8W S23 BT.

A fir, 11 ins. diam., bears N. 54° W., 9.3 ft. dist., mkd.
T21S R8W S14 BT.

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p>The $\frac{1}{4}$ sec. cor. of secs. 13 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd.</p>
	<p>S 13 1/4 ————— S 24 1952</p>
	<p>from which the remains of an original bearing tree</p> <p style="padding-left: 40px;">A cedar stump, 33 ins. diam., bears S. 18° W., 27.7 ft. dist., with illegible scribe marks visible on partially healed blaze.</p> <p>and the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A root hole, bears N. $37\frac{1}{4}^{\circ}$ E., 33.0 ft. dist., with down fir alongside, 20 ins. diam., with a healed blaze.</p> <p style="padding-left: 40px;">A cedar snag, 23 ins. diam., bears S. $34\frac{1}{4}^{\circ}$ W., 13.6 ft. dist., with scribe marks $\frac{1}{4}$ visible on open and burned face. (Record, 14.5 ft. dist.)</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears S. $70\frac{1}{4}^{\circ}$ W., 26.9 ft. dist., mkd. 1/4 S24 BT.</p> <p style="padding-left: 40px;">A fir, 11 ins. diam., bears N. $13\frac{1}{2}^{\circ}$ W., 12.7 ft. dist., mkd. 1/4 S13 BT.</p>
	<hr/> <p>The $\frac{1}{4}$ sec. cor. of secs. 34 and 35, determined at record distance from the original NE. bearing tree, at record distance from the SW. bearing tree, and record bearing to SE. bearing tree:</p> <p>from which an original bearing tree</p> <p style="padding-left: 40px;">A cedar, 38 ins. diam., bears N. $86\frac{1}{2}^{\circ}$ E., 28.4 ft. dist., with a healed blaze. (Record, S. 88° E.)</p> <p>and the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir stump, 60 ins. diam., bears S. $20\frac{1}{2}^{\circ}$ E., 58.6 ft. dist., with a healed blaze. (Record, 62.0 ft. dist.)</p> <p style="padding-left: 40px;">A fir stump, 41 ins. diam., bears S. 53° W., 37.6 ft. dist., with decayed partially opened blaze. (Record, S. $47\frac{1}{2}^{\circ}$ W.)</p>

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET

At the corner point

Set a brass tablet, $3\frac{1}{4}$ ins. diam., $3\frac{1}{2}$ in. stem, in bedrock, with top mkd.

T 21 S R 8 W
1/4
S 34 | S 35
1999

from which new bearing tree

A fir, 17 ins. diam., bears S. $35\frac{1}{2}^{\circ}$ W., 22.9 ft. dist., mkd.
1/4 S34 BT.

The 1952 1 in. iron post and brass cap is in a slide area and has slid down hill. It is impractical to bury this monument alongside, therefore I remove it from the area.

The cor. of secs. 26, 27, 34, and 35, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd.

T 21 S R 8 W
S 27 | S 26

S 34 | S 35
1952

from which bearing trees mkd. by Lytle, et. all

A fir, 26 ins. diam., bears S. $28\frac{1}{2}^{\circ}$ E., 74.6 ft. dist., with a healed blaze. (Record, S. $20\frac{1}{4}^{\circ}$ E.)

A fir, 44 ins. diam., bears S. $39\frac{1}{4}^{\circ}$ W., 22.4 ft. dist., with a healed blaze. (Record, S. $40\frac{1}{2}$ W.)

A fir, 21 ins. diam., bears N. $2\frac{1}{2}^{\circ}$ W., 19.8 ft. dist., with a healed blaze. (Record, N. $5\frac{1}{4}^{\circ}$ W.)

and new bearing tree

A fir, 18 ins. diam., bears N. $83\frac{3}{4}^{\circ}$ E., 35.6 ft. dist., mkd.
T21S R8W S26 BT.

The $\frac{1}{4}$ sec. cor. of secs. 26 and 35, monumented with an iron post, 1 in. diam., firmly set, projecting 1 in. above the ground, with brass cap mkd.

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET																	
	S 26 1/4 ————— S 35 1952																
	<p>from which the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A cedar snag, 17 ins. diam., bears S. 32½° E., 4.0 ft. dist., no marks visible.</p> <p style="padding-left: 40px;">A fir, 47 ins. diam., bears N. 73° W., 40.3 ft. dist., with a healed blaze. (Record, hemlock)</p> <p>and a new bearing tree</p> <p style="padding-left: 40px;">A cedar, 42 ins. diam., bears S. 10° E., 51.1 ft. dist., mkd. 1/4 S35 BT.</p> <hr/> <p>The cor. of secs. 22, 23, 26, and 27, determined at record bearing and distance to the NE. bearing tree, and record distance to the SW. bearing tree:</p> <p>from which bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir, 65 ins. diam., bears N. 27° E., 125.4 ft. dist., with a healed blaze.</p> <p style="padding-left: 40px;">A fir, 35 ins. diam., bears S. 29½° W., 84.5 ft. dist., with a healed blaze. (Record, S. 27¾° W.)</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto;"> <tr><td colspan="4">T 21 S R 8 W</td></tr> <tr><td style="border-right: 1px solid black; border-bottom: 1px solid black;">S 22</td><td style="border-bottom: 1px solid black;">S 23</td><td colspan="2"></td></tr> <tr><td style="border-right: 1px solid black;">S 27</td><td>S 26</td><td colspan="2"></td></tr> <tr><td colspan="4">1999</td></tr> </table> </div> <p>from which new bearing trees</p> <p style="padding-left: 40px;">A fir, 7 ins. diam., bears S. 75¾° E., 8.0 ft. dist., mkd. X BT.</p> <p style="padding-left: 40px;">A hemlock, 11 ins. diam., bears N. 54½° W., 20.9 ft. dist., mkd. T21S R8W S22 BT.</p>	T 21 S R 8 W				S 22	S 23			S 27	S 26			1999			
T 21 S R 8 W																	
S 22	S 23																
S 27	S 26																
1999																	

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p>The corner falls on a steep E. slope.</p> <hr/> <p>The $\frac{1}{4}$ sec. cor. of secs. 14 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 2 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;"> S 14 $\frac{1}{4}$ ————— S 23 1952 </p> <p>from which the remains of bearing trees mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A decayed fir stump, size indeterminate, bears N. 44° E., 31.7 ft. dist., no marks visible.</p> <p style="padding-left: 40px;">A fir stump, 70 ins. diam., bears S. $53\frac{3}{4}^{\circ}$ E., 36.3 ft. dist., with a healed blaze. (Record, S. $53\frac{1}{2}^{\circ}$ W.)</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., bears N. 16° E., 11.9 ft. dist., mkd. 1/4 S14 BT.</p> <p style="padding-left: 40px;">A fir, 13 ins. diam., bears S. $40\frac{1}{2}^{\circ}$ E., 26.4 ft. dist., mkd. 1/4 S23 BT.</p> <hr/> <p>The $\frac{1}{4}$ sec. cor. of secs. 27 and 34, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;"> S 27 $\frac{1}{4}$ ————— S 34 1952 </p> <p>from which a bearing tree mkd. by Lytle, et. all</p> <p style="padding-left: 40px;">A fir, 57 ins. diam., bears N. $65\frac{3}{4}^{\circ}$ E., 202.6 ft. dist., with a healed blaze.</p> <p>and new bearing tree</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears S. $42\frac{3}{4}^{\circ}$ E., 23.5 ft. dist., mkd. 1/4 S34 BT.</p> <hr/>

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p>The $\frac{1}{4}$ sec. cor. of secs. 27 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd.</p>
	$\begin{array}{c} \frac{1}{4} \\ \text{S } 28 \mid \text{S } 27 \\ 1945 \end{array}$
	<p>from which the remains of an original bearing tree</p> <p style="padding-left: 40px;">A fir, 79 ins. diam., bears S. 19° W., 31.7 ft. dist., with a healed blaze. (Record, S. 30° W., 26.4 ft. dist.)</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 12 ins. diam., bears N. $49\frac{3}{4}^{\circ}$ E., 23.4 ft. dist., mkd. $\frac{1}{4}$ S27 BT.</p> <p style="padding-left: 40px;">A fir, 19 ins. diam., bears N. $28\frac{3}{4}^{\circ}$ W., 66.6 ft. dist., mkd. $\frac{1}{4}$ S28 BT.</p>
	<hr/> <p>The cor. of secs. 21, 22, 27, and 28, monumented with an iron post, 2 ins. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd.</p>
	$\begin{array}{c} \text{T } 21 \text{ S } \quad \text{R } 8 \text{ W} \\ \text{S } 21 \mid \text{S } 22 \\ \hline \text{S } 28 \mid \text{S } 27 \\ 1945 \end{array}$
	<p>from which the remains of original bearing trees</p> <p style="padding-left: 40px;">A fir stump, 32 ins. diam., bears N. 37° E., 17.2 ft. dist., no marks visible.</p> <p style="padding-left: 40px;">A fir snag, 38 ins. diam., bears N. $6\frac{1}{2}^{\circ}$ W., 17.2 ft. dist., no marks visible. (Record, N. 10° W.)</p> <p>and the remains of a bearing tree mkd. by Price and Rigby</p> <p style="padding-left: 40px;">A fir stump, 40 ins. diam., bears S. $13\frac{3}{4}^{\circ}$ W., 89.1 ft. dist., no marks visible.</p> <p>and new bearing trees</p>

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET

A fir, 16 ins. diam., bears N. $19\frac{3}{4}^{\circ}$ E., 27.2 ft. dist., mkd.
T21S R8W S22 BT.

A fir, 11 ins. diam., bears S. 45° E., 8.0 ft. dist., mkd.
T21S R8W S27 BT.

A fir, 11 ins. diam., bears S. $57\frac{3}{4}^{\circ}$ W., 22.0 ft. dist., mkd.
T21S R8W S28 BT.

A fir, 16 ins. diam., bears N. $37\frac{3}{4}^{\circ}$ W., 40.2 ft. dist., mkd.
T21S R8W S21 BT.

The $\frac{1}{4}$ sec. cor. of secs. 22 and 27, monumented with an iron post,
1 in. diam., firmly set, projecting 14 ins. above the ground, with
brass cap mkd.

S 22
1/4 —————
S 27
1952

from which new bearing trees

A fir, 12 ins. diam., bears N. $57\frac{3}{4}^{\circ}$ E., 19.8 ft. dist., mkd.
1/4 S22 BT.

A fir, 9 ins. diam., bears S. 46° E., 24.1 ft. dist., mkd.
1/4 S27 BT.

The cor. of secs. 3, 4, 9, and 10, monumented with an iron post,
2 ins. diam., firmly set, projecting 2 ins. above the ground, with
brass cap mkd.

T 21 S R 8 W
S 4 | S 3

S 9 | S 10
1945

from which the remains of the original bearing trees

A fir stump, 24 ins. diam., bears N. 39° E., 14.5 ft. dist.,
no scribe marks visible on open blaze.

A root hole, with remains of a decayed fir inside, bears
S. 70° W., 25.7 ft. dist.

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET									
	<p>A fir stump, 24 ins. diam., bears N. 80° W., 10.6 ft. dist., with scribe marks BT visible on opened blaze.</p> <p>and remains of a bearing tree mkd. by Price and Rigby</p> <p>A fir stump, 28 ins. diam., bears S. 69° E., 26.4 ft. dist., no marks visible.</p> <p>and new bearing trees</p> <p>A fir, 11 ins. diam., bears N. 70½° E., 15.5 ft. dist., mkd. T21S R8W S3 BT.</p> <p>A fir, 12 ins. diam., bears S. 29° E., 30.2 ft. dist., mkd. T21S R8W S10 BT.</p> <p>A fir, 13 ins. diam., bears S. 68° W., 29.8 ft. dist., mkd. T21S R8W S9 BT.</p> <p>A fir, 10 ins. diam., bears N. 31½° W., 23.6 ft. dist., mkd. T21S R8W S4 BT.</p>								
	<p>The cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td colspan="2">T 21 S R 8 W</td> </tr> <tr> <td style="border-right: 1px solid black; border-bottom: 1px solid black;">S 19</td> <td style="border-bottom: 1px solid black;">S 20</td> </tr> <tr> <td style="border-right: 1px solid black;">S 30</td> <td>S 29</td> </tr> <tr> <td colspan="2">1945</td> </tr> </table> </div> <p>from which the remains of a bearing tree mkd. by Price and Rigby</p> <p>A fir stump, 32 ins. diam., bears N. 72° E., 47.5 ft. dist., no marks visible.</p> <p>A fir stump, 55 ins. diam., bears N. 21½° W., 54.8 ft. dist., no marks visible.</p> <p>and new bearing trees</p> <p>A fir, 14 ins. diam., bears N. 51½° E., 48.8 ft. dist., mkd. T21S R8W S20 BT.</p> <p>A fir, 18 ins. diam., bears S. 8½° E., 29.0 ft. dist., mkd. T21S R8W S29 BT.</p>	T 21 S R 8 W		S 19	S 20	S 30	S 29	1945	
T 21 S R 8 W									
S 19	S 20								
S 30	S 29								
1945									

**Subdivisional Lines,
T. 21 S., R. 8 W., Willamette Meridian, Oregon**

FEET	
	<p>A fir, 16 ins. diam., bears S. $24\frac{1}{4}^{\circ}$ W., 33.1 ft. dist., mkd. T21S R8W S30 BT.</p> <p>A fir, 16 ins. diam., bears N. 15° W., 32.1 ft. dist., mkd. T21S R8W S19 BT.</p> <hr/> <p>The $\frac{1}{4}$ sec. cor. of secs. 19 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd.</p> <p style="text-align: center;">S 19 1/4 ————— S 30 1945</p> <p>from which the remains of a bearing tree mkd. by Price and Rigby</p> <p>A root hole, 35 ins. diam., bears N. 40° E., 32.3 ft. dist., with fir log alongside with a healed blaze.</p> <p>and new bearing trees</p> <p>A fir, 13 ins. diam., bears N. 9° E., 16.2 ft. dist., mkd. 1/4 S19 BT.</p> <p>A fir, 7 ins. diam., bears S. 63° E., 14.3 ft. dist., mkd. 1/4 S30 BT.</p> <hr/>