


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GENERAL LAND OFFICE



FIELD NOTES

OF THE

DEPENDENT RESURVEY OF THE N. BDY. OF T. 31 S., R. 2 E. AND PART OF  
THE S. BDY. OF T. 29 S., R. 2 E.,  
RETRACEMENT OF PART OF THE S. BDY. OF T. 29 S., R. 2 E.,  
AND  
SURVEY OF THE W. BDY. AND SUBDIVISIONS OF T. 30 S., R. 2 E.

Of the Willamette Meridian,  
In the State of Oregon

EXECUTED BY

Leonard Carter, Public Land Surveyor  
George F. Dawson, Jr., Transitman

Under special instructions dated November 21, 1935, which provided  
for the surveys included under Group No. 175, bearing the approval of the  
Commissioner of the General Land Office under date of March 17, 1936  
and assignment instructions dated March 31, 1937.

Survey commenced April 29, 1937.

Survey completed August 6, 1937.

21842-249

Township 30 South, Range 2 East.

Chains	
	<p>Same, by reference to radio time signals and calculated difference in longitude ----- 10m 28s</p> <p>Every 30 min. from 7 to 10:30 a.m. and from 1:30 to 5 p.m., I make proper settings on the arcs of the solar attachments and ascertain that the resulting orientations of the instruments, when compared with the meridian established by Polaris observation, have maximum errors of less than 1' 30".</p> <p>I repeat the tests of the arcs daily by noon observation and verify the meridional indications at frequent intervals throughout the survey.</p> <p>The observed magnetic declination is 20°E.</p>
	<p>Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.</p> <p>"Reestablishment of the Surveys executed by Peter Applegate, Deputy Surveyor, in 1891."</p>
	<p style="text-align: center;">Retracements</p>
39.80	From the cor. of Tps. 30 and 31 S., Rs. 2 and 3 E. West, bet. secs. 1 and 36.
80.24	Fall 58 lks. S. of $\frac{1}{4}$ sec. cor. Fall 93 lks. S. of cor. of secs. 1, 2, 35, and 36.
40.00	From the cor. of secs. 1, 2, 35, and 36. West, bet. secs. 2 and 35.
80.33	Find no evidence of $\frac{1}{4}$ sec. cor. Fall 114 lks. S. of cor. of secs. 2, 3, 34, and 35.
40.39	From the cor. of secs. 2, 3, 34, and 35. West, bet. secs. 3 and 34.
80.66	Fall 100 lks. S. of $\frac{1}{4}$ sec. cor. Fall 183 lks. S. of cor. of secs. 3, 4, 33, and 34.
40.20	From the cor. of secs. 3, 4, 33, and 34. West, bet. secs. 4 and 33.
80.41	Fall 60 lks. S. of $\frac{1}{4}$ sec. cor. Fall 133 lks. S. of cor. of secs. 4, 5, 32, and 33.
40.31	From the cor. of secs. 4, 5, 32, and 33. West, bet. secs. 5 and 32.
80.47	Fall 69 lks. S. of $\frac{1}{4}$ sec. cor. Fall 123 lks. S. of cor. of secs. 5, 6, 31, and 32.
40.09	From the cor. of secs. 5, 6, 31, and 32. West, bet. secs. 6 and 31.
74.08	Fall 63 lks. S. of $\frac{1}{4}$ sec. cor. Fall 114 lks. S. of cor. of Tps. 30 and 31 S., R. 2 E.
	<p>I commence the dependent resurvey at the cor. of Tps. 30 and 31 S., Rs. 2 and 3 E., which is an iron post, 3 ins. diam., 6 ins. above ground, firmly set, marked and witnessed as described in the official record.</p> <p>The geographic position of this cor. is latitude 42° 54<math>\frac{1}{2}</math>' N., and longitude 122° 31' W.</p> <p>Thence</p> <p>N. 89° 10' W., on true line, along N. bdy. of sec. 1.</p> <p>Asc. 117 ft. over SE. slope, through heavy timber and light undergrowth.</p>
9.60	Spur, slopes S. 15° W.; desc. 408 ft. over W. slope.

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
17.00	Enter dense undergrowth, bears N. and S.
25.75	Abbott Creek, 30 lks. wide, course S.20°E.; asc. 14 ft. over SE. slope.
33.70	Creek, 20 lks. wide, course SE.; asc. 55 ft. over NE. slope.
39.80	Point for the old $\frac{1}{4}$ sec. cor. of secs. 1 and 36, as determined by reference to the record bearing and distance to the original SE. bearing tree.
	I now change this cor. to refer to sec. 1 only.
	At point for corner,
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 1 only, with brass cap mkd.
	$\frac{1}{4}$ S 1
	1937
	from which
	A hemlock, 16 ins. diam., bears S.78°E., 22 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (Old B.T.)
	A fir, 28 ins. diam., bears S.24°E., 96 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)
	A white pine, 22 ins. diam., bears S.5°W., 58 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)
	Thence
	N.89° 30' W., continuing measurements.
	Asc. 5 ft. over NE. slope.
40.00	A point 40.00 chs. in departure from the cor. of Tps. 30 and 31 S., Rs. 2 and 3 E., previously described.
	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 36 only, with brass cap mkd.
	$\frac{1}{4}$ S 36
	1937
	from which
	A white pine, 28 ins. diam., bears N.63°E., 110 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	A fir, 30 ins. diam., bears N.58°W., 46 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	Asc. 55 ft. over NE. slope.
44.40	Spur, slopes N.; desc. 25 ft. over NW. slope.
47.40	Draw, drains N.; asc. 65 ft. over NE. slope.
53.00	Spur, slopes N.; desc. 30 ft. over NW. slope.
54.45	Spring branch, 1 lk. wide, course NE.; asc. 115 ft. over NE. slope.
62.25	Spur, slopes N.; desc. 30 ft. over NW. slope.
64.45	Spring branch, 1 lk. wide, course N.; asc. 300 ft. over NE. slope.

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
80.00	<p>A point 40.00 chs. in departure from the <math>\frac{1}{4}</math> sec. cor. of sec. 36 only, previously described.</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for cor. of secs. 35 and 36 only, with brass cap mkd.</p> <p style="text-align: center;">T30S R2E S35 S36 T31S R2E S-1</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 15 ins. diam., bears N.30°E., 201 lks. dist., mkd. T 30 S R 2 E S 36 B T.</p> <p>A fir, 15 ins. diam., bears N.52°W., 29 lks. dist., mkd. T 30 S R 2 E S 35 B T.</p> <p>Asc. 5 ft. over NE. slope.</p>
80.24	<p>The original cor. of secs. 1, 2, 35, and 36, which is a basalt stone, 20x8x6 ins., firmly set, mkd. with 1 notch on E. and 5 notches on W. edge.</p> <p>I now change this cor. to refer to secs. 1 and 2 only.</p> <p>At point for corner,</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 1 and 2 only, with brass cap mkd.</p> <p style="text-align: center;">T30S R2E S35 S 2   S 1 T31S   R2E</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 23 ins. diam., bears S.39°W., 40 lks. dist., blaze healed; I do not open. (Old B.T.)</p> <p>A fir, 17 ins. diam., bears N.2°W., 36 lks. dist., mkd. T 30 S R 2 E S 35 B T. I obliterate the marks. (Old B.T.)</p> <p>A fir, 23 ins. diam., bears S.31°E., 169 lks. dist., mkd. T 31 S R 2 E S 1 B T. (New B.T.)</p> <p>Land, mountainous. Soil, sandy clay and rocky; 2nd and 4th rate. Timber, fir, pine, hemlock, madrona, maple, alder, and chinquapin. Undergrowth, vinemaple, manzanita, salal, Oregon grape, and rhododendron.</p> <hr/> <p>N.89° 11' W., along N. bdy. of sec. 2.</p> <p>Asc. 10 ft. over NE. slope, through heavy timber and dense undergrowth.</p> <p>1.20 Small spur, slopes N.; desc. 35 ft. over NW. slope.</p> <p>3.15 Spring branch, 1 lk. wide, course NE.; asc. 225 ft. over NE. slope.</p> <p>11.75 Rocky spur, slopes N.; desc. 82 ft. over NW. slope.</p>

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
17.60	Spring branch, 1 lk. wide, course N.; asc. 27 ft. over NE. slope.
19.00	Small spur, slopes N.; desc. 33 ft. over NW. slope.
25.00	Creek, 3 lks. wide, course NE.; asc. 40 ft. over SE. slope.
27.80	Point of spur, slopes S.30°E.; along S. slope.
29.20	Same creek, 3 lks. wide, course S.60°E.; asc. 170 ft. over NE. slope.
39.76	A point 40.00 chs. in departure from the cor. of secs. 35 and 36 only, previously described. Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 35 only, with brass cap mkd. $\frac{1}{4}$ S 35 1937 from which A white fir, 22 ins. diam., bears N.89°E., 36 lks. dist., mkd. $\frac{1}{4}$ S 35 B T. A white fir, 35 ins. diam., bears N.49°W., 12 lks. dist., mkd. $\frac{1}{4}$ S 35 B T. Asc. 6 ft. over NE. slope.
40.17	Proportionate measurement, Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 2 only, with brass cap mkd. $\frac{1}{4}$ S 2 1937 from which A fir, 23 ins. diam., bears S.71°E., 90 lks. dist., mkd. $\frac{1}{4}$ S 2 B T. A fir, 8 ins. diam., bears S.74°W., 39 lks. dist., mkd. $\frac{1}{4}$ S 2 B T. Asc. 55 ft. over NE. slope.
44.90	Spur, slopes N.; desc. 32 ft. over NW. slope.
46.80	Spring branch, 1 lk. wide, course NW.; asc. 375 ft. over NE. slope.
79.76	A point 40.00 chs. in departure from the $\frac{1}{4}$ sec. cor. of sec. 35 only, previously described. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 34 and 35 only, with brass cap mkd. T30S R2E S34 S35 T31S R2E S 2 1937 from which A white fir, 20 ins. diam., bears N.71°E., 128 lks. dist., mkd. T 30 S R 2 E S 35 B T.

Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
	<p>A white pine, 25 ins. diam., bears N.22°W., 58 lks. dist., mkd. T 30 S R 2 E S 34 B T.</p> <p>Along N. slope.</p>
80.34	<p>The original cor. of secs. 2, 3, 34, and 35, which is a sandstone, 20x16x8 ins., firmly set, mkd. with 2 notches on E. and 4 notches on W. edge.</p> <p>I now change this cor. to refer to secs. 2 and 3 only.</p> <p>At point for corner,</p> <p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 2 and 3 only, with brass cap mkd.</p> <p style="text-align: center;">           T30S R2E            S34            S 3   S 2            T31S R2E         </p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A white fir, 28 ins. diam., bears S.47°W., 25 lks. dist., mkd. T 31 S R 2 E S 3 B T. (Old B.T.)</p> <p>A cedar, 15 ins. diam., bears S.42°E., 93 lks. dist., mkd. T 31 S R 2 E S 2 B T. (New B.T.)</p> <p>Land, mountainous.          Soil, sandy clay and rocky; 2nd and 4th rate.          Timber, fir, pine, madrona, chinquapin, willow, maple, alder, hemlock, and yew.          Undergrowth, vinemaple, and manzanita.</p>
	<p>N.88° 35' W., along N. bdy. of sec. 3.</p> <p>Asc. 190 ft. over NE. slope, through heavy timber and light undergrowth.</p>
23.80	Spur, slopes SE.; desc. 57 ft. over SW. slope.
31.95	Spring branch, 1 lk. wide, course SE.; asc. 75 ft. over E. slope.
39.43	<p>A point 40.00 chs. in departure from the cor. of secs. 34 and 35 only, previously described.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for 1/4 sec. cor. of sec. 34 only, with brass cap mkd.</p> <p style="text-align: center;">1/4 S 34</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A cedar, 35 ins. diam., bears N.45°E., 64 lks. dist., mkd. 1/4 S 34 B T.</p> <p>A cedar, 25 ins. diam., bears N.12°W., 99 lks. dist., mkd. 1/4 S 34 B T.</p> <p>Asc. 9 ft. over E. slope.</p>
40.40	<p>The original 1/4 sec. cor. of secs. 3 and 34, which is a sandstone, 25x15x4 ins., firmly set, mkd. 1/4 on N. face.</p> <p>I now change this cor. to refer to sec. 3 only.</p>

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains

At point for corner,

Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the original stone deposited at the base, for the  $\frac{1}{4}$  sec. cor. of sec. 3 only, with brass cap mkd.

1/4 S 3

1937

from which

A white fir, 12 ins. diam., bears N.39°E., 29 lks. dist., mkd.  $\frac{1}{4}$  S B.T. I obliterate the marks on this tree. (Old B.T.)

A white fir, 40 ins. diam., bears S.11°W., 15 lks. dist., mkd.  $\frac{1}{4}$  S B.T. (Old B.T.)

A cedar, 22 ins. diam., bears S.28°E., 52 lks. dist., mkd.  $\frac{1}{4}$  S 3 B.T. (New B.T.)

A white fir, 32 ins. diam., bears S.62°W., 96 lks. dist., mkd.  $\frac{1}{4}$  S 3 B.T. (New B.T.)

Thence

N.88° 49' W., continuing measurements.

Asc. 160 ft. over E. slope, changing to NE. slope.

55.50 Spur, slopes SE.; asc. 5 ft. over rolling S. slope.

71.15 Draw, drains SE.; asc. 85 ft. over E. slope.

79.44 A point 40.00 chs. in departure from the  $\frac{1}{4}$  sec. cor. of sec. 34 only, previously described.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 33 and 34 only, with brass cap mkd.

T30S R2E

S33|S34

T31S R2E

S 3

1937

from which

A white fir, 55 ins. diam., bears N.25°E., 52 lks. dist., mkd. T 30 S R 2 E S 34 B.T.

A white fir, 55 ins. diam., bears N.45°W., 30 lks. dist., mkd. T 30 S R 2 E S 33 B.T.

Asc. 25 ft. over E. slope.

80.68 The original cor. of secs. 3, 4, 33, and 34, which is a basalt stone, 14x10x8 ins., firmly set, with no legible marks.

I now change this cor. to refer to secs. 3 and 4 only.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 3 and 4 only, with brass cap mkd.

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
	<p style="text-align: center;">T30S R2E  <math>\frac{S33}{S41S3}</math>  T31S R2E</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A white fir, 25 ins. diam., bears N.32°E., 32 lks. dist., mkd. T 30 S R 2 E S 34 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A white fir, 45 ins. diam., bears S.7°E., 44 lks. dist., blaze healed; I do not open. (Old B.T.)</p> <p>A white fir, 40 ins. diam., bears S.41°W., 81 lks. dist., blaze healed. I do not open. (Old B.T.)</p> <p>A badly decayed white fir stump, 57 ins. diam., bears N.50°W., 14 lks. dist. (Old B.T.)</p> <p>Land, mountainous.  Soil, sandy clay; 3rd rate.  Timber, fir, pine, yew, cedar, willow, maple, hemlock, chinquapin, and alder.  Undergrowth, vinemaple, huckleberry, and salal.</p>
	<p>N.89° 09' W., along N. bdy. of sec. 4.</p> <p>Asc. 30 ft. over E. slope, through heavy timber and light undergrowth.</p>
5.75	Spur, slopes N.75°E.; asc. 570 ft. over NE. slope, changing to E. slope.
16.43	Road, bears N.20°W. and S.20°E.
38.76	A point 40.00 chs. in departure from the cor. of secs. 33 and 34 only, previously described.
	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. of sec. 33 only, with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 33</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A white fir, 25 ins. diam., bears N.25°E., 47 lks. dist., mkd. <math>\frac{1}{4}</math> S 33 B T.</p> <p>A white fir, 35 ins. diam., bears N.55°W., 84 lks. dist., mkd. <math>\frac{1}{4}</math> S 33 B T.</p> <p>Asc. 30 ft. over E. slope.</p>
40.20	<p>The original <math>\frac{1}{4}</math> sec. cor. of secs. 4 and 33, which is a sandstone, 12x10x5 ins., firmly set, mkd. <math>\frac{1}{4}</math> on N. face.</p> <p>I now change this cor. to refer to sec. 4 only.</p> <p>At point for corner,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the original stone deposited at the base, for the <math>\frac{1}{4}</math> sec. cor. of sec. 4 only, with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 4</p> <p style="text-align: center;">1937</p>

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains

from which

A white fir snag, 30 ins. diam., bears S.50°E., 17 lks. dist., mkd.  $\frac{1}{4}$  S. (Old B.T.)

A white fir, 27 ins. diam., bears S.30°E., 85 lks. dist., mkd.  $\frac{1}{4}$  S 4 B T. (New B.T.)

A white fir, 28 ins. diam., bears S.1°W., 77 lks. dist., mkd.  $\frac{1}{4}$  S 4 B T. (New B.T.)

Abbott Butte Lookout, bears N.43° 03' E.

Ridge, bears NW. and SE.

Thence

N.88° 58' W., continuing measurements.

Desc. 235 ft. over gradual SW. slope.

45.55 Road, bears N. and S.; telephone line parallels the road.

78.77. A point 40.00 chs. in departure from the  $\frac{1}{4}$  sec. cor. of sec. 33 only, previously described.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 32 and 33 only, with brass cap mkd.

T30S R2E

S32|S33

T31S R2E

S 4

1937

from which

A white fir, 22 ins. diam., bears N.52°E., 57 lks. dist., mkd. T 30 S R 2 E S 33 B T.

A white fir, 40 ins. diam., bears N.33°W., 67 lks. dist., mkd. T 30 S R 2 E S 32 B T.

Desc. 20 ft. over SW. slope.

80.42 The original cor. of secs. 4, 5, 32, and 33, which is a sandstone, 16x12x10 ins., firmly set, mkd. with four notches on E. and two notches on W. edge.

I now change this cor. to refer to secs. 4 and 5 only.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 4 and 5 only, with brass cap mkd.

T30S R2E

S32

E 5|S 4

T31S R2E

1937

from which

A white fir, 50 ins. diam., bears N.30°E., 44 lks. dist., mkd. T 30 S R 2 E S 33 B T. I obliterate the marks on this tree. (Old B.T.)

A white fir, 35 ins. diam., bears S.23°E., 12 lks. dist., blaze healed. I do not open. (Old B.T.)

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
	<p>A white fir, 25 ins. diam., bears S.5°W., 22 lks. dist., blaze healed. I do not open. (Old B.T.)</p> <p>A white fir, 9 ins. diam., bears N.37°W., 68 lks. dist., mkd. T 30 S R 2 E S 32 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>Land, mountainous. Soil, clay; 2nd rate. Timber, fir, pine, hemlock, yew, willow, and cedar. Undergrowth, vinemaple, serviceberry, and huckleberry.</p>
	<p>N.89° 01' W., along N. bdy. of sec. 5.</p> <p>Desc. 280 ft. over SW. slope, through heavy timber and light undergrowth.</p>
36.65	Donegan Prairie Way Trail, bears N.75°W. and S.75°E.
38.36	<p>A point 40.00 chs. in departure from the cor. of secs. 32 and 33 only, previously described.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground to bedrock, and in a mound of stone to top, for the <math>\frac{1}{4}</math> sec. cor. of sec. 32 only, with brass cap mkd.</p> <p style="text-align: center;"><u><math>\frac{1}{4}</math> S 32</u></p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 32 ins. diam., bears N.20°E., 73 lks. dist., mkd. <math>\frac{1}{4}</math> S 32 B T.</p> <p>A fir, 25 ins. diam., bears N.60°W., 53 lks. dist., mkd. <math>\frac{1}{4}</math> S 32 B T.</p>
	<p>Along S. slope.</p>
40.32	<p>The original <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 32, which is a basalt stone, <del>14x18</del> 14x18 ins., firmly set, mkd. with cross (X) on top.</p> <p>I now change this cor. to refer to sec. 5 only.</p> <p>At point for corner,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the original stone deposited at the base, for the <math>\frac{1}{4}</math> sec. cor. of sec. 5 only, with brass cap mkd.</p> <p style="text-align: center;"><u><math>\frac{1}{4}</math> S 5</u></p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A white fir, 27 ins. diam., bears N.44°E., 49 lks. dist., mkd. on bark, <math>\frac{1}{4}</math> S B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A cedar, 30 ins. diam., bears S.36°E., 32 lks. dist., blaze healed. I do not open. (Old B.T.)</p> <p>A white fir, 8 ins. diam., bears S.29°W., 20 lks. dist., mkd. <math>\frac{1}{4}</math> S 5 B T. (New B.T.)</p>
	<p>Thence</p> <p>N.89° 14' W., continuing measurements.</p>

## Dependant Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains

Asc. 5 ft. along rolling S. slope.

52.00 Enter fir reproduction, bears N. and S.

56.00 Leave fir reproduction, bears N. and S.

78.36 A point 40.00 chs. in departure from the  $\frac{1}{4}$  sec. cor. of sec. 32 only, previously described.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 31 and 32, with brass cap mkd.

T30S R2E  
S31|S32  
T31S R2E  
S 5  
1937

from which

A fir, 20 ins. diam., bears N.30°E., 101 lks. dist., mkd. T 30 S R 2 E S 32 B T.

A fir, 55 ins. diam., bears N.50°W., 85 lks. dist., mkd. T 30 S R 2 E S 31 B T.

Along S. slope.

80.48 The original cor. of secs. 5, 6, 31, and 32, which is a basalt stone, 15x15x10 ins., firmly set, mkd. with cross (X) on top.

I now change this cor. to refer to secs. 5 and 6 only.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with the original stone deposited at the base, for cor. of secs. 5 and 6 only, with brass cap mkd.

T30S R2E  
S31  
S 6|S 5  
T31S R2E  
1937

from which

A fir snag, 22 ins. diam., bears N.18°E., 46 lks. dist., mkd. T 30 S R 2 E S 32 B T. I obliterate the marks on this tree. (Old B.T.)

A fir, 37 ins. diam., bears S.20°E., 39 lks. dist., blaze healed. I do not open. (Old B.T.)

A fir, 38 ins. diam.; bears S:50°W., 43 lks. dist., blaze healed. I do not open. (Old B.T.)

A fir, 47 ins. diam., bears N.66°W., 43 lks. dist., mkd.; on bark, T 30 S R 2 E S 31 B T. I obliterate the marks on this tree. (Old B.T.)

Land, mountainous.  
Soil, sandy clay; 2nd rate.  
Timber, fir, hemlock, pine, cedar, and yew.  
Undergrowth, fir reproduction, vinemaple, and huckleberry.

---

N.89° 06' W., along N. bdy. of sep. 6.

Desc. 330 ft. over SW. slope, through heavy timber and light undergrowth.

30.90 Spur, slopes SW.; desc. 240 ft. over NW. slope.

## Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains. 37.88	<p>A point 40.00 chs. in departure from the cor. of secs. 31 and 32 only, previously described.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. of sec. 31 only, with brass cap mkd.</p> <p style="text-align: center;"><u><math>\frac{1}{4}</math> S 31</u></p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 55 ins. diam., bears N.80°E., 88 lks. dist., mkd. <math>\frac{1}{4}</math> S 31 B T.</p> <p>A fir, 30 ins. diam., bears N.62°W., 29 lks. dist., mkd. <math>\frac{1}{4}</math> S 31 B T.</p> <p>Desc. 40 ft. over NW. slope.</p>
40.09	<p>The original <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 31, which is a sandstone, 16x12x8 ins., firmly set, with no legible marks.</p> <p>I now change this cor. to refer to sec. 6 only.</p> <p>At point for corner,</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with the original stone deposited at the base, for <math>\frac{1}{4}</math> sec. cor. of sec. 6 only, with brass cap mkd.</p> <p style="text-align: center;"><u><math>\frac{1}{4}</math> S 6</u></p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 47 ins. diam., bears N.54°E., 16 lks. dist., mkd., on bark, <math>\frac{1}{4}</math> S B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A fir, 40 ins. diam., bears S.54°E., 7 lks. dist., blaze healed. I do not open. (Old B.T.)</p> <p>A fir, 10 ins. diam., bears S.66°E., 66 lks. dist., mkd. <math>\frac{1}{4}</math> S 6 B T. (New B.T.)</p> <p>A fir, 7 ins. diam., bears S.81°W., 105 lks. dist., mkd. <math>\frac{1}{4}</math> S 6 B T. (New B.T.)</p> <p>Thence</p> <p>N.89°08' W., continuing measurements.</p> <p>Desc. 60 ft. over NW. slope.</p>
44.00	Enter dense undergrowth, bears N. and S.
45.50	Spur, slopes N.75°W.; desc. 580 ft. over SW. slope.
69.70	Deadhorse Creek, 8 lks. wide, course N.15°E.; asc. 80 ft. over NE. slope.
74.08	<p>The cor. of Tps. 30 and 31 S., R. 2 E., previously described in the field notes of T. 31 S., R. 1 E., of this Group.</p> <p>Land, mountainous.</p> <p>Soil, sandy and rocky loam; 2nd and 4th rate.</p> <p>Timber, fir, hemlock, pine, cedar, and yew.</p> <p>Undergrowth, manzanita, chinquapin, huckleberry, 2nd growth, rhododendron, and salal.</p>

Retracement of Part of South Boundary of T. 29 S., R. 2 E.

"Retracement of the Surveys executed by Fred Mensch, Cadastral Engineer, in 1923."

Chains	Retracements
39.93 79.87	From the cor. of Tps. 29 and 30 S., Rs. 2 and 3 E. West, bet. secs. 1 and 36. Fall 1 lk. N. of $\frac{1}{4}$ sec. cor. Fall 5 lks. S. of cor. of secs. 1, 2, 35, and 36.
39.78 79.73	From the cor. of secs. 1, 2, 35, and 36. West, bet. secs. 2 and 35. Fall 5 lks. S. of $\frac{1}{4}$ sec. cor. Fall 5 lks. S. of cor. of secs. 2, 3, 34, and 35.
39.76 79.51	From the cor. of secs. 2, 3, 34, and 35. West, bet. secs. 3 and 34. Intersect $\frac{1}{4}$ sec. cor. Fall 2 lks. S. of cor. of secs. 3, 4, 33, and 34.
9.70 28.10 39.93	From the cor. of Tps. 29 and 30 S., Rs. 2 and 3 E., which is an iron post, 3 ins. diam., 12 ins. above ground, firmly set, mkd. and witnessed as described in the official record. S.89° 59' W., on true line, bet. secs. 1 and 36. Asc. 24 ft. over SE. slope, through heavy timber and light undergrowth. Ridge, bears NE. and SW.; desc. 310 ft. over W. slope. Dry wash, 1 lk. wide, course N.75°W.; desc. 128 ft. over W. slope, changing to SW. slope.
52.25 54.15 55.00 58.50 65.40 79.87	The $\frac{1}{4}$ sec. cor. of secs. 1 and 36, which is an iron post, 1 in. diam., 6 ins. above ground, firmly set, mkd. and witnessed as described in the official record. Dry wash, 1 lk. wide, course SW. Thence N.89° 55' W., continuing measurements. Desc. 70 ft. over SW. slope. Spring branch, 1 lk. wide, course S.60°W.; along S. slope. Spur, slopes S.35°W.; desc. 17 ft. over SW. slope. Spring branch, 1 lk. wide, course SW.; desc. 55 ft. over SW. slope. Draw, drains SW.; asc. 23 ft. over SE. slope. Spur, slopes SW.; desc. 57 ft. over rolling S. slope. The cor. of secs. 1, 2, 35, and 36, which is an iron post, 2 ins. diam., 10 ins. above ground, firmly set, with brass cap mkd.
	T29S R2E S35 S36 S 2 S 1 T30S
	1923 from which
	A madrona, 7 ins. diam., bears N.66°E., 10 lks. dist., mkd. T 29 S R 2 E S 36 B T. (Old B.T.)
	A madrona, 7 ins. diam., bears S.43°E., 34 lks.

Retracement of Part of South Boundary of T. 29 S., R. 2 E.

Chains	
	<p>dist., mkd. T 30 S R 2 E S 1 B T. (Old B.T.)</p> <p>A madrona, 6 ins. diam., bears S.29°W., 6 lks. dist., mkd. T 30 S R 2 E S 2 B T. (Old B.T.)</p> <p>A madrona, 12 ins. diam., bears N.66°W., 5 lks. dist., mkd. T 29 S R 2 E S 35 B T. (Old B.T.)</p> <p>A fir, 47 ins. diam., bears N.34°E., 95 lks. dist., mkd. T 29 S R 2 E S 36 B T. (New B.T.)</p> <p>A fir, 22 ins. diam., bears S.21°E., 71 lks. dist., mkd. T 30 S R 2 E S 1 B T. (New B.T.)</p> <p>A fir, 28 ins. diam., bears S.17°W., 97 lks. dist., mkd. T 30 S R 2 E S 2 B T. (New B.T.)</p> <p>A fir, 30 ins. diam., bears N.61°W., 89 lks. dist., mkd. T 29 S R 2 E S 35 B T. (New B.T.)</p> <p>Spur, slopes S.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, yew, pine, cedar, alder, maple, and madrona. Undergrowth, vinemaple, salal, manzanita, Oregon grape, and rhododendron.</p>
	<p>N.89° 56' W., bet. secs. 2 and 35.</p> <p>Desc. 775 ft. over SW. slope, through heavy timber and light undergrowth.</p>
39.78	<p>The <math>\frac{1}{4}</math> sec. cor. of secs. 2 and 35, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap mkd.</p> $\frac{1}{4} \frac{S \ 35}{S \ 2}$ <p>1923</p> <p>from which</p> <p>A fir, 40 ins. diam., bears N.68°E., 11 lks. dist., mkd. <math>\frac{1}{4}</math> S 35 B T. (Old B.T.)</p> <p>A fir, 17 ins. diam., bears S.68°W., 24 lks. dist., mkd. <math>\frac{1}{4}</math> S 2 B T. (Old B.T.)</p>
	<p>Thence</p> <p>West, continuing measurements.</p> <p>Desc. 30 ft. over SW. slope.</p>
42.60	<p>Abbott Creek, 75 lks. wide, course NW.; asc. 70 ft. along N. slope.</p>
79.73	<p>The cor. of secs. 2, 3, 34, and 35, which is an iron post, 2 ins. diam., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, yew, pine, cedar, alder, maple, and madrona. Undergrowth, vinemaple, salal, manzanita, rhododendron, and willow.</p>

## Retracement of Part of South Boundary of T. 29 S., R. 2 E.

Chains	
	West, bet. secs. 3 and 34.
	Asc. 10 ft. over broken N. slope, through heavy timber and dense undergrowth.
3.20	Draw, drains N.; asc. 100 ft. over NE. slope.
7.50	Top of ascent on N. slope; desc. 60 ft. over NW. slope.
13.25	Draw, drains N.; asc. 35 ft. over NE. slope.
14.65	Spur, slopes N.; desc. 25 ft. over NW. slope.
15.90	Draw, drains N.15°E.; asc. 55 ft. over NE. slope.
18.50	Spur, slopes N.25°W.; desc. 90 ft. over NW. slope.
22.25	Draw, drains N.15°W.; asc. 12 ft. over NE. slope.
23.70	Spur, slopes N.; desc. 30 ft. over NW. slope.
25.65	Shallow draw, drains N.; asc. 20 ft. over NE. slope.
27.65	Spur, slopes N.60°W.; desc. 178 ft. over SW. slope.
33.50	Creek, 3 lks. wide, course NW.; asc. 155 ft. over NE. slope.
37.70	Abbott Butte Way Trail, bears N.15°E. and S.15°W.
39.76	The $\frac{1}{2}$ sec. cor. of secs. 3 and 34, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.
	Thence
	N.89° 58' W., continuing measurements.
	Asc. 27 ft. over NE. slope.
41.75	Spur, slopes N.10°W.; desc. 180 ft. over NW. slope.
53.45	Draw, drains N.; asc. 10 ft. over NE. slope.
54.80	Rocky point, slopes N.; desc. 30 ft. over NW. slope.
57.00	Spring branch, 1 lk. wide, course N.; asc. 140 ft. over NE. slope.
63.15	Spur, slopes N.; desc. 220 ft. over NW. slope.
75.85	Jackson Creek, 60 lks. wide, course SW.; asc. 110 ft. over SE. slope.
78.65	Jackson Creek Trail, bears N.60°E. and S.60°W.
79.51	The cor. of secs. 3, 4, 33, and 34, which is an iron post, 2 ins. diam., 10 ins. above ground, firmly set, mkd. and witnessed as described in the official record.
	Land, mountainous.
	Soil, sandy loam and rocky; 2nd and 4th rate.
	Timber, fir, hemlock, yew, pine, cedar, alder, maple, and madrona.
	Undergrowth, vinemaple, rhododendron, salal, and Oregon grape.

21856 256

Dependent Resurvey of Part of the South Boundary of  
T. 29 S., R. 2 E.

"Reestablishment of the Surveys executed by Fred Mensch,  
Cadastral Engineer, in 1923."

Chains	Retracements
	From the cor. of secs. 3, 4, 33, and 34. West, bet. secs. 4 and 33.
40.00	Fall 2 lks. S. of $\frac{1}{4}$ sec. cor.
79.92	Fall 6 lks. S. of cor. of secs. 4, 5, 32, and 33.
	From the cor. of secs. 4, 5, 32, and 33. West, bet. secs. 5 and 32.
39.97	Intersect $\frac{1}{4}$ sec. cor.
79.86	Fall 2 lks. N. of cor. of secs. 5, 6, 31, and 32.
	From the cor. of secs. 5, 6, 31, and 32. West, bet. secs. 6 and 31.
39.92	Fall 3 lks. S. of $\frac{1}{4}$ sec. cor.
76.93	Fall 7 lks. S. of cor. of Tps. 29 and 30 S., Rs. 1 and 2 E.
	From the cor. of secs. 3, 4, 33, and 34, previously described.
	N.89° 58' W., on true line, along S. bdy. of sec. 33.
	Asc. 200 ft. over SE. slope, through heavy timber and dense undergrowth.
11.00	Spur, slopes S.15°E.; desc. 66 ft. over SW. slope.
15.30	Creek, 3 lks. wide, course S.15°E.; asc. 220 ft. over SE. slope.
30.00	Spur, slopes S.15°W.; desc. 133 ft. over SW. slope.
40.00	The original $\frac{1}{4}$ sec. cor. of secs. 4 and 33, which is an iron post, 1 in. diam., 10 ins. above ground, firmly set, with marks conforming to the record.
	I now change this cor. to refer to sec. 33 only and re- mark the brass cap as follows:
	<u><math>\frac{1}{4}</math> S 33</u>
	1923
	from which
	A fir, 13 ins. diam., bears N.7°E., 47 lks. dist., mkd. $\frac{1}{4}$ S 33 B T. (Old B.T.)
	A fir, 6 ins. diam., bears S.47°W., 63 lks. dist., mkd. $\frac{1}{4}$ S 4 B T. I obliterate the marks on this tree. (Old B.T.)
	A fir, 27 ins. diam., bears N.40°W., 79 lks. dist., mkd. $\frac{1}{4}$ S 33 B T. (New B.T.)
	Thence
	N.89° 57' W., continuing measurements.
	Desc. 180 ft. over SW. slope.
61.30	Draw, drains SW.; asc. 10 ft. over SE. slope.
64.00	Spur, slopes S.60°W.; desc. 90 ft. over SW. slope.
79.92	The original cor. of secs. 4, 5, 32, and 33, which is an iron post, 2 ins. diam., 9 ins. above ground, firmly set, with marks conforming to the record.
	I now change this cor. to refer to secs. 32 and 33 only and re-mark the brass cap as follows:

Dependent Resurvey of Part of the South Boundary of  
T. 29 S., R. 2 E.

Chains	
	<p>T29S R2E S32 S33 T30S R2E S 4.</p> <p>1923</p> <p>from which</p> <p>A fir, 24 ins. diam., bears N.2°E., 53 lks. dist., mkd. T 29 S R 2 E S 33 B T. (Old B.T.)</p> <p>A cedar, 7 ins. diam., bears S.61°E., 57 lks. dist., mkd. T 30 S R 2 E S 4 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A fir, 9 ins. diam., bears S.16°W., 47 lks. dist., mkd. T 30 S R 2 E S 5 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A cedar, 40 ins. diam., bears N.87°W., 127 lks. dist., mkd. T 29 S R 2 E S 32 B T. (Old B.T.)</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, pine, yew, alder, maple, and madrona. Undergrowth, vinemaple, rhododendron, huckleberry, salal, and manzanita.</p>
	<p>West, along S. bdy. of sec. 32.</p> <p>Desc. 20 ft. over SW. slope, through heavy timber and dense undergrowth.</p> <p>4.40 Draw, drains S.30°E.; asc. 24 ft. over SE. slope.</p> <p>10.00 Spur, slopes S.15°E.; desc. 56 ft. over SW. slope.</p> <p>17.50 Draw, drains S.; asc. 32 ft. over SE. slope.</p> <p>25.00 Spur, slopes S.30°E.; desc. 140 ft. over SW. slope.</p> <p>39.97 The original <math>\frac{1}{4}</math> sec. cor. of secs. 5 and 32, which is an iron post, 1 in. diam., 9 ins. above ground, firmly set, with marks on the brass cap conforming to the record.</p> <p>I now change this cor. to refer to sec. 32 only and re- mark the brass cap as follows:</p> <p><math>\frac{1}{4}</math> S 32</p> <p>1923</p> <p>from which</p> <p>A pine, 22 ins. diam., bears N.68°W., 42 lks. dist., mkd. <math>\frac{1}{4}</math> S 32 B T. (Old B.T.)</p> <p>A fir, 24 ins. diam., bears S.45°W., 12 lks. dist., mkd. <math>\frac{1}{4}</math> S 5 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A fir, 20 ins. diam., bears N.63°E., 30 lks. dist., mkd. <math>\frac{1}{4}</math> S 32 B T. (New B.T.)</p> <p>Thence</p> <p>S.89° 58' W., continuing measurements.</p> <p>Desc. 175 ft. over SW. slope.</p> <p>56.45 Jackson Creek Trail; bears N.60°W. and S.60°E.</p>

Dependent Resurvey of Part of the South Boundary of  
T. 29 S., R. 2 E.

Chains 63.60  68.10  78.00  79.86	<p>Jackson Creek, 60 lks. wide, course N.30°W.; asc. 130 ft. over NE. slope.</p> <p>Spur, slopes N.30°E.; desc. 190 ft. over NW. slope.</p> <p>Left bank of Jackson Creek, course NW. from N.70°E.; continue over creek bottom.</p> <p>The original cor. of secs. 5, 6, 31, and 32, which is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, with marks on brass cap conforming to the record.</p> <p>I now change this cor. to refer to secs. 31 and 32 only and re-mark the brass cap as follows:</p> <p style="text-align: center;">T29S R2E S31 S32 T30S R2E S 5 1923</p> <p style="text-align: right;">from which</p> <p>An alder, 8 ins. diam., bears N.79°E., 15 lks. dist., mkd. T 29 S R 2 E S 32 B T. (Old B.T.)</p> <p>An alder, 10 ins. diam., bears S.44°E., 36 lks. dist., mkd. T 30 S R 2 E S 5 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>A fir, 24 ins. diam., bears S.61°W., 58 lks. dist., mkd. T 30 S R 2 E S 6 B T. I obliterate the marks on this tree. (Old B.T.)</p> <p>An alder, 10 ins. diam., bears N.16°W., 37 lks. dist., mkd. T 29 S R 2 E S 31 B T. (Old B.T.)</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, alder, maple, yew, pine, madrona, and ash. Undergrowth, vinemapple, rhododendron, huckleberry, salal, willow, manzanita, and hazel.</p> <hr/> <p>N.89° 57' W., along S. bdy. of sec. 31. Asc. 23 ft. over NE. slope, through heavy timber and dense undergrowth.</p> <p>1.80 Spur, slopes N.; desc. 37 ft. over NW. slope.</p> <p>6.40 Left bank of Jackson Creek, course N.60°W. from N.60°E.; asc. 45 ft. over NE. slope.</p> <p>11.80 Spur, slopes NW.; desc. 50 ft. over NW. slope.</p> <p>17.10 Jackson Creek, 70 lks. wide, course SW.; asc. 145 ft. over SE. slope.</p> <p>18.00 Jackson Creek Trail, bears N.60°E. and S.60°W.</p> <p>27.00 Spur, slopes SE.; desc. 80 ft. over SW. slope.</p> <p>39.92 The original <math>\frac{1}{4}</math> sec. cor. of secs. 6 and 31, which is an iron post, 1 in. diam., 9 ins. above the top of a mound of stone, 3 ft. base, <math>1\frac{1}{2}</math> ft. high, firmly set, with marks on brass cap conforming to the record.</p> <p>I now change this cor. to refer to sec. 31 only and remark the brass cap as follows:</p>
--	---

Dependent Resurvey of Part of the South Boundary of  
T. 29 S., R. 2 E.

Chains

1/4 S 31

1923

from which

An oak, 8 ins. diam., bears N.42°W., 65 lks. dist.,  
mkd. 1/4 S 31 B T. (Old B.T.)

An oak, 6 ins. diam., bears S.14°W., 23 lks. dist.,  
mkd. 1/4 S 6 B T. I obliterate the marks on this  
tree. (Old B.T.)

A fir, 25 ins. diam., bears N.73°E., 105 lks. dist.,  
mkd. 1/4 S 31 B T. (New B.T.)

Thence

N.89° 56' W., continuing measurements.

Desc. 125 ft. over SW. slope.

42.40 Enter bottom land, bears NW. and SE.

61.00 Leave bottom land, bears N. and S.; asc. 45 ft. over SE.  
slope.

63.00 Spur, slopes S.; desc. 60 ft. over SW. slope.

64.95 Jackson Creek Trail, bears N.15°W. and S.15°E.

68.50 Jackson Creek, 70 lks. wide, course N.15°W.; over bottom  
land.

76.93 The cor. of Tps. 29 and 30 S., Rs. 1 and 2 E., which is a  
washed boulder, 15x12x8 ins., firmly set, mkd. with 6  
notches on N., E., S., and W. edges.

At point for corner,

Set an iron post, 3 ft. long, 3 ins. diam., 27 ins. in the  
ground, with the original stone deposited at the base,  
for the cor. of Tps. 29 and 30 S., Rs. 1 and 2 E., with  
brass cap mkd.:

T29S	
R1E	R2E
S36	S31
S 1 S 6	
T30S	

1937

from which

A white fir, 12 ins. diam., bears N.83°E., 58 lks.  
dist., blaze healed. I do not open. (Old B.T.)

A fir, 28 ins. diam., bears S.86°E., 35 lks. dist.,  
blaze healed. I do not open. (Old B.T.)

A fir, 38 ins. diam., bears S.55°W., 25 lks. dist.,  
blaze healed. I do not open. (Old B.T.)

A fir, 32 ins. diam., bears N.41°W., 37 lks. dist.,  
blaze healed. I do not open. (Old B.T.)

Land, mountainous.

Soil, sandy loam and rocky; 2nd and 4th rate.

Timber, fir, pine, yew, oak, ash, madrona, and hemlock.

Undergrowth, vine maple, serviceberry, hazel, spirea,  
syringa, 2nd growth, willow, chinquapin, and alder.

## West Boundary of T. 30 S., R. 2 E.

Chains	
	From the cor. of Tps. 30 and 31 S., R. 2 E., previously described, N.0° 11' E. on a random line and at 470.05 chs. fall 84 lks. E. of cor. of Tps. 29 and 30 S., Rs. 1 and 2 E., previously described.
	-----
	From the cor. of Tps. 30 and 31 S., R. 2 E., previously described.
	N.0° 05' E., on true line along W. bdy. of sec. 31.
	Desc. 180 ft. over NE. slope, through heavy timber and dense undergrowth.
4.85	Deadhorse Creek, 8 lks. wide, course NW.; asc. 85 ft. over SW. slope.
9.55	Spur, slopes W.; desc. 20 ft. over NW. slope.
10.60	Spring branch, 1 lk. wide, course W.; asc. 60 ft. over SW. slope.
16.90	Spur, slopes W.; desc. 105 ft. over NW. slope.
22.65	Creek, 3 lks. wide, course N.75°W.; asc. 95 ft. over SW. slope.
31.07	A point 40.00 chs. in latitude from the cor. of Tps. 30 and 31 S., R. 1 E.
	Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor. of sec. 36 only, with brass cap mkd.
	$\frac{1}{4}$ S 36
	1937
	from which
	A fir, 19 ins. diam., bears S.62°W., 64 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	A fir, 11 ins. diam., bears N.51°W., 40 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	Asc. 13 ft. over SW. slope.
32.40	(40.00 chs. minus the northing of the S. bdy. of the Tp. counted from the East.)
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 31 only, with brass cap mkd.
	$\frac{1}{4}$ S 31
	1937
	from which
	A fir, 10 ins. diam., bears N.18°E., 65 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
	A fir, 10 ins. diam., bears S.47°E., 53 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.
	Asc. 67 ft. over SW. slope.
43.65	Creek, 3 lks. wide, course S.80°W.; asc. 225 ft. over SW. slope.
55.75	Top of ascent on W. slope; desc. 57 ft. over NW. slope.

## West Boundary of T. 30 S., R. 2 E.

Chains  
 60.85 Bottom of descent on W. slope; asc. 23 ft. over SW. slope.  
 62.55 Spur, slopes W.; desc. 100 ft. over N. slope.  
 64.85 Spring branch, 1 lk. wide, course N.60°W.; desc. 12 ft. over NW. slope.  
 66.45 Point of spur, slopes W.; desc. 23 ft. over NW. slope.  
 67.55 Draw, drains S.70°W.; asc. 90 ft. over SW. slope.  
 71.07 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 25 and 36 only, with brass cap mkd.

T30S	T30S
S25	R2E
S36	
R1E	S31

1937

from which

A fir, 38 ins. diam., bears S.65°W., 35 lks. dist., mkd. T 30 S R 1 E S 36 B T.

A fir, 35 ins. diam., bears N.41°W., 112 lks. dist., mkd. T 30 S R 1 E S 25 B T.

Asc. 25 ft. over SW. slope.

72.40 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 30 and 31 only, with brass cap mkd.

T30S	T30S
R1E	S30
S25	S31
	R2E

1937

from which

A fir, 7 ins. diam., bears N.61°E., 134 lks. dist., mkd. T 30 S R 2 E S 30 B T.

A pine, 48 ins. diam., bears S.68°E., 239 lks. dist., mkd. T 30 S R 2 E S 31 B T.

Land, mountainous.

Soil, sandy clay and stony; 3rd and 4th rate.

Timber, fir, hemlock, pine, maple, and alder,

Undergrowth, vinemaple, rhododendron, chinquapin, spirea, slickleaf, willow, hazel, and salal.

N.0° 05' E., along W. bdy. of sec. 30.

Asc. 30 ft. over SW. slope, through scattering timber and dense undergrowth,

1.75 Top of ascent on W. slope; desc. 10 ft. over NW. slope.

2.55 Spring branch, 1 lk. wide, course S.80°W.; asc. 285 ft. over SW. slope.

13.05 Spur, slopes S.70°W.; desc. 50 ft. over NW. slope.

15.40 Draw, drains W.; asc. 6 ft. over W. slope.

20.00 Spur, slopes W.; desc. 30 ft. over NW. slope.

30.20 Spur, slopes NW.; desc. 290 ft. over NE. slope.

21362

## West Boundary of T. 30 S., R. 2 E.

Chains 38.67	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. of sec. 25 only, with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 25  </p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 48 ins. diam., bears S.65°W., 109 lks. dist., mkd. <math>\frac{1}{4}</math> S 25 B T.</p> <p>A fir, 38 ins. diam., bears N.17°W., 107 lks. dist., mkd. <math>\frac{1}{4}</math> S 25 B T.</p> <p>Desc. 40 ft. over NE. slope.</p>								
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. of sec. 30 only, with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 30</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 62 ins. diam., bears N.37°E., 157 lks. dist., mkd. <math>\frac{1}{4}</math> S 30 B T.</p> <p>A fir, 53 ins. diam., bears S.37°E., 120 lks. dist., mkd. <math>\frac{1}{4}</math> S 30 B T.</p> <p>Desc. 1110 ft. over NE. slope, changing to NW. slope.</p>								
73.00	Creek, 3 lks. wide, course N.70°W.; desc. 10 ft. over NW. slope.								
73.50	Point of spur, slopes W.; desc. 58 ft. over N. slope.								
77.15	Squaw Creek, 20 lks. wide, course S.80°W. Enter old burn, bears N.80°E. and S.80°W.; asc. 50 ft. over SW. slope.								
78.67	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 24 and 25 only, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T30S</td> <td>T30S</td> </tr> <tr> <td>S24</td> <td>R2E</td> </tr> <tr> <td>S25</td> <td>R1E</td> </tr> <tr> <td>R1E</td> <td>S30</td> </tr> </table> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 35 ins. diam., bears S.84°W., 119 lks. dist., mkd. T 30 S R 1 E S 25 B T.</p> <p>A fir, 38 ins. diam., bears N.36°W., 70 lks. dist., mkd. T 30 S R 1 E S 24 B T.</p> <p>Asc. 40 ft. over SW. slope.</p>	T30S	T30S	S24	R2E	S25	R1E	R1E	S30
T30S	T30S								
S24	R2E								
S25	R1E								
R1E	S30								
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 19 and 30 only, with brass cap mkd:</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td>T30S</td> <td>T30S</td> </tr> <tr> <td>R1E</td> <td>S19</td> </tr> <tr> <td>S24</td> <td>S30</td> </tr> <tr> <td></td> <td>R2E</td> </tr> </table> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 8 ins. diam., bears N.67°E., 225 lks. dist.,</p>	T30S	T30S	R1E	S19	S24	S30		R2E
T30S	T30S								
R1E	S19								
S24	S30								
	R2E								

## West Boundary of T. 30 S., R. 2 E.

Chains	
	<p>mkd. T 30 S R 2 E S 19 B T.</p> <p>A fir, 18 ins. diam., bears S. 57° E., 209 lks. dist., mkd. T 30 S R 2 E S 30 B T.</p> <p>Land, mountainous. Soil, sandy clay and rocky; 3rd and 4th rate. Timber, fir, pine, hemlock, yew, and maple. Undergrowth, 2nd growth, vinemaple, rhododendron, alder, spirea, slickleaf, manzanita, chinquapin, and salal.</p>
	<p>N. 0° 05' E., along W. bdy. of sec. 19.</p> <p>Asc. 345 ft. over SW. slope, through scattering timber and dense undergrowth.</p>
6.20	Spur, slopes SW.; desc. 235 ft. over NW. slope.
12.35	Creek, 3 lks. wide, course SW.; asc. 715 ft. over SE. slope, changing to S. slope.
28.00	Rocky spur, slopes SW.; desc. 130 ft. over NW. slope.
33.65	Draw, drains SW.; asc. 170 ft. over S. slope.
38.67	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 24 only, with brass cap mkd.
	<p><math>\frac{1}{4}</math> S 24  </p> <p>1937</p> <p>from which</p>
	<p>A madrona, 5 ins. diam., bears S. 56° W., 41 lks. dist., mkd., on bark, <math>\frac{1}{4}</math> S 24 B T.</p> <p>A madrona, 7 ins. diam., bears N. 33° W., 66 lks. dist., mkd., on bark, <math>\frac{1}{4}</math> S 24 B T.</p>
	<p>Asc. 38 ft. over S. slope.</p>
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 19 only, with brass cap mkd.
	<p><math>\frac{1}{4}</math> S 19</p> <p>1937</p> <p>from which</p>
	<p>A madrona, 6 ins. diam., bears N. 81° E., 47 lks. dist., mkd., on bark, <math>\frac{1}{4}</math> S 19 B T.</p> <p>A madrona, 5 ins. diam., bears S. 66° E., 61 lks. dist., mkd., on bark, <math>\frac{1}{4}</math> S 19 B T.</p>
	<p>Asc. 485 ft. over S. slope, changing to SW. slope.</p>
47.65	Enter heavy timber and light undergrowth, bears E. and SW.
59.25	North and South Trail, bears NW. and SE.
65.00	Ridge, bears NW. and SE.; desc. 170 ft. over N. slope.
78.67	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13 and 24 only, with brass cap mkd.

264

21864

West Boundary of T. 30 S., R. 2 E.

Chains									
	<table border="0" style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">T30S</td> <td style="padding-left: 5px;">T30S</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">S13</td> <td style="padding-left: 5px;">R2E</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">S24</td> <td style="padding-left: 5px;">S19</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">R1E</td> <td style="padding-left: 5px;"></td> </tr> </table> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A white fir, 30 ins. diam., bears S.63°W., 48 lks. dist., mkd. T 30 S R 1 E S 24 B T.</p> <p>A fir, 57 ins. diam., bears N.38°W., 33 lks. dist., mkd. T 30 S R 1 E S 13 B T.</p> <p>Desc. 25 ft. over N. slope.</p>	T30S	T30S	S13	R2E	S24	S19	R1E	
T30S	T30S								
S13	R2E								
S24	S19								
R1E									
80.00	<p>Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 18 and 19 only, with brass cap mkd.</p> <table border="0" style="margin-left: auto; margin-right: auto;"> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">T30S</td> <td style="padding-left: 5px;">T30S</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">R1E</td> <td style="padding-left: 5px;">S18</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;">S13</td> <td style="padding-left: 5px;">S19</td> </tr> <tr> <td style="border-right: 1px solid black; padding-right: 5px;"></td> <td style="padding-left: 5px;">R2E</td> </tr> </table> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 50 ins. diam., bears N.53°E., 38 lks. dist., mkd. T 30 S R 2 E S 18 B T.</p> <p>A fir, 53 ins. diam., bears S.64°E., 77 lks. dist., mkd. T 30 S R 2 E S 19 B T.</p> <p>Land, mountainous. Soil, sandy clay and rocky; 3rd and 4th rate. Timber, fir, hemlock, and pine. Undergrowth, vinemaple, spirea, rhododendron, oak, hazel, madrona, chinquapin, manzanita, Oregon grape, and poison oak.</p>	T30S	T30S	R1E	S18	S13	S19		R2E
T30S	T30S								
R1E	S18								
S13	S19								
	R2E								
	<p>N.0° 05' E., along W. bdy. of sec. 18.</p> <p>Desc. 925 ft. over N. slope, changing to NE. slope, through heavy timber and light undergrowth.</p>								
30.80	<p>Creek, 4 lks. wide, course W.; asc. 340 ft. over SW. slope.</p>								
38.50	<p>Top of bluff, 40 ft. high, bears NW. and SE.</p>								
38.67	<p>Set an iron post, 3 ft. long, 1 in. diam., 10 ins. in the ground to bedrock, and in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor. of sec. 13 only, with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4}</math> S 13  </p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 38 ins. diam., bears S.34°W., 50 lks. dist., mkd. <math>\frac{1}{4}</math> S 13 B T.</p> <p>A fir, 7 ins. diam., bears N.43°W., 142 lks. dist., mkd. <math>\frac{1}{4}</math> S 13 B T.</p> <p>Asc. 40 ft. over SW. slope.</p>								
40.00	<p>Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor. of sec. 18 only, with brass cap mkd.</p>								

West Boundary of T. 30 S., R. 2 E.

Chains

1/4 S 18

1937

from which

A fir, 7 ins. diam., bears N.55°E., 62 lks. dist.,  
mkd. 1/4 S 18 B T.

A fir, 40 ins. diam., bears S.48°E., 68 lks. dist.,  
mkd. 1/4 S 18 B T.

Asc. 80 ft. over SW. slope.

43.00 Spur, slopes SW.; desc. 7 ft. over NW. slope.

46.10 Draw, drains W.; asc. 130 ft. over SW. slope.

55.85 Spur, slopes W.; desc. 85 ft. over NW. slope.

59.50 Draw, drains SW.; asc. 45 ft. over SW. slope.

65.60 Spur, slopes N.60°W.; desc. 135 ft. over NW. slope.

70.80 Spring branch, 1 lk. wide, course W.; desc. 20 ft. over  
NW. slope.

73.50 Spring branch, 1 lk. wide, course S.80°W.; desc. 120 ft.  
over W. slope, changing to NW. slope.

78.67 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, for cor. of secs. 12 and 13 only, with brass cap  
mkd.

T30S	T30S
S12	
S13	R2E
R1E	S18

1937

from which

A fir, 55 ins. diam., bears S.60°W., 114 lks. dist.,  
mkd. T 30 S R 1 E S 13 B T.

A fir, 48 ins. diam., bears N.43°W., 66 lks. dist.,  
mkd. T 30 S R 1 E S 12 B T.

Desc. 30 ft. over NW. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, for cor. of secs. 7 and 18 only, with brass cap  
mkd.

T30S	T30S
	S 7
R1E	S18
S12	R2E

1937

from which

A fir, 13 ins. diam., bears N.13°E., 52 lks. dist.,  
mkd. T 30 S R 2 E S 7 B T.

A fir, 11 ins. diam., bears S.79°E., 40 lks. dist.,  
mkd. T 30 S R 2 E S 18 B T.

Land, mountainous.

Soil, sandy clay and rocky; 3rd and 4th rate.

Timber, fir, hemlock, cedar, pine, and maple.

Undergrowth, vinemaple, salal, rhododendron, chinquapin,  
syringa, slickleaf, Oregon grape, and yew.

21866

West Boundary of T. 30 S., R. 2 E.

Chains	
	N.0° 05' E., along W. bdy. of sec. 7.
	Desc. 65 ft. over broken NW. slope, through heavy timber and dense undergrowth.
4.70	Spring branch, 1 lk. wide, course W.; asc. 60 ft. over SW. slope.
12.50	Spur, slopes W.; desc. 148 ft. over NW. slope.
16.55	Creek, 2 lks. wide, course N.70°W.; asc. 225 ft. over SW. slope.
32.80	Spur, slopes S.80°W.; desc. 170 ft. over NW. slope.
38.67	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 12 only, with brass cap mkd. $\frac{1}{4}$ S 12   1937 from which A fir, 26 ins. diam., bears S.71°W., 55 lks. dist., mkd. $\frac{1}{4}$ S 12 B T. A fir, 30 ins. diam., bears N.39°W., 80 lks. dist., mkd. $\frac{1}{4}$ S 12 B T. Desc. 10 ft. over NW. slope.
39.40	Spur, slopes N.30°W.; desc. 15 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 7 only, with brass cap mkd. $\frac{1}{4}$ S 7 1937 from which A fir, 50 ins. diam., bears N.60°E., 32 lks. dist., mkd. $\frac{1}{4}$ S 7 B T. A fir, 17 ins. diam., bears S.35°E., 92 lks. dist., mkd. $\frac{1}{4}$ S 7 B T. Desc. 305 ft. over NE. slope.
47.80	Branch, 1 lk. wide, course N.70°W.; asc. 85 ft. over SW. slope.
59.50	Top of ascent on W. slope; desc. 10 ft. over NW. slope.
64.10	Ridge, bears N.70°W. and S.70°E.; desc. 165 ft. over NW. slope.
78.67	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, with brass cap mkd. T30S   T30S S 1   R2E S12   R1E R1E   S 7 1937 from which A fir, 17 ins. diam., bears S.58°W., 85 lks. dist., mkd. T 30 S R 1 E S 12 B T.

## West Boundary of T. 30 S., R. 2 E.

## Chains

- A fir, 45 ins. diam., bears N.53°W., 56 lks. dist.,  
mkd. T 30 S R 1 E S 1 B T.
- Desc. 15 ft. over NW. slope.
- 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, for cor. of secs. 6 and 7. only, with brass cap  
mkd.
- |      |      |
|------|------|
| T30S | T30S |
| R1E  | S 6  |
| S 1  | S 7  |
|      | R2E  |
- 1937
- from which
- A fir, 25 ins. diam., bears N.22°E., 60 lks. dist.,  
mkd. T 30 S R 2 E S 6 B T.
- A fir, 35 ins. diam., bears S.69°E., 28 lks. dist.,  
mkd. T 30 S R 2 E S 7 B T.
- Land, mountainous.  
Soil, clay loam; 3rd rate.  
Timber, fir, cedar, pine, and yew.  
Undergrowth, vinemaple, rhododendron, madrona, and salal.
- 
- N.0° 05' E., along W. bdy. of sec. 6.
- Desc. 65 ft. over NW. slope, through heavy timber and  
dense undergrowth.
- 13.30 Spur, slopes NW.; desc. 460 ft. over NE. slope.
- 37.21 Creek, 5 lks. wide, course N.60°W.; asc. 35 ft. over SW.  
slope.
- 38.67 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor. of sec. 1 only, with brass cap  
mkd.
- $\frac{1}{4}$  S 1 |
- 1937
- from which
- A fir, 13 ins. diam., bears S.45°W., 68 lks. dist.,  
mkd.  $\frac{1}{4}$  S 1 B T.
- A yew, 6 ins. diam., bears N.34°W., 42 lks. dist.,  
mkd.  $\frac{1}{4}$  S 1 B T.
- Asc. 25 ft. over SW. slope.
- 40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor. of sec. 6 only, with brass cap  
mkd.
- $\frac{1}{4}$  S 6
- 1937
- from which
- A cedar, 4 ins. diam., bears N.13°E., 32 lks. dist.,  
mkd.  $\frac{1}{4}$  S 6 B T.
- A yew, 5 ins. diam., bears S.42°E., 72 lks. dist.,  
mkd.  $\frac{1}{4}$  S 6 B T.
- Asc. 190 ft. over SW. slope.
- 41.00 Top of bluff, 25 ft. high, bears NW. and SE.

## West Boundary of T. 30 S., R. 2 E.

Chains	
50.00	Top of ascent on W. slope; desc. 15 ft. over NW. slope.
57.90	Spur, slopes NW.; desc. 485 ft. over NE. slope, changing to N. slope.
77.65	The cor. of Tps. 29 and 30 S., Rs. 1 and 2 E., previously described.  Land, mountainous. Soil, sandy clay; 3rd rate. Timber, fir, pine, cedar, hemlock, yew, and maple. Undergrowth, 2nd growth, rhododendron, vinemaple, chinquapin, madrona, spirea, and salal.
Subdivisions of T. 30 S., R. 2 E.	
	From the cor. of secs. 25 and 36 only, on E. bdy. of Tp., West on sectional correction line, setting temp. $\frac{1}{4}$ sec. and sec. cors. at intervals of 40.00 chs. and at 476.10 chs. intersect W. bdy. of Tp.
	From the cor. of secs. 35 and 36 only, on S. bdy. of Tp., previously described. N.0° 12' E., bet. secs. 35 and 36. Desc. 223 ft. over NE. slope, through heavy timber and dense undergrowth.
6.75	Dry creek bed, 1 lk. wide, course NE.; asc. 7 ft. over SE. slope.
9.25	Spur, slopes N.75°E.; desc. 115 ft. over N. slope.
12.75	Creek, 5 lks. wide, course N.60°E.; asc. 136 ft. over SE. slope.
18.35	Spur, slopes N.60°E.; desc. 110 ft. over NE. slope.
22.80	Creek, 15 lks. wide, course S.65°E.; asc. 95 ft. over broken SE. slope.
39.40	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <div style="text-align: center;"> <math>\frac{1}{4}</math>            S35 S36            1937            from which            A fir, 45 ins. diam., bears S.48°E., 100 lks. dist., mkd. <math>\frac{1}{4}</math> S 36 B T.            A fir, 40 ins. diam., bears S.60°W., 46 lks. dist., mkd. <math>\frac{1}{4}</math> S 35 B T.         </div>
	Desc. 20 ft. over NE. slope.
43.40	Creek, 10 lks. wide, course S.30°E.; asc. 230 ft. over SW. slope.
63.40	Top of ascent on W. slope; desc. 8 ft. over NW. slope.
63.90	Spring branch, 1 lk. wide, course SW.; asc. 238 ft. over SE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains

79.40

Intersect sectional correction line, 6 lks. E. of temp.  
cor. of secs. 25, 26, 35, and 36.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, for cor. of secs. 25, 26, 35, and 36, with brass  
cap mkd.

T30S R2E

S26|S25

S35|S36

1937

from which

A fir, 8 ins. diam., bears N.20°E., 27 lks. dist.,  
mkd. T 30 S R 2 E S 25 B T.

A fir, 10 ins. diam., bears S.68°E., 38 lks. dist.,  
mkd. T 30 S R 2 E S 36 B T.

A fir, 17 ins. diam., bears S.32°W., 35 lks. dist.,  
mkd. T 30 S R 2 E S 35 B T.

A fir, 15 ins. diam., bears N.57°W., 38 lks. dist.,  
mkd. T 30 S R 2 E S 26 B T.

Land, mountainous.

Soil, clay loam and rocky; 3rd and 4th rate.

Timber, fir, pine, hemlock, yew, cedar, and alder.

Undergrowth, salal, manzanita, vinemaple, and serviceberry.

From the cor. of secs. 25 and 36 only, on E. bdy. of Tp.,  
which is an iron post, 2 ins. diam., 9 ins. above  
ground, firmly set, mkd. and witnessed as described in  
the official record.

West, on sectional correction line, bet. secs. 25 and 36.

Asc. 78 ft. over SE. slope, through scattering timber and  
dense undergrowth.

1.00 Enter light undergrowth, bears N. and S.

3.45 Spur, slopes S.20°W.; desc. 415 ft. over SW. slope.

21.55 Draw, drains SW.; along S. slope.

23.35 Spur, slopes S.; desc. 56 ft. over SW. slope.

27.95 Abbott Creek, 15 lks. wide, course S.15°E.; asc. 80 ft.  
over SE. slope.

30.65 Enter heavy timber, bears NW. and SE.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \begin{array}{l} S 25 \\ S 36 \end{array}$$

1937

from which

A hemlock, 14 ins. diam., bears N.48°E., 18 lks.  
dist., mkd.  $\frac{1}{4}$  S 25 B T.

A yew, 12 ins. diam., bears S.35°E., 16 lks. dist.,  
mkd.  $\frac{1}{4}$  S 36 B T.

Along S. slope.

## Subdivisions of T. 30 S., R. 2 E.



Chains	
41.00	Creek, 5 lks. wide, course S.30°E.; asc. 227 ft. over NE. slope.
56.15	Spur, slopes N.; desc. 11 ft. over NW. slope.
56.80	Draw, drains N.; asc. 170 ft. over NE. slope.
75.00	Ridge, bears N.60°W. and S.60°E.; desc. 30 ft. over SW. slope.
76.00	Bottom of descent on S. slope; asc. 12 ft. over SE. slope.
79.94	The cor. of secs. 25, 26, 35, and 36.
	Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, pine, cedar, hemlock, and yew. Undergrowth, 2nd growth, vinemaple, slickleaf, spirea, manzanita, willow, and salal.
	N.0° 12' E., bet. secs. 25 and 26. Asc. 85 ft. over SE. slope, through heavy timber and dense undergrowth.
3.00	Ridge, bears NW. and SE.; asc. 140 ft. over SE. slope.
9.90	Spur, slopes E.; desc. 275 ft. over N. slope.
10.25	Top of bluff, 50 ft. high, bears E. and W.
16.15	Creek, 7 lks. wide, course S.75°E.; asc. 237 ft. over SE. slope.
18.90	Spring branch, 1 lk. wide, course SE.
25.85	Enter fir reproduction, bears E. and W.
35.00	Leave fir reproduction, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	A fir, 10 ins. diam., bears N.72°E., 48 lks. dist., mkd. $\frac{1}{4}$ S 25 B T.
	A fir, 10 ins. diam., bears S.48°W., 18 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	Desc. 5 ft. over NE. slope.
41.50	Creek, 5 lks. wide, course S.25°E.; asc. 195 ft. over SW. slope.
50.30	Creek, 1 lk. wide, course S.15°W.; asc. 820 ft. over SE. slope.
71.50	Spur, slopes SE.; desc. 85 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 23, 24, 25, and 26, with brass cap mkd.

Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>T30S R2E  S23 S24  . S26 S25</p> <p>. 1937 . . . . . from which</p> <p>A fir, 35 ins. diam., bears N.48°E., 76 lks. dist.,  mkd. T 30 S R 2 E S 24 B T.</p> <p>A fir, 32 ins. diam., bears S.30°E., 22 lks. dist.,  mkd. T 30 S R 2 E S 25 B T.</p> <p>A fir, 22 ins. diam., bears S.29½°W., 45 lks. dist.,  mkd. T 30 S R 2 E S 26 B T.</p> <p>A pine, 62 ins. diam., bears N.46°W., 61 lks. dist.,  mkd. T 30 S R 2 E S 23 B T.</p> <p>Land, mountainous.  Soil, sandy clay and rocky; 3rd and 4th rate.  Timber, fir, pine, hemlock, yew, cedar, and chinquapin.  Undergrowth, winemaple, 2nd growth, serviceberry, slick-  leaf, and salal.</p> <hr/> <p>East, on a random line bet. secs. 24 and 25.</p> <p>40.00 Set temp. ¼ sec. cor.</p> <p>79.78 Intersect E. bdy. of Tp., 7 lks. S. of cor. of secs. 24  and 25 only, which is an iron post, 2 ins. diam., 9 ins.  above ground, firmly set, mkd. and witnessed as  described in the official record.</p> <p>Thence</p> <p>S.89° 57' W., on true line bet. secs. 24 and 25.</p> <p>Desc. 40 ft. over SW. slope, through heavy timber and  dense undergrowth.</p> <p>1.80 Spur, slopes SW.; desc. 120 ft. over NW. slope.</p> <p>6.00 Draw, drains SW.; desc. 80 ft. over SW. slope.</p> <p>14.25 Creek, 7 lks. wide, course SE.; asc. 365 ft. over E.  slope, changing to SE. slope.</p> <p>33.35 Spur, slopes SE.; asc. 10 ft. over SE. slope.</p> <p>36.25 Top of ascent on S. slope; desc. 55 ft. over SW. slope.</p> <p>39.89 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  ground, for ¼ sec. cor., with brass cap mkd.</p> <p style="text-align: center;">¼ <math>\frac{S\ 24}{S\ 25}</math></p> <p>. . . . . 1937 . . . . . from which</p> <p>A fir, 8 ins. diam., bears N.27°W., 30 lks. dist.,  mkd. ¼ S 24 B T.</p> <p>A fir, 7 ins. diam., bears S.5°W., 10 lks. dist.,  mkd. ¼ S 25 B T.</p> <p>Desc. 100 ft. over SW. slope.</p> <p>44.20 Spring branch, 1 lk. wide, course S.; asc. 280 ft. over</p>

21872

Subdivisions of T. 30 S., R. 2 E.

Chains	
	SE. slope.
56.25	Spur, slopes S.; desc. 60 ft. over SW. slope.
63.67	Spring branch, 1 lk. wide, course S.10°E.; asc. 33 ft. over SE. slope.
65.35	Creek, 5 lks. wide, course S.55°E.; asc. 555 ft. over NE. slope, changing to E. slope.
78.90	Top of bluff, 60 ft. high, bears N. and S.
79.78	The cor. of secs. 23, 24, 25, and 26.
	Land, mountainous. Soil, clay loam and rocky; 2nd and 4th rate. Timber, fir, pine, hemlock, yew, cedar, chinquapin, and madrona. Undergrowth, vinemaple, salal, rhododendron, manzanita, and serviceberry.
	N.0° 12' E., bet. secs. 23 and 24. Desc. 140 ft. over NE. slope, through heavy timber and dense undergrowth.
3.26	Top of bluff, 40 ft. high, bears N.20°W. and S.20°E.
7.25	Spring branch, 2 lks. wide, course S.60°E.; asc. 435 ft. over SE. slope.
23.00	Spur, slopes E.; desc. 16 ft. over NE. slope.
25.00	Bottom of descent on E. slope; asc. 160 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	
	from which
	.. A white fir, 11 ins. diam., bears S.80°E., 92 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.
	.. A white fir, 65 ins. diam., bears S.79°W., 50 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.
	Asc. 60 ft. over SE. slope.
49.60	Divide bet. South Umpqua River and Rogue River, bears East and West; desc. 585 ft. over NE. slope.
64.78	Trail, bears N.60°W. and S.60°E.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 13, 14, 23, and 24, with brass cap mkd.
	
	from which
	A white fir, 10 ins. diam., bears N.79°E., 195 lks. dist., mkd. T 30 S R 2 E S 13 B T.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>A white fir, 63 ins. diam., bears S.59°E., 340 lks. dist., mkd. T 30 S R 2 E S 24 B T.</p> <p>A white fir, 5 ins. diam., bears S.68°W., 136 lks. dist., mkd. T 30 S R 2 E S 23 B T.</p> <p>A white fir, 33 ins. diam., bears N.63°W., 111 lks. dist., mkd. T 30 S R 2 E S 14 B T.</p> <p>Land, mountainous. Soil, clay loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, yew, cedar, and maple. Undergrowth, vinemaple, mountain ash, alder, manzanita, and chinquapin.</p>
	N.89° 57' E., on a random line bet. secs. 13 and 24.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.96	Intersect E. bdy. of Tp., 14 lks. S. of cor. of secs. 13 and 24 only, which is an iron post, 2 ins. diam., 9 ins. above ground, firmly set, mkd. and witnessed as described in the official record.
	Thence
	S.89° 51' W., on true line bet. secs. 13 and 24.
	Desc. 520 ft. over W. slope, changing to NW. slope, through heavy timber and light undergrowth.
39.98	Set an iron post, $\frac{3}{4}$ ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 13}{S 24}$
	1937
	from which
	A white fir, 35 ins. diam., bears N.35°W., 20 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	A cedar, 20 ins. diam., bears S.24°E., 85 lks. dist., mkd. $\frac{1}{4}$ S 24 B T.
	Desc. 210 ft. over NW. slope, changing to SW. slope.
51.87	Spring branch, 1 lk. wide, course NW.; asc. 20 ft. over NE. slope.
55.65	Top of ascent on N. slope; desc. 55 ft. over NW. slope.
67.00	Draw, drains N.; desc. 30 ft. over NW. slope.
70.95	Crèek, 1 lk. wide; course N.20°E.; asc. 120 ft. over NE. slope.
79.96	The cor. of secs. 13, 14, 23, and 24:
	Land, mountainous. Soil, clay loam; 2nd and 3rd rate. Timber, fir, hemlock, cedar, and yew. Undergrowth, vinemaple, mountain ash, alder, and 2nd growth.
	N.0° 12' E., bet. secs. 13 and 14.
	Desc. 120 ft. over NE. slope, through heavy timber and

21874

274

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	.. dense undergrowth.
9.50	Creek, 3 lks. wide, course N.75°E.; asc. 7 ft. over SE. slope.
11.80	Spur, slopes E.; desc. 190 ft. over NE. slope.
26.45	Creek, 3 lks. wide, course NE.; desc. 150 ft. over E. slope, changing to NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S14   S13 1937
	from which
	.. A hemlock, 26 ins. diam., bears N.85°E., 35 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	A hemlock, 15 ins. diam., bears S.41°W., 58 lks. dist., mkd. $\frac{1}{4}$ S 14 B T.
	Desc. 263 ft. over NE. slope.
51.95	Creek, 5 lks. wide, course N.50°W.; asc. 12 ft. over SW. slope.
53.35	Spur, slopes W.; desc. 28 ft. over broken W. slope.
60.20	Spur, slopes W.; desc. 312 ft. over NW. slope.
72.87	Creek, 6 lks. wide, course NE.; asc. 27 ft. over SE. slope.
75.30	Top of ascent on E. slope; desc. 50 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 11, 12, 13, and 14, with brass cap mkd.
	T30S R2E S11   S12 S14   S13 1937
	from which
	.. A fir; 20 ins. diam., bears N.45°E., 61 lks. dist., mkd. T 30 S R 2 E S 12 B T.
	A pine, 22 ins. diam., bears S.72°E., 56 lks. dist., mkd. T 30 S R 2 E S 13 B T.
	A hemlock, 12 ins. diam., bears S.52°W., 20 lks. dist., mkd. T 30 S R 2 E S 14 B T.
	A fir, 15 ins. diam., bears N.36°W., 76 lks. dist., mkd. T 30 S R 2 E S 11 B T.
	Land, mountainous. Soil, sandy clay and rocky; 2nd and 4th rate. Timber, fir, hemlock, cedar, pine, yew, and maple. Undergrowth, vinemaple, mountain ash, alder, willow, chinquapin, manzanita, yew, and salal.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	N. 89° 51' E., on a random line bet. secs. 12 and 13.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.62	Intersect E. bdy. of Tp., 19 lks. S. of cor. of secs. 12 and 13 only, which is an iron post, 2 ins. diam., 6 ins. above ground, firmly set, marked and witnessed as described in the official record.
	Thence
	S. 89° 43' W., on true line bet. secs. 12 and 13.
	Asc. 475 ft. over E. slope, through dense undergrowth.
14.00	Ridge, bears N. and S. 15° E.; enter scattering timber, bears N. and S.; desc. 435 ft. over NW. slope.
31.25	Draw, drains N.; enter heavy timber, bears N. and S.; asc. 16 ft. over NE. slope.
33.25	Spur, slopes N.; desc. 60 ft. over W. slope.
38.63	Spring branch, 1 lk. wide, course NW.; along N. slope.
39.81	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 12}{S\ 13}$
	1937
	from which
	A cedar, 6 ins. diam., bears N. 31 $\frac{1}{2}$ ° E., 22 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	A white fir, 8 ins. diam., bears S. 56° E., 5 lks. dist., mkd. $\frac{1}{4}$ S 13 B T.
	Asc. 43 ft. over NE. slope.
43.90	Spur, slopes NW.; desc. 635 ft. over NW. slope.
70.28	Abbott Creek, 10 lks. wide, course N. 10° E.; asc. 235 ft. over E. slope, changing to NE. slope.
79.62	The cor. of secs. 11, 12, 13, and 14.
	Land, mountainous.
	Soil, sandy clay and rocky; 2nd and 4th rate.
	Timber, fir, hemlock, pine, yew, and maple.
	Undergrowth, slickleaf, manzanita, spirea, vinemaple, 2nd growth, chinquapin, willow, and salal.
	N. 0° 12' E., bet. secs. 11 and 12.
	Desc. 60 ft. over broken NE. slope, through heavy timber and dense undergrowth.
5.90	Spur, slopes NE.; desc. 390 ft. over NE. slope.
14.86	Abbott Creek, 15 lks. wide, course N. 20° W.; asc. 56 ft. over SW. slope.
18.30	Spur, slopes W.; desc. 165 ft. over broken NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	$\frac{1}{4}$ S11 S12 1937 from which A fir, 10 ins. diam., bears N.84°E., 19 lks. dist., mkd. $\frac{1}{4}$ S 12 B T. A fir, 22 ins. diam., bears N.61°W., 68 lks. dist., mkd. $\frac{1}{4}$ S 11 B T. Along a broken W. slope. 61.65 Spur, slopes NW.; desc. 140 ft. over NW. slope. 71.00 Bottom of descent on W. slope; asc. 86 ft. over SW. slope. 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1, 2, 11, and 12, with brass cap mkd.. T30S R2E S. 2   S. 1. S11   S12 1937 from which A fir, 37 ins. diam., bears N.31°E., 57 lks. dist., mkd. T 30 S R 2 E S 1 B T. A fir, 45 ins. diam., bears S.41°E., 54 lks. dist., mkd. T 30 S R 2 E S 12 B T. A fir, 30 ins. diam., bears S.51°W., 53 lks. dist., mkd. T 30 S R 2 E S 11 B T. A fir, 35 ins. diam., bears N.44°W., 59 lks. dist., mkd. T 30 S R 2 E S 2 B T. Spur, slopes NW. Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, pine, cedar, and yew. Undergrowth, vinemaple, 2nd growth, spirea, and salal.
	N.89° 43' E., on a random line bet. secs. 1 and 12.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.52	Intersect E. bdy. of Tp., 9 lks. S. of cor. of secs. 1 and 12 only, which is an iron post, 2 ins. diam., 9 ins. above ground, firmly set, marked and witnessed as described in the official record... Thence S.89° 39' W., on true line bet. secs. 1 and 12. Along S. slope, through heavy timber and dense undergrowth.
1.75	Spur, slopes S.30°E.; desc. 110 ft. over SW. slope.
9.90	Spring branch, 1 lk. wide, course S.10°W.; asc. 20 ft. over SE. slope.
11.50	Point of spur, slopes S.30°E.; desc. 75 ft. over SW. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
17.10	Falcon Creek, 15 lks. wide, course N.30°W.; asc. 75 ft. over NE. slope.
32.00	Top of ascent on N. slope; desc. 35 ft. over NW. slope.
39.76	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S \ 1}{S \ 12}$
	1937
	from which
	A fir, 30 ins. diam., bears N.43°E., 73 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.
	A fir, 43 ins. diam., bears S.26°W., 56 lks. dist., mkd. $\frac{1}{4}$ S 12 B T.
	Desc. 35 ft. over NW. slope.
43.65	Creek, 4 lks. wide, course N.25°E.; asc. 80 ft. over SE. slope.
49.00	Spur, slopes N.60°E.; desc. 20 ft. over NW. slope.
50.00	Spring branch, 1 lk. wide, course N.60°E.; asc. 170 ft. over SE. slope.
58.70	Spur, slopes NE.; asc. 250 ft. over NE. slope, changing to N. slope.
79.52	The cor. of secs. 1, 2, 11, and 12. Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, cedar, and maple. Undergrowth, vinemaple, 2nd growth, manzanita, and salal.
	N.0° 12' E., on a random line bet. secs. 1 and 2.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
76.70	Intersect N. bdy. of Tp., 4 lks. W. of cor. of secs. 1, 2, 35, and 36, previously described.
	Thence
	S.0° 14' W., on true line bet. secs. 1 and 2.
	Desc. 250 ft. on top of spur, slopes S.; through heavy timber and dense undergrowth.
11.85	Same spur, slopes S.30°E.; desc. 315 ft. over SW. slope.
19.25	Creek, 2 lks. wide, course W.; asc. 140 ft. over NW. slope.
24.35	Spur, slopes S.60°W.; desc. 245 ft. over SW. slope.
33.70	Falcon Creek, 20 lks. wide, course N.60°W.; asc. 55 ft. over NE. slope:
36.70	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$S \ 2 \ S \ 1$
	1937

21878

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	from which
	A hemlock, 30 ins. diam., bears S.11°E., 17 lks. dist., mkd. $\frac{1}{4}$ S 1 B T.
	A fir, 37 ins. diam., bears S.60°W., 112 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
	Along W. slope.
38.00	Small draw, drains N.15°W.; asc. 640 ft. over NE. slope.
76:70	The cor. of secs. 1, 2, 11, and 12.
	Land, mountainous.
	Soil, sandy loam and rocky; 2nd and 4th rate.
	Timber, fir, hemlock, cedar, pine, and madrona.
	Undergrowth, vinemaple, 2nd growth, spirea, and salal.
	Thence from the cor. of secs. 34 and 35 only, on the S. bdy. of the Tp., previously described.
	N.0° 11' E., bet. secs. 34 and 35.
	Desc. 81 ft. over N. slope, through heavy timber and dense undergrowth.
7.18	Creek, 3 lks. wide, course E.; asc. 186 ft. over SE. slope.
16.05	Spur, slopes E.; desc. 223 ft. over NE. slope.
24.20	Creek, 2 lks. wide, course E.; asc. 10 ft. over S. slope.
26.20	Spur, slopes S.30°E.; desc. 15 ft. over NE. slope.
30.02	Spring branch, 1 lk. wide, course S.30°E.; asc. 90 ft. over SE. slope.
34.00	Spur, slopes E.; desc. 85 ft. over NE. slope.
37.28	Creek, 4 lks. wide, course E.; asc. 10 ft. over SE. slope.
38.39	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	↑ S34 S35 1937
	from which
	A fir, 8 ins. diam., bears S.64°E., 39 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
	A fir, 8 ins. diam., bears N.46°W., 13 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.
	Asc. 45 ft. over SE. slope.
43.85	Top of ascent on E. slope; desc. 104 ft. over NE. slope.
52.25	Draw, drains E.; asc. 9 ft. over SE. slope.
56.65	Spur, slopes S.30°E.; desc. 19 ft. over NE. slope.
58.75	Draw, drains E.; asc. 15 ft. over SE. slope.
61.15	Spur, slopes E.; desc. 36 ft. over NE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
65.15	Creek, 2 lks. wide, course N.70°E.; asc. 12 ft. over SE. slope.
67.00	Spur, slopes E.; desc. 80 ft. over NE. slope.
72.60	Creek, 2 lks. wide, course E.; asc. 247 ft. over SE. slope.
78.00	Spur, slopes SE.; desc. 5 ft. over NE. slope.
78.39	Intersect sectional correction line, 6 lks. E. of temp. cor. of secs. 26, 27, 34, and 35. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 26, 27, 34, and 35, with brass cap mkd. <div style="text-align: center;">           T30S R2E            S27 S26            S34 S35         </div> 1937 from which A fir, 8 ins. diam., bears N.68°E., 46 lks. dist., mkd. T 30 S R 2 E S 26 B T. A fir, 13 ins. diam., bears S.38°E., 56 lks. dist., mkd. T 30 S R 2 E S 35 B T. A fir, 10 ins. diam., bears S.39½°W., 38 lks. dist., mkd. T 30 S R 2 E S 34 B T. A fir, 25 ins. diam., bears N.22°W., 15 lks. dist., mkd. T 30 S R 2 E S 27 B T. Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, vinemaple, 2nd growth, slickleaf, and salal.
	From the cor. of secs. 25, 26, 35, and 36. West, on sectional correction line, bet. secs. 26 and 35. Asc. 72 ft. over SE. slope, through heavy timber and dense undergrowth.
2.45	Spur, slopes S.30°W.; desc. 162 ft. over SW. slope.
14.60	Spring branch, 1 lk. wide, course S.20°E.; asc. 63 ft. over SE. slope.
23.90	Spur, slopes S.; desc. 70 ft. over SW. slope.
27.65	Spring branch, 2 lks. wide, course S.; asc. 265 ft. over SE. slope.
39.00	Spur, slopes S.; desc. 48 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 14 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd. <div style="text-align: center;">           S 26            ¼ — S 35         </div> 1937 from which A cedar, 38 ins. diam., bears N.5°E., 8 lks. dist., mkd. ¼ S 26 B T.

21880

Subdivisions of T. 30 S., R. 2 E.



Chains	
	A fir, 12 ins. diam., bears S.32°E., 12 lks. dist., mkd. $\frac{1}{4}$ S 35 B T.
	Along S. slope.
40.05	Draw, drains S.; asc. 161 ft. over SE. slope.
45.45	Spur, slopes S.20°W.; desc. 145 ft. over SW. slope.
54.00	Draw, drains S.; asc. 15 ft. over SE. slope.
55.65	Spur, slopes S.20°W.; desc. 39 ft. over SW. slope.
57.52	Creek, 3 lks. wide, course S.; asc. 268 ft. over SE. slope.
68.52	Spur, slope S.; desc. 31 ft. over SW. slope.
70.30	Spring branch, 1 lk. wide, course S.; asc. 20 ft. over SE. slope.
72.60	Spur, slopes S.10°E.; desc. 80 ft. over SW. slope.
74.60	Draw, drains SE.; asc. 60 ft. over SE. slope.
76.97	Spring branch, 1 lk. wide, course S.30°E.; asc. 159 ft. over NE. slope.
80.00	The cor. of secs. 26, 27, 34, and 35. Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, pine, and cedar. Undergrowth, yinemaple, 2nd growth, manzanita, spirea, alder, and mountain ash.
	N.0° 11' E., bet. secs. 26 and 27. Desc. 80 ft. over NE. slope, through heavy timber and dense undergrowth.
3.30	Spring branch, 1 lk. wide, course S.70°E.; asc. 810 ft. over SE. slope.
33.85	Divide between South Umpqua River and Rogue River, bears N.20°E. and S.20°W.; telephone line, bears N.20°E. and S.20°W.; asc. 100 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <div style="text-align: center;"> </div>
	A fir, 12 ins. diam., bears S.85°E., 67 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.
	A fir, 16 ins. diam., bears N.65°W., 51 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.
	Top of ascent on W. slope; desc. 73 ft. over NW. slope.
41.40	Road, bears N.30°E. and S.30°W.
50.10	Spring branch, 1 lk. wide, course W.; asc. 74 ft. over rolling SW. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
67.40	Spur, slopes W.; desc. 95 ft. over NW. slope.
71.70	Spring branch, 1 lk. wide, course W.; enter scattering timber and light undergrowth, bears E. and W.; asc. 83 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 22, 23, 26, and 27, with brass cap mkd.
	T30S R2E S22 S23 S27 S26
	1937
	from which
	A cedar, 10 ins. diam., bears N.10°E., 36 lks. dist., mkd. T 30 S R 2 E S 23 B T.
	A cedar, 20 ins. diam., bears S.39°E., 90 lks. dist., mkd. T 30 S R 2 E S 26 B T.
	A cedar, 17 ins. diam., bears S.18°W., 62 lks. dist., mkd. T 30 S R 2 E S 27 B T.
	A cedar, 12 ins. diam., bears N.66°W., 88 lks. dist., mkd. T 30 S R 2 E S 22 B T.
	Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, cedar, hemlock, pine, and maple. Undergrowth, vinemaple, 2nd growth, slickleaf, manzanita, spirea, and salal.
	East, on a random line bet. secs. 23 and 26.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
80.02	Intersect N. and S. line at the cor. of secs. 23, 24, 25, and 26.
	Thence
	West, on true line bet. secs. 23 and 26.
	Asc. 205 ft. over E. slope, through scattering timber and light undergrowth.
2.60	Top of bluff, 60 ft. high, bears N. and S.
5.50	Spur, slopes SE.; asc. 300 ft. over SE. slope.
5.78	Road, bears N.20°E. and S.20°W.
34.60	Spur, slopes S.; desc. 30 ft. over SW. slope.
39.80	Dry wash, 2 lks. wide, course S.; along S. slope.
40.01	Set an iron post, 3 ft. long, 1 in. diam., 18 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S 23}{S 26}$
	1937
	from which
	A cedar, 12 ins. diam., bears N.83°E., 122 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.

21882

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	A cedar, 10 ins. diam., bears S.25°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 26 B T. Asc. 74 ft. over SE. slope.
47.60	Divide bet. South Umpqua River and Rogue River, bears N.30°E. and S.30°W.; desc. 52 ft. over SW. slope.
50.15	Road, bears NE. and SW.
53.55	Telephone line, bears NE. and SW.
57.35	Dry wash, 3 lks. wide, course S.20°W.; asc. 7 ft. over SE. slope.
63.75	Point of spur, slopes S.; desc. 300 ft. over SW. slope.
73.86	North and South Trail, bears N.20°W. and SE.
80.02	The cor. of secs. 22, 23, 26, and 27. Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, cedar, pine, and hemlock. Undergrowth, vinemaple, 2nd growth, spirea, and salal.
	N.0° 11' E., bet. secs. 22 and 23. Asc. 245 ft. over SW. slope, through scattering timber and light undergrowth.
10.88	North and South Trail, bears N.30°W. and S.30°E.
26.25	Spur, slopes W.; desc. 8 ft. over NW. slope.
30.13	Dry wash, 10 lks. wide, course W.; asc. 132 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <div style="text-align: center;">  </div>
	A cedar, 26 ins. diam., bears S.79°E., 16 lks. dist., mkd. $\frac{1}{4}$ S 23 B T. A white pine, 12 ins. diam., bears S.66°W., 21 lks. dist., mkd. $\frac{1}{4}$ S 22 B T. Asc. 105 ft. over SW. slope.
60.75	Ridge, bears NW. and SE.; trail, bears NW. and S.60°E.; desc. 270 ft. over NE. slope, changing to N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 14, 15, 22, and 23, with brass cap mkd.  <div style="text-align: center;">  </div>
	A fir, 33 ins. diam., bears N.70°E., 187 lks. dist.,

## Subdivisions of T. 30 S., R. 2 E.

## Chains

mkd. T 30 S R 2 E S 14 B T.

A fir, 38 ins. diam., bears S.62½°E., 188 lks. dist.,  
mkd. T 30 S R 2 E S 23 B T.

A fir, 43 ins. diam., bears S.12½°W., 72 lks. dist.,  
mkd. T 30 S R 2 E S 22 B T.

A fir, 42 ins. diam., bears N.19°W., 297 lks. dist.,  
mkd. T 30 S R 2 E S 15 B T.

Land, rolling mountainous.  
Soil, sandy clay and rocky; 3rd and 4th rate.  
Timber, fir, cedar, and pine.  
Undergrowth, vinemapple, serviceberry, mountain ash, alder,  
slickleaf, and salal.

East, on a random line bet. secs. 14 and 23.

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. and S. line, 18 lks. S. of cor. of secs. 13,  
14, 23, and 24.

Thence.

S.89° 52' W., on true line bet. secs. 14 and 23.

Asc. 100 ft. over NE. slope, through scattering timber  
and dense undergrowth.

5.75 Spur, slopes NE.; enter light undergrowth; desc. 11 ft.  
over NW. slope.

9.60 Creek, 1 lk. wide, course N.30°E.; asc. 45 ft. over NE.  
slope.

12.00 Spur, slopes NE.; asc. 105 ft. over NE. slope.

25.70 Dry wash, 5 lks. wide, course N.30°E.; asc. 170 ft. over  
NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for ¼ sec. cor., with brass cap mkd.

¼  $\frac{S 14}{S 23}$

1937

from which

A fir, 42 ins. diam., bears N.33°W., 57 lks. dist.,  
mkd. ¼ S 14 B T.

A fir, 10 ins. diam., bears S.59°E., 77 lks. dist.,  
mkd. ¼ S 23 B T.



Asc. 210 ft. over NE. slope.

63.40 Spur, slopes N.15°W.; desc. 220 ft. over NW. slope,  
changing to N. slope.

80.00 The cor. of secs. 14, 15, 22, and 23.

Land, rolling mountainous.  
Soil, sandy clay and rocky; 3rd and 4th rate.  
Timber, fir, hemlock, cedar, pine, alder, and aspen.  
Undergrowth, mountain ash, alder, vinemapple, and 2nd  
growth.



Subdivisions of T. 30 S., R. 2 E.

Chains	
	N.0° 11' E., bet. secs. 14 and 15.
	Desc. 50 ft. over N. slope, through heavy timber and dense undergrowth.
6.45	Head of draw, drains NE.; along E. slope.
8.95	Spur, slopes NE.; desc. 200 ft. over N. slope.
15.97	Abbott Butte Way Trail, bears E. and W.
17.87	Spring branch, 1 lk. wide, course NE.; desc. 12 ft. over N. slope.
19.33	Spring branch, 1 lk. wide, course N.60°E.; desc. 7 ft. over NE. slope.
20.15	Spur, slopes NE.; desc. 530 ft. over NW. slope.
25.57	Abbott Butte Way Trail, bears E. and W.
26.51	Same trail, bears N.75°E. and S.75°W.
31.95	Same trail, bears E. and W.
39.69	Creek, 2 lks. wide, course N.20°W.; desc. 30 ft. over N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	
	from which
	An Oregon maple, 8 ins. diam., bears S.79°E., 51 lks. dist., mkd., on bark, $\frac{1}{4}$ S 14 B T.
	A fir, 80 ins. diam., bears N.81°W., 135 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	Desc. 40 ft. over N. slope.
42.27	Spring branch, 1 lk. wide, course N.30°W.; desc. 30 ft. over N. slope.
44.84	Spring branch, 1 lk. wide, course N.30°W.; desc. 28 ft. over N. slope.
46.00	Creek, 4 lks. wide, course N.15°E.; along E. slope.
53.10	Creek, 2 lks. wide, course E.; asc. 20 ft. over SE. slope.
56.00	Spur, slopes N.60°E.; desc. 180 ft. over NE. slope.
78.20	Spring branch, 1 lk. wide, course E.; along broken E. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 10, 11, 14, and 15, with brass cap mkd.
	
	from which

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	A fir, 20 ins. diam., bears N.60°E., 58 lks. dist., mkd. T 30 S R 2 E S 11 B T.
	A fir, 22 ins. diam., bears S.28°E., 50 lks. dist., mkd. T 30 S R 2 E S 14 B T.
	A fir, 22 ins. diam., bears S.69°W., 16 lks. dist., mkd. T 30 S R 2 E S 15 B T.
	A fir, 25 ins. diam., bears N.28½°W., 10½ lks. dist., mkd. T 30 S R 2 E S 10 B T.
	Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, maple, and cedar. Undergrowth, vinemaple, mountain ash, syringa, and 2nd growth.
	N.89° 52' E., on a random line bet. secs. 11 and 14.
40.00	Set temp. ¼ sec. cor.
79.84	Intersect N. and S. line, 2 lks. S. of cor. of secs. 11, 12, 13, and 14.
	Thence
	S.89° 51' W., on true line bet. secs. 11 and 14.
	Asc. 110 ft. over NE. slope, through heavy timber and dense undergrowth.
8.35	Spur, slopes N.; desc. 25 ft. over NW. slope.
13.31	Creek, 2 lks. wide, course N.30°E.; asc. 185 ft. over SE. slope.
18.90	Spur, slopes NE.; asc. 10 ft. over broken N. slope.
23.35	Flat top spur, slopes NE.; desc. 32 ft. over NW. slope.
28.35	Small ravine, course NW.; desc. 15 ft. along broken N. slope.
35.36	Creek, 2 lks. wide, course N.; asc. 58 ft. over NE. slope.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for ¼ sec. cor., with brass cap mkd.
	¼ $\frac{S\ 11}{S\ 14}$
	1937
	from which
	A yew, 7 ins. diam., bears N.24½°W., 8 lks. dist., mkd. ¼ S 11 B T.
	A yew, 8 ins. diam., bears S.43°W., 10 lks. dist., mkd. ¼ S 14 B T.
	Asc. 37 ft. over NE. slope.
43.95	Spur, slopes N.10°E.; desc. 100 ft. over NW. slope.
50.70	Draw, drains N.; asc. 5 ft. over broken N. slope.
63.70	Top of ascent on N. slope; desc. 60 ft. over NW. slope.
68.70	Creek, 4 lks. wide, course N.20°E.; asc. 200 ft. over NE.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	slope.
79.84	<p>The cor. of secs. 10, 11, 14, and 15.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, pine, cedar, yew, and chinquapin. Undergrowth, vinemaple, rhododendron, salal, and syringa.</p>
	N.0° 11' E., bet. secs. 10 and 11.
	Desc. 415 ft. over NE. slope, through heavy timber and dense undergrowth.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<div style="text-align: center;">  </div> <p style="text-align: right;">from which</p> <p>A fir, 30 ins. diam., bears S.57°E., 67 lks. dist., mkd. <math>\frac{1}{4}</math> S 11 B T.</p> <p>A pine, 40 ins. diam., bears S.81°W., 63 lks. dist., mkd. <math>\frac{1}{4}</math> S 10 B T.</p>
	Along E. slope.
42.00	Spur, slopes NE.; desc. 85 ft. over NW. slope.
46.81	Spring branch, 1 lk. wide, course N.30°E.; desc. 18 ft. along E. slope.
54.80	Spur, slopes N.30°E.; desc. 110 ft. over NW. slope.
58.45	Spring branch, 1 lk. wide, course N.10°E.; desc. 137 ft. over rocky NE. slope.
63.50	Point of spur, slopes N.15°E.; desc. 108 ft. over N. slope.
66.61	Creek, 2 lks. wide, course N.75°W.; asc. 30 ft. over SW. slope.
70.95	Point of rocky spur, slopes NW.; desc. 155 ft. over NW. slope.
75.44	Creek, 3 lks. wide, course N.30°E.; desc. 10 ft. along E. slope.
77.95	Point of spur, slopes NE.; desc. 27 ft. over N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 2, 3, 10, and 11, with brass cap mkd.
	<div style="text-align: center;">  </div> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 20 ins. diam., bears N.50°E., 10 lks. dist., mkd. T 30 S R 2 E S 2 B T.</p> <p>A pine, 18 ins. diam., bears S.24°E., 21 lks. dist., mkd. T 30 S R 2 E S 11 B T.</p>

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>A fir, 17 ins. diam., bears S.20°W., 27 lks. dist., mkd. T 30 S R 2 E S 10 B T.</p> <p>A fir, 13 ins. diam., bears N.51°W., 76 lks. dist., mkd. T 30 S R 2 E S 3 B T.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, pine, yew, and cedar. Undergrowth, vinemaple, chinquapin, rhododendron, spirea, and salal.</p>
	<p>N.89° 51' E., on a random line bet. secs. 2 and 11.</p>
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.72	Intersect N. and S. line, 14 lks. N. of cor. of secs. 1, 2, 11, and 12.
	Thence
	S.89° 57' W., on true line bet. secs. 2 and 11.
	Desc. 275 ft. over SW. slope, through heavy timber and dense undergrowth.
9.00	Spur, slopes S.60°W.; desc. 170 ft. over W. slope.
12.75	Abbott Creek, 20 lks. wide, course N.30°W.; asc. 58 ft. over NE. slope.
17.70	Point of spur, slopes NE.; desc. 35 ft. over NW. slope.
20.00	Creek, 15 lks. wide, course N.60°E.; asc. 133 ft. over SE. slope.
24.00	Point of spur, slopes SE.; asc. 6 ft. along S. slope.
25.57	Creek, 1 lk. wide, course S.75°E.; asc. 80 ft. over E. slope.
27.75	Point of spur, slopes N.60°E.; asc. 90 ft. over NE. slope.
33.00	Draw, drains N.60°E. from W.; asc. 135 ft. in draw.
39.86	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S \ 2}{S \ 11}$
	from which
	A fir, 35 ins. diam., bears N.10°E., 39 lks. dist., mkd. $\frac{1}{4}$ S 2 B T.
	A fir, 25 ins. diam., bears S.10°W., 44 lks. dist., mkd. $\frac{1}{4}$ S 11 B T.
	Draw, drains E. from S.60°W.; asc. 65 ft. over E. slope.
41.70	Point of spur, slopes S.60°E.; asc. 40 ft. over SE. slope.
46.65	Head of draw, drains S.80°E.; asc. 195 ft. over NE. slope.
64.40	Ridge, bears N. and S.; desc. 355 ft. over W. slope, changing to SW. slope.
76.22	Creek, 3 lks. wide, course N.; asc. 6 ft. along N. slope.

21888

## Subdivisions of T. 30 S., R. 2 E.

Chains	
79.72	The cor. of secs. 2, 3, 10, and 11. Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, pine, cedar, and yew. Undergrowth, vinemaple, rhododendron, spirea, and salal.
	N.0° 13' E., on a random line bet. secs. 2 and 3.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
77.05	Intersect N. bdy. of Tp., 18 lks. W. of cor. of secs. 2, 3, 34, and 35, previously described. Thence S.0° 21' W., on true line bet. secs. 2 and 3. Asc. 715 ft. over NE. slope, changing to NW. slope; through heavy timber and dense undergrowth.
15.60	Spur, slopes N.60°W.; desc. 50 ft. over broken W. slope.
26.85	Spur, slopes W.; desc. 200 ft. over SW. slope.
33.80	Draw, drains W.; asc. 80 ft. over NW. slope.
37.05	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <div style="text-align: center;"> <math>\dagger</math>            S 3   S 2            1937            from which            A fir, 18 ins. diam., bears N.59°E., 42 lks. dist.,            mkd. <math>\frac{1}{4}</math> S 2 B T.            A fir, 10 ins. diam., bears S.52°W., 14 lks. dist.,            mkd. <math>\frac{1}{4}</math> S 3 B T.            Asc. 75 ft. over NW. slope.         </div>
39.60	Spur, slopes NW.; desc. 25 ft. over broken W. slope.
57.50	Spur, slopes S.60°W.; desc. 70 ft. over SW. slope.
62.38	Spring branch, 1 lks. wide, course S.60°W.; desc. 10 ft. over SW. slope.
63.70	Creek, 3 lks. wide, course N.60°W.; asc. 192 ft. over NE. slope, changing to N. slope.
77.05	The cor. of secs. 2, 3, 10, and 11. Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, madrona, chinquapin, pine, and yew. Undergrowth, vinemaple, rhododendron, spirea, and salal.
	Thence from the cor. of secs. 33 and 34 only, on S. bdy. of Tp., previously described. N.0° 11' E., bet. secs. 33 and 34. Asc. 40 ft. over SE. slope, through heavy timber and light undergrowth.

## Subdivisions of T. 30 S., R. 2 E.

- Chains  
 3.00 Spur, slopes NE.; desc. 30 ft. over NE. slope.  
 7.61 Creek, 1 lk. wide, course E.; asc. 70 ft. over SE. slope.  
 21.00 Spring branch, 1 lk. wide, course S.60°E.; asc. 115 ft. over SE. slope.  
 29.13 Head of draw, drains S.30°E.; asc. 125 ft. over SE. slope.  
 36.52 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

↑  
 S33 | S34  
 1937

from which

A white pine, 23 ins. diam., bears N.37°E., 87 lks. dist., mkd.  $\frac{1}{4}$  S 34 B T.

A white pine, 28 ins. diam., bears N.52°W., 45 lks. dist., mkd.  $\frac{1}{4}$  S 33 B T.

Asc. 205 ft. over SE. slope.

- 47.50 Divide bet. South Umpqua River and Rogue River, bears NE. and SW.; desc. 290 ft. over NW. slope.  
 70.35 Road, bears N.30°E. and SW.; telephone line parallels the road.  
 74.00 Creek, 1 lk. wide, course N.30°E.; desc. 5 ft. along E. slope.  
 76.52 Intersect sectional correction line, 10 lks. E. of temp. cor. of secs. 27, 28, 33, and 34.  
 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 27, 28, 33, and 34, with brass cap mkd.

T30S R2E  
 S28 | S27  
 S33 | S34

1937

from which

A white fir, 25 ins. diam., bears N.52°E., 16 lks. dist., mkd. T 30 S R 2 E S 27 B T.

A white fir, 50 ins. diam., bears S.65°E., 157 lks. dist., mkd. T 30 S R 2 E S 34 B T.

A fir, 13 ins. diam., bears S.23°W., 31 lks. dist., mkd. T 30 S R 2 E S 33 B T.

A fir, 38 ins. diam., bears N.23°W., 89 lks. dist., mkd. T 30 S R 2 E S 28 B T.

Land, mountainous.

Soil, sandy clay and rocky; 3rd and 4th rate.

Timber, fir, pine, hemlock, alder, and yew.


Undergrowth, vinemaple, serviceberry, 2nd growth, and salal.

Subdivisions of T. 30 S., R. 2 E.

Chains	
	From the cor. of secs. 26, 27, 34, and 35.
	West, on sectional correction line, bet. secs. 27 and 34.
	Asc. 5 ft. over NE. slope, through heavy timber and dense undergrowth.
0.50	Spur, slopes SE.; asc. 217 ft. over SE. slope.
9.75	Spur, slopes S.20°E.; desc. 12 ft. over SW. slope.
11.74	Draw, drains SE.; asc. 715 ft. over SE. slope.
26.40	Top of bluff, 75 ft. high, bears N.20°E. and S.20°W.
28.40	Top of bluff, 60 ft. high, bears NE. and SW.
29.35	Divide bet. South Umpqua River and Rogue River, bears NE. and SW.; desc. 78 ft. over NW. slope.
33.70	Draw, drains N.; asc. 90 ft. over NE. slope.
39.98	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 27 \\ S 34 \end{array}$
	1937
	from which
	A cedar, 13 ins. diam., bears N.26 $\frac{1}{2}$ °W., 26 lks. dist., mkd. $\frac{1}{4}$ S 27 B T.
	A fir, 35 ins. diam., bears S.76 $\frac{1}{2}$ °W., 26 lks. dist., mkd. $\frac{1}{4}$ S 34 B T.
	Asc. 175 ft. over NE. slope.
42.50	Top of bluff, 60 ft. high, bears NW. and SE.
44.15	Spur, slopes N.; desc. 435 ft. over NW. slope.
77.70	Road, bears N.30°E. and S.30°W.; telephone line parallels the road.
78.20	Creek, 1 lk. wide, course N.; asc. 7 ft. over NE. slope.
79.96	The cor. of secs. 27, 28, 33, and 34.
	Land, mountainous.
	Soil, sandy clay and rocky; 3rd and 4th rate.
	Timber, fir, hemlock, pine, cedar, and yew.
	Undergrowth, vinemaple, slickleaf, 2nd growth, and salal.
	N.0° 11' E., bet. secs. 27 and 28.
	Desc. 30 ft. over NE. slope, through heavy timber and light undergrowth.
4.20	Creek, 1 lk. wide, course NW.; along W. slope.
10.00	Spur, slopes N.60°W.; desc. 415 ft. over NE. slope.
33.25	Spring branch, 1 lk. wide, course N.35°E.; desc. 40 ft. over N. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

Subdivisions of T. 30 S., R. 2 E.

Chains




from which

A fir, 10 ins. diam., bears N.67°E., 34 lks. dist.,  
mkd.  $\frac{1}{4}$  S 27 B T.

A yew, 5 ins. diam., bears S.71°W., 38 lks. dist.,  
mkd.  $\frac{1}{4}$  S 28 B T.

Desc. 465 ft. over N. slope..

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the  
ground, for cor. of secs. 21, 22, 27, and 28, with brass  
cap mkd.



1937

from which

A fir, 12 ins. diam., bears N.21°E., 35 lks. dist.,  
mkd. T 30 S R 2 E S 22 B T.

A fir, 28 ins. diam., bears S.68°E., 81 lks. dist.,  
mkd. T 30 S R 2 E S 27 B T.

A fir, 20 ins. diam., bears S.66°W., 34 lks. dist.,  
mkd. T 30 S R 2 E S 28 B T.

A fir, 32 ins. diam., bears N.69°W., 61 lks. dist.,  
mkd. T 30 S R 2 E S 21 B T.

Land, mountainous.  
Soil, sandy clay and stony; 2nd and 4th rate.  
Timber, fir, pine, hemlock, and yew.  
Undergrowth, vinemaple, alder, mountain ash, huckleberry,  
serviceberry, and willow.

East, on a random line bet. secs. 22 and 27.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.02 Intersect N. and S. line, 2 lks. N. of cor. of secs. 22,  
23, 26, and 27.

Thence


N.89° 59' W., on true line bet. secs. 22 and 27.

Desc. 765 ft. over SW. slope, changing to W. slope;  
through scattering timber and light undergrowth.

26.00 Enter heavy timber, bears N. and S.

39.75 Creek, 5 lks. wide, course SW.; along S. slope.


40.01 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the  
ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.



1937

from which

Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>A fir, 28 ins. diam., bears N.25°W., 55 lks. dist., mkd. <math>\frac{1}{4}</math> S 22 B T.</p> <p>A fir, 20 ins. diam., bears S.61°E., 8 lks. dist., mkd. <math>\frac{1}{4}</math> S 27 B T.</p> <p>Asc. 15 ft. over SE. slope.</p>
42.80	Rocky spur, slopes SW.; desc. 300 ft. over SW. slope.
53.15	Spring branch, 1 lk. wide, course S.65°W.; desc. 20 ft. over SW. slope.
54.45	Squaw Creek, 6 lks. wide, course NW.; asc. 60 ft. over NE. slope.
59.50	Top of ascent on N. slope; desc. 55 ft. over NW. slope.
71.65	Draw, drains N.; asc. 28 ft. over NE. slope.
75.65	Top of ascent on N. slope; desc. 37 ft. over NW. slope.
80.02	The cor. of secs. 21, 22, 27, and 28.
	<p>Land, mountainous.                      Soil, sandy loam and rocky; 2nd and 4th rate.                      Timber, fir, pine, cedar, yew, and chinquapin.                      Undergrowth, vinemaple, mountain ash, alder, manzanita, spirea, and salal.</p>
	<p>N.0° 11' E., bet. secs. 21 and 22.</p> <p>Desc. 109 ft. over N. slope, through heavy timber and dense undergrowth.</p>
2.40	Squaw Creek, 10 lks. wide, course W.; asc. 333 ft. over SE. slope.
16.95	Spur, slopes S.10°W.; desc. 40 ft. over NW. slope.
19.55	Head of draw, drains S.30°W.; asc. 242 ft. over SW. slope.
32.50	Spur, slopes S.60°W.; desc. 57 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<p style="text-align: center;">  </p> <p style="text-align: right;">from which</p> <p>A fir, 45 ins. diam., bears S.15°E., 33 lks. dist., mkd. <math>\frac{1}{4}</math> S 22 B T.</p> <p>A fir, 20 ins. diam., bears N.88°W., 27 lks. dist., mkd. <math>\frac{1}{4}</math> S 21 B T.</p> <p>Desc. 90 ft. over NW. slope.</p>
45.11	Creek, 2 lks. wide, course N.70°W.; asc. 39 ft. over rolling SW. slope.
54.90	Creek, 1 lk. wide, course S.70°W.; asc. 85 ft. over SW. slope.
65.95	Creek, 2 lks. wide, course S.60°W.; asc. 370 ft. over SE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains  
80.00

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 15, 16, 21, and 22, with brass cap mkd.

T30S R2E  
S16|S15  
S21|S22

1937

from which

A fir, 47 ins. diam., bears N.13°E., 85 lks. dist., mkd. T 30 S R 2 E S 15 B T.

A fir, 7 ins. diam., bears S.34°E., 27 lks. dist., mkd. T 30 S R 2 E S 22 B T.

A fir, 7 ins. diam., bears S.33°W., 41 lks. dist., mkd. T 30 S R 2 E S 21 B T.

A fir, 49 ins. diam., bears N.64°W., 43 lks. dist., mkd. T 30 S R 2 E S 16 B T.

Land, mountainous.

Soil, sandy loam and rocky; 2nd and 4th rate.

Timber, fir, hemlock, cedar, and yew.

Undergrowth, vinemaple, 2nd growth, slickleaf, salal, and huckleberry.

S.89° 59' E., on a random line bet. secs. 15 and 22.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. and S. line, 23 lks. S. of cor. of secs. 14, 15, 22, and 23.

Thence

S.89° 51' W., on true line bet. secs. 15 and 22.

Asc. 145 ft. over NE. slope, through scattering timber and light undergrowth.

13.50 Abbott Butte Way Trail, bears N.30°E. and S.

22.35 Ridge, bears N.80°W. and S.80°E.; desc. 35 ft. over SW. slope.

32.85 Bottom of descent on S. slope; North and South Trail, bears NW. and S.80°E.; asc. 70 ft. over NE. slope.

40.02 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   $\frac{S 15}{S 22}$

1937

from which

A fir, 38 ins. diam., bears N.10°E., 64 lks. dist., mkd.  $\frac{1}{4}$  S 15 B T.



A fir, 20 ins. diam., bears S.35°W., 51 lks. dist., mkd.  $\frac{1}{4}$  S 22 B T.

Asc. 3 ft. over gradual NE. slope.

43.00 Spur, slopes SE.; desc. 300 ft. over W. slope.

55.32 Shallow draw, drains S.30°W.; desc. 288 ft. over SW. slope, changing to S. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
80.04	The cor. of secs. 15, 16, 21, and 22. Land, mountainous. Soil, coarse sandy loam and rocky; 3rd and 4th rate. Timber, fir, cedar, and hemlock. Undergrowth, 2nd growth, slickleaf, mountain ash, and manzanita.
	N.0° 11' E., bet. secs. 15 and 16. Asc. 305 ft. over SE. slope, through scattering timber and light undergrowth.
11.25	Ridge, bears N.60°E. and S.60°W.; North and South Trail, bears N.60°E. and S.60°W.; desc. 105 ft. over NW. slope.
22.90	Rocky spur, slopes N.30°W.; desc. 785 ft. over N. slope, changing to NW. slope.
25.00	Enter heavy timber and dense undergrowth, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	
	from which
	A hemlock, 10 ins. diam., bears N.66 $\frac{1}{2}$ °E., 70 lks. dist., mkd. $\frac{1}{4}$ S 15 B T.
	A fir, 70 ins. diam., bears S.48°W., 34 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	Desc. 280 ft. over NW. slope.
48.10	Spring branch, 1 lk. wide, course N.20°E.; desc. 65 ft. over NE. slope.
50.68	Creek, 2 lks. wide, course N.30°E.; desc. 458 ft. over NE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 9, 10, 15, and 16, with brass cap mkd.
	
	1937 from which
	A fir, 14 ins. diam., bears N.53°E., 49 lks. dist., mkd. T 30 S R 2 E S 10 B T.
	A fir, 36 ins. diam., bears S.82°E., 47 lks. dist., mkd. T 30 S R 2 E S 15 B T.
	A fir, 8 ins. diam., bears S.45°W., 26 lks. dist., mkd. T 30 S R 2 E S 16 B T.
	A hemlock, 12 ins. diam., bears N.18 $\frac{1}{2}$ °W., 68 lks. dist., mkd. T 30 S R 2 E S 9 B T.
	Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, yew, and cedar.

## Subdivisions of T. 30 S., R. 2 E.

Chains	Undergrowth, vinemaple, rhododendron, chinquapin, slick-leaf, huckleberry, and salal.
	N. 89° 51' E., on a random line bet. secs. 10 and 15.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.80	Intersect N. and S. line at the cor. of secs. 10, 11, 14, and 15.
	Thence
	S. 89° 51' W., on true line bet. secs. 10 and 15.
	Asc. 240 ft. over NE. slope, through heavy timber and light undergrowth.
19.10	Spur, slopes N.; desc. 10 ft. along N. slope.
29.10	Abbott Butte Way Trail, bears NE. and SW.
31.60	Spur, slopes NW.; desc. 185 ft. over NW. slope.
38.70	Spring branch, 1 lk. wide, course NW.; asc. 10 ft. over NE. slope.
39.90	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{l} S 10 \\ S 15 \end{array}$
	1937
	from which
	A fir, 10 ins. diam., bears N. 7° W., 60 lks. dist., mkd. $\frac{1}{4}$ S 10 B T.
	A white fir, 35 ins. diam., bears S. 46° E., 63 lks. dist., mkd. $\frac{1}{4}$ S. 15 B T.
	Asc. 20 ft. over NE. slope.
44.50	Spur, slopes NW.; desc. 528 ft. over W. slope, changing to NW. slope.
65.35	Spur, slopes N. 60° W.; desc. 375 ft. over W. slope.
67.50	Enter dense undergrowth, bears NW. and SE.
76.65	Creek, 2 lks. wide, course N. 15° W.; desc. 7 ft. over NW. slope.
78.06	Creek, 3 lks. wide, course N. 30° E. from S. 30° E.; asc. 92 ft. over NE. slope.
79.80	The cor. of secs. 9, 10, 15, and 16.
	Land, mountainous.
	Soil, sandy loam and stony; 2nd and 4th rate.
	Timber, fir, hemlock, pine, cedar, and yew.
	Undergrowth, vinemaple, rhododendron, chinquapin, huckleberry, and salal.
	N. 0° 11' E., bet. secs. 9 and 10.
	Desc. 184 ft. over NE. slope, through heavy timber and dense undergrowth.
5.85	Creek, 4 lks. wide, course N. 20° W.; asc. 40 ft. over SW.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	slope.
8.90	Spur, slopes W.; desc. 95 ft. over NW. slope.
12.60	Creek, 2 lks. wide, course N.60°W.; asc. 118 ft. over SW. slope.
21.00	Top of ascent on W. slope; desc. 74 ft. over NW. slope.
26.90	Ravine, course S.80°W.; asc. 285 ft. over SW. slope.
39.15	Spur, slopes W.; desc. 5 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

↑  
S 9 | S10

1937

from which

A fir, 10 ins. diam., bears S.83°E., 45 lks. dist.,  
mkd.  $\frac{1}{4}$  S 10 B T.

A fir, 18 ins. diam., bears N.56°W., 35 lks. dist.,  
mkd.  $\frac{1}{4}$  S 9 B T.

Desc. 128 ft. over NW. slope.

46.15	Spur, slopes N.30°W.; desc. 370 ft. over NE. slope.
54.42	Dry creek bed, 2 lks. wide, course N.30°W.; asc. 12 ft. over SW. slope.
55.60	Point of spur, slopes W.; desc. 22 ft. over NW. slope.
56.66	Spring branch, 1 lk. wide, course S.80°W.; asc. 450 ft. over SW. slope.
68.80	Spur, slopes S.75°W.; asc. 5 ft. over broken W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3, 4, 9, and 10, with brass cap mkd.

T30S R2E

S 4 | S 3

S 9 | S10

1937

from which

A fir, 13 ins. diam., bears N.53°E., 44 lks. dist.,  
mkd. T 30 S R 2 E S 3 B T.

A fir, 22 ins. diam., bears S.44°E., 144 lks. dist.,  
mkd. T 30 S R 2 E S 10 B T.

A fir, 18 ins. diam., bears S.63°W., 63 lks. dist.,  
mkd. T 30 S R 2 E S 9 B T.

A fir, 11 ins. diam., bears N.55°W., 31 lks. dist.,  
mkd. T 30 S R 2 E S 4 B T.

Land, mountainous.

Soil, sandy loam and rocky; 3rd and 4th rate.

Timber, fir, hemlock, pine, cedar, and yew.

Undergrowth, vinemaple, rhododendron, slickleaf, salal, chinquapin, spirea, huckleberry, and serviceberry.

## Subdivisions of T. 30 S., R. 2 E.

## Chains

- N.89° 51' E., on a random line bet. secs. 3 and 10.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.70 Intersect N. and S. line, 12 lks. S. of cor. of secs. 2, 3, 10, and 11.
- Thence
- S.89° 46' W., on true line bet. secs. 3 and 10.
- Asc. 315 ft. over NE. slope, through heavy timber and dense undergrowth.
- 19.45 Spur, slopes N.30°E.; desc. 150 ft. over NW. slope, changing to N. slope.
- 36.65 Point of spur, slopes N.30°W.; desc. 68 ft. over W. slope.
- 37.85 Creek, 2 lks. wide, course N.; asc. 63 ft. over E. slope.
- 39.85 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.
- $$\frac{1}{4} \frac{S \ 3}{S \ 10}$$
- 1937
- from which
- A pine, 32 ins. diam., bears N.13 $\frac{1}{2}$ °E., 84 lks. dist., mkd.  $\frac{1}{4}$  S 3 B T.
- A pine, 28 ins. diam., bears S.11°W., 32 lks. dist., mkd.  $\frac{1}{4}$  S 10 B T.
- Asc. 270 ft. over E. slope.
- 48.00 Spur, slopes NE.; desc. 13 ft. over NW. slope.
- 49.80 Draw, drains NE.; asc. 215 ft. over NE. slope.
- 60.00 Abbott Butte Way Trail, bears N. and S.
- 70.80 Ridge, bears NW. and SE.; desc. 285 ft. over SW. slope.
- 79.70 The cor. of secs. 3, 4, 9, and 10.
- Land, mountainous.  
Soil, sandy loam and rocky; 3rd and 4th rate.  
Timber, fir, hemlock, pine, chinquapin, and madrona.  
Undergrowth, vinemaple, rhododendron, huckleberry, salal, and serviceberry.
- 
- N.0° 21' E., on a random line bet. secs. 3 and 4.
- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 77.44 Intersect N. bdy. of the Tp. at the cor. of secs. 3, 4, 33, and 34, previously described.
- Thence
- S.0° 21' W., on true line bet. secs. 3 and 4.
- Desc. 120 ft. over SE. slope, through heavy timber and dense undergrowth.
- 0.90 Jackson Creek Trail, bears N.60°E. and S.80°W.
- 3.80 Jackson Creek, 35 lks. wide, course S.80°W.; asc. 157 ft.

21898

Subdivisions of T. 30 S., R. 2 E.



Chains	
	over N. slope.
6.10	Rocky spur, slopes W.; desc. 80 ft. over SW. slope.
10.15	Creek, 1 lk. wide, course N.60°W.; asc. 458 ft. over NW. slope.
20.00	Spur, slopes N.20°E.; asc. 425 ft. over NE. slope.
37.44	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ S 4 S 3 1937
	from which
	A fir, 24 ins. diam., bears S.48°E., 49 lks. dist., mkd. $\frac{1}{4}$ S 3 B T.
	A fir, 23 ins. diam., bears N.55°W., 67 lks. dist., mkd. $\frac{1}{4}$ S 4 B T.
	Spur, slopes N.30°W.; along W. slope.
41.55	Small draw, drains N.30°W.; asc. 485 ft. over NE. slope.
69.60	Spur, slopes NW.; desc. 95 ft. over SW. slope.
77.44	The cor. of secs. 3, 4, 9, and 10.
	Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, pine, chinquapin, and madrona. Undergrowth, vinemaple, rhododendron, spirea, huckleberry, and salal.
	Thence from the cor. of secs. 32 and 33 only, on S. bdy. of Tp., previously described.
	N.0° 10' E., bet. secs. 32 and 33.
	Asc. 170 ft. over SW. slope, through heavy timber and light undergrowth.
23.80	Ridge, bears E. and W.; desc. 270 ft. over NE. slope.
35.08	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. con., with brass cap mkd.
	$\frac{1}{4}$ S32 S33 1937
	from which
	A white fir, 57 ins. diam., bears N.27°E., 52 lks. dist., mkd. $\frac{1}{4}$ S 33 B T.
	A white fir, 40 ins. diam., bears S.25°W., 55 lks. dist., mkd. $\frac{1}{4}$ S 32 B T.
	Desc. 188 ft. over NE. slope.
52.80	Spring branch, 1 lk. wide, course N.80°W.; desc. 15 ft. over NW. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
55.50	Spring branch, 1 lk. wide, course W.; asc. 92 ft. over SW. slope.
63.40	Spur, slopes N.85°W.; desc. 60 ft. over NE. slope.
75.08	Intersect sectional correction line, 6 lks. E. of temp. cor. of secs. 28, 29, 32, and 33. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 28, 29, 32, and 33, with brass cap mkd. T30S R2E S29 S28 S32 S33 1937 from which A white fir, 35 ins. diam., bears N.30°E., 64 lks. dist., mkd. T 30 S R 2 E S 28 B T. A white fir, 30 ins. diam., bears S.59°E., 46 lks. dist., mkd. T 30 S R 2 E S 33 B T. A white fir, 17 ins. diam., bears S.37°W., 42 lks. dist., mkd. T 30 S R 2 E S 32 B T. A white fir, 37 ins. diam., bears N.30°W., 30 lks. dist., mkd. T 30 S R 2 E S 29 B T. Land, rolling mountainous. Soil, sandy loam; 2nd and 3rd rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, vinemaple, mountain ash, alder, huckleberry, and salal.
	From the cor. of secs. 27, 28, 33, and 34. West, on a sectional correction line bet. secs. 28 and 33. Asc. 115 ft. over NE. slope, through heavy timber and light undergrowth.
13.80	Spur, slopes N.; desc. 95 ft. over NW. slope.
24.20	Draw, drains N.; asc. 45 ft. over NE. slope.
37.50	Spur, slopes N.; desc. 10 ft. over NW. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ $\frac{S 28}{S 33}$ 1937 from which A white fir, 9 ins. diam., bears N.26°W., 9 lks. dist., mkd. $\frac{1}{4}$ S 28 B T. A white fir, 32 ins. diam., bears S.33°E., 28 lks. dist., mkd. $\frac{1}{4}$ S 33 B T. Desc. 240 ft. over NW. slope.
58.00	Creek, 2 lks. wide, course N.; asc. 160 ft. over NE. slope.
80.04	The cor. of secs. 28, 29, 32, and 33.

21900

Subdivisions of T. 30 S., R. 2 E.

Chains	Land, rolling mountainous. Soil, sandy loam; 2nd and 3rd rate. Timber, fir, pine, hemlock, and cedar. Undergrowth, winemaple, mountain ash, alder, and huckle- berry.
	N. 0° 10' E., bet. secs. 28 and 29.
	Desc. 588 ft. over NE. slope, through heavy timber and light undergrowth.
26.36	Creek, 4 lks. wide, course NW.; asc. 45 ft. over SW. slope.
29.00	Spur, slopes SW.; desc. 10 ft. over NW. slope.
30.40	Spring branch, 1 lk. wide, course SW.; asc. 183 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	
	from which
	A fir, 40 ins. diam., bears N. 67° E., 23 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	A fir, 35 ins. diam., bears N. 50° W., 33 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	Spur, slopes W.; desc. 440 ft. over NW. slope.
74.08	Spring branch, 1 lk. wide, course W.; desc. 75 ft. over NW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 20, 21, 28, and 29, with brass cap mkd.
	
	from which
	A hemlock, 20 ins. diam., bears N. 65° E., 16 lks. dist.; mkd. T 30 S R 2 E S 21 B T.
	A fir, 45 ins. diam., bears S. 60° E., 53 lks. dist., mkd. T 30 S R 2 E S 28 B T.
	A fir, 28 ins. diam., bears S. 47° W., 119 lks. dist., mkd. T 30 S R 2 E S 29 B T.
	A fir, 27 ins. diam., bears N. 66° W., 18 lks. dist., mkd. T 30 S R 2 E S 20 B T.
	Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, cedar, pine, and yew. Undergrowth, winemaple, mountain ash, alder, huckleberry, spirea, and salal.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	East, on a random line bet. sec. 21 and 28.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.74	Intersect N. and S. line, 16 lks. S. of cor. of secs. 21, 22, 27, and 28.
	Thence
	S. $89^{\circ} 53'$ W., on true line bet. secs. 21 and 28.
	Asc. 53 ft. over NE. slope, through heavy timber and dense undergrowth.
4.65	Spur, slopes N.; desc. 250 ft. over NW. slope.
13.72	Squaw Creek, 15 lks. wide, course N. $75^{\circ}$ W. from N. $80^{\circ}$ E.; asc. 33 ft. over NE. slope.
16.50	Top of ascent on N. slope; desc. 16 ft. over NW. slope.
19.30	Spur, slopes N. $60^{\circ}$ W.; desc. 28 ft. over W. slope.
19.87	Creek, 2 lks. wide, course N. $60^{\circ}$ W.; desc. 12 ft. over NW. slope.
21.60	Squaw Creek, 20 lks. wide, course W. from N. $80^{\circ}$ E.; desc. 8 ft. in creek.
25.00	Squaw Creek, 20 lks. wide, course N. $70^{\circ}$ W. from E.; asc. 142 ft. over NE. slope.
35.45	Spur, slopes NW.; desc. 40 ft. over NW. slope.
39.87	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S 21}{S 28}$
	1937
	from which
	A fir, 27 ins. diam., bears N. $15^{\circ}$ W., 52 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
	A fir, 23 ins. diam., bears S. $36^{\circ}$ W., 52 lks. dist., mkd. $\frac{1}{4}$ S 28 B T.
	Desc. 95 ft. over NW. slope.
47.87	Creek, 2 lks. wide, course N.; asc. 350 ft. over NE. slope.
61.90	Spur, slopes N. $30^{\circ}$ E.; asc. 70 ft. over broken N. slope.
70.50	Spur, slopes NW.; desc. 250 ft. over NW. slope.
79.74	The cor. of secs. 20, 21, 28, and 29.
	Land, mountainous.
	Soil, sandy loam and rocky; 2nd and 4th rate.
	Timber, fir, hemlock, cedar, pine, and yew.
	Undergrowth, vinemaple, huckleberry, rhododendron, 2nd growth, and salal.
	N. $0^{\circ} 10'$ E., bet. secs. 20 and 21.
	Asc. 9 ft. along W. slope, through heavy timber and dense undergrowth.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
3.50	Spur, slopes N.60°W.; desc. 175 ft. over NE. slope.
7.70	Small draw, drains N.15°W. from S.30°E.; desc. 80 ft. over NW. slope.
13.05	Spur, slopes NW.; desc. 175 ft. over N. slope.
18.50	Squaw Creek, 25 lks. wide, course S.60° W. from E.; asc. 195 ft. over SW. slope.
25.25	Spur, slopes W.; desc. 47 ft. over NW. slope.
27.15	Draw, drains S.70°W.; asc. 370 ft. over SW. slope.
34.45	Top of bluff, 70 ft. high, bears N.60°W. and E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	from which
	A fir, 17 ins. diam., bears S.77°E., 65 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
	A fir, 18 ins. diam., bears N.82°W., 38 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.
	Asc. 95 ft. over SW. slope.
44.75	Spur, slopes W.; desc. 170 ft. over N. slope.
47.85	Small draw, drains W.; asc. 130 ft. over SW. slope.
55.60	Spur, slopes S.80°W.; desc. 40 ft. over NW. slope.
58.50	Small draw, drains W.; asc. 22 ft. over SW. slope.
60.00	Spur, slopes W.; desc. 95 ft. over NW. slope.
63.65	Creek, 2 lks. wide, course S.80°W.; asc. 375 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 16, 17, 20, and 21, with brass cap mkd.
	from which
	A fir, 13 ins. diam., bears N.82°E., 47 lks. dist., mkd. T 30 S R 2 E S 16. B T.
	A fir, 13 ins. diam., bears S.58°E., 79 lks. dist., mkd. T 30 S R 2 E S 21 B T.
	A fir, 6 ins. diam., bears S.55°W., 22 lks. dist., mkd. T 30 S R 2 E S 20 B T.
	A fir, 10 ins. diam., bears N.81°W., 19 lks. dist., mkd. T 30 S R 2 E S 17. B T.
	Land, mountainous.
	Soil, coarse sandy loam and rocky; 3rd and 4th rate.

## Subdivisions of T. 30 S., R. 2 E.

Chains	Timber, fir, hemlock, cedar, pine, and yew. Undergrowth, vinemaple, 2nd growth, huckleberry, salal, chinquapin, and serviceberry.
	N.89° 53' E., on a random line bet. secs. 16 and 21.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.78	Intersect N. and S. line, 12 lks. N. of cor. of secs. 15, 16, 21, and 22.
	Thence
	S.89° 58' W., on true line bet. secs. 16 and 21.
	Asc. 125 ft. over SE. slope, through scattering timber and light undergrowth.
4.60	Spur, slopes S.10°W.; desc. 10 ft. over SW. slope.
9.60	Head of draw, drains S.10°W.; asc. 305 ft. over SE. slope.
22.83	Abbott Butte Lookout, bears S.68° 27' E.
25.40	Spur, slopes S.; desc. 340 ft. over SW. slope.
30.00	Enter heavy timber, bears NW. and SE.
39.89	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S\ 16}{S\ 21}$
	1937
	from which
	A fir, 40 ins. diam., bears N.10°E., 164 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	A fir, 37 ins. diam., bears S.23°E., 112 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
	Desc. 125 ft. over SW. slope, changing to broken S. slope.
56.75	Spur, slopes S.; desc. 370 ft. over SW. slope.
79.78	The cor. of secs. 16, 17, 20, and 21.
	Land; mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, and cedar. Undergrowth, vinemaple, rhododendron, manzanita, salal, and 2nd growth.
	N.0° 10' E., bet. secs. 16 and 17.
	Asc. 415 ft. over SW. slope, through heavy timber and light undergrowth.
32.65	Ridge, bears N.60°W. and S.60°E.; North and South Trail, bears N:60°W. and S.60°E.; desc. 65 ft. over NE. slope.
37.20	Draw, drains N.80°E.; asc. 25 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap, mkd.

Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p style="text-align: center;">S17   S16</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 34 ins. diam., bears N.40°E., 55 lks. dist., mkd. <math>\frac{1}{4}</math> S 16 B T.</p> <p>A fir, 36 ins. diam., bears S.83°W., 36 lks. dist., mkd. <math>\frac{1}{4}</math> S 17 B T.</p> <p>Asc. 85 ft. over SE. slope.</p> <p>46.35 Top of ascent on E. slope; desc. 50 ft. over NE. slope.</p> <p>49.25 Spur, slopes N.15°E.; desc. 335 ft. over N. slope, changing to NW. slope.</p> <p>70.90 Spur, slopes N.30°W.; desc. 85 ft. over NE. slope.</p> <p>74.05 Spring on line, flows NE.; desc. 70 ft. over N. slope.</p> <p>80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 8, 9, 16, and 17, with brass cap mkd.</p> <p style="text-align: center;">T30S R2E S 8   S 9 S17   S16</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 25 ins. diam., bears N.35°E., 136 lks. dist., mkd. T 30 S R 2 E S 9 B T.</p> <p>A fir, 68 ins. diam., bears S.22°E., 129 lks. dist., mkd. T 30 S R 2 E S 16 B T.</p> <p>A white fir, 30 ins. diam., bears S.63°W., 169 lks. dist., mkd. T 30 S R 2 E S 17 B T.</p> <p>A fir, 23 ins. diam., bears N.63°W., 139 lks. dist., mkd. T 30 S R 2 E S 8 B T.</p> <p>Land, mountainous. Soil, coarse sandy loam and rocky; 3rd and 4th rate. Timber, fir, cedar, and hemlock. Undergrowth, vinemaple, chinquapin, salal, syringa, rhododendron, and bracken.</p> <hr/> <p>N.89° 58' E., on a random line bet. secs. 9 and 16.</p> <p>40.00 Set temp. <math>\frac{1}{4}</math> sec. cor.</p> <p>79.90 Intersect N. and S. line, 18 lks. N. of cor. of secs. 9, 10, 15, and 16.</p> <p>Thence</p> <p>N.89° 54' W., on true line bet. secs. 9 and 16.</p> <p>Asc. 240 ft. over NE. slope, through heavy timber and dense undergrowth.</p> <p>11.25 Spur, slopes N.; desc. 393 ft. over NW. slope, changing to SW. slope.</p> <p>26.05 Creek, 2 lks. wide, course NW.; asc. 355 ft. over NE.</p>

Subdivisions of T. 30 S., R. 2 E.

Chains	
	slope.
36.60	Spur, slopes N.10°W.; desc. 150 ft. over NW. slope.
39.95	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 9 \\ S 16 \end{array}$
	1937
	from which
	A yew, 4 ins. diam., bears North, 35 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.
	A fir, 12 ins. diam., bears S.13°W., 29 lks. dist., mkd. $\frac{1}{4}$ S 16 B T.
	Desc. 85 ft. over NW. slope.
42.00	Creek, 2 lks. wide, course N.; asc. 625 ft. over E. slope.
55.00	Spur, slopes N.30°E.; asc. 8 ft. along N. slope.
59.37	Draw, drains NE.; asc. 310 ft. over E. slope, changing to SE. slope.
72.00	Spur, slopes N.; desc. 17 ft. over NW. slope.
75.25	Spring branch, 1 lk. wide, course N.15°W.; along N. slope.
79.90	The cor. of secs. 8, 9, 16, and 17.
	Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, and yew. Undergrowth, vinemaple, rhododendron, chinquapin, madrona, spirea, and salal.
	N.0° 10' E., bet. secs. 8 and 9.
	Desc. 90 ft. over NE. slope, through heavy timber and dense undergrowth.
5:48	Spring branch, 1 lk. wide, course N.60°W.; asc. 50 ft. over SW. slope.
15.80	Spur, slopes N. from S.15°E.; desc. 10 ft. on top of spur.
33.25	Same spur, slopes N.15°W.; desc. 165 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 8 \\ S 9 \end{array}$
	1937
	from which
	A fir, 13 ins. diam., bears S.36°E., 10 lks. dist., mkd. $\frac{1}{4}$ S 9 B T.
	A fir, 15 ins. diam., bears S.71°W., 41 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.
	Desc. 190 ft. over NE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains  
 53.00 Bottom of descent on E. slope; asc. 58 ft. over SE. slope.  
 55.75 Top of ascent on E. slope; desc. 125 ft. over NE. slope.  
 67.00 Spur, slopes N.10°E.; desc. 300 ft. over NW. slope.  
 80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 4, 5, 8, and 9, with brass cap mkd.

$$\begin{array}{c} T30S R2E \\ S 5 | S 4 \\ S 8 | S 9 \end{array}$$

1937

from which

A pine, 19 ins. diam., bears N.29°E., 74 lks. dist., mkd. T 30 S R 2 E S 4 B T.

A fir, 17 ins. diam., bears S.68°E., 49 lks. dist., mkd. T 30 S R 2 E S 9 B T.

A fir, 3 ins. diam., bears S.50°W., 64 lks. dist., mkd. B T.

A fir, 14 ins. diam., bears N.46°W., 25 lks. dist., mkd. T 30 S R 2 E S 5 B T.

Land, mountainous.

Soil, sandy loam and rocky; 2nd and 4th rate.

Timber, fir, hemlock, cedar, pine, and yew.

Undergrowth, vinemaple, rhododendron, chinquapin, salal, 2nd growth, and spirea.

S.89° 54' E., on a random line bet. secs. 4 and 9.

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.10 Intersect N. and S. line, 4 lks. N. of cor. of secs. 3, 4, 9, and 10.

Thence

N.89° 52' W., on true line bet. secs. 4 and 9.

Desc. 470 ft. over SW. slope, changing to W. slope; through heavy timber and dense undergrowth.

10.80 Draw, drains SW.; desc. 505 ft. over SW. slope.

29.05 Creek, .6 lks. wide, course NW.; asc. 330 ft. over NE. slope.

40.05 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S 4}{S 9}$$

1937

from which

A fir, 8 ins. diam., bears N.25°W., 25 lks. dist., mkd.  $\frac{1}{4}$  S 4 B T.

A pine, 55 ins. diam., bears S.58°E., 105 lks. dist., mkd.  $\frac{1}{4}$  S 9 B T.

Asc. 750 ft. over NE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
76.00	Spur, slopes N.10°E.; desc. 18 ft. over NW. slope.
80.10	The cor. of secs. 4, 5, 8, and 9. Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, cedar, pine, and yaw. Undergrowth, vinemable, rhododendron, huckleberry, salal, and chinquapin.
	N.0° 20'E., bet. secs. 4 and 5. Desc. 465 ft. over NW. slope, changing to NE. slope; through heavy timber and dense undergrowth.
13.80	Head of draw, drains N.30°W.; desc. 110 ft. over N. slope.
21.10	Same draw, drains NE.; desc. 120 ft. over NE. slope.
29.25	Small draw, drains N.20°E.; desc. 220 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.  <div style="text-align: center;"> <math>\dagger</math>  S 5   S 4  1937 </div> <p style="text-align: right;">from which</p> <p>A fir, 9 ins. diam., bears N.12°E., 20 lks. dist., mkd. <math>\frac{1}{4}</math> S 4 B T.</p> <p>A fir, 12 ins. diam., bears S.70°W., 55 lks. dist., mkd. <math>\frac{1}{4}</math> S 5 B T.</p> <p>Desc. 25 ft. over NE. slope.</p>
40.75	Spur, slopes N.30°E.; desc. 525 ft. over NW. slope.
50.15	Jackson Creek, 40 lks. wide, course W.; asc. 145 ft. over S. slope.
58.00	Top of ascent on S. slope; desc. 40 ft. over gradual NW. slope.
59.53	Jackson Creek Trail, bears E. and W.
68.90	Bottom of descent on W. slope; asc. 110 ft. over SW. slope.
77.43	Intersect S. bdy. of T. 29 S., R. 2 E.  Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 4 and 5, with brass cap mkd.  <div style="text-align: center;"> T29S R2E  S 32  S 5   S 4  T30S R2E  C C  1937 </div> <p style="text-align: right;">from which</p> <p>A fir, 7 ins. diam., bears S.30°E., 24 lks. dist., mkd. T 30 S R 2 E S 4 C C B T.</p> <p>A fir, 32 ins. diam., bears S.72°W., 122 lks. dist., mkd. T 30 S R 2 E S 5 C C B T.</p>

Subdivisions of T. 30 S., R. 2 E.

Chains	<p>From point of intersection the cor. of secs. 32 and 33 only, S. bdy. T. 29 S., R. 2 E., previously described, bears East, 0.36 chs. dist.</p> <p>Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, madrona, and yew. Undergrowth, vinemaple, rhododendron, 2nd growth, salal, and chinquapin.</p>
	<p>In order to complete the survey of sec. 4, I go to the <math>\frac{1}{4}</math> sec. cor. of sec. 33 only, on S. bdy. of T. 29 S., R. 2 E.</p> <p>Thence N.89° 57' W., bet. secs. 4 and 33.</p>
0.14	<p>Midpoint on N. bdy. of sec. 4.</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground to bedrock, and in a mound of stone to top, for <math>\frac{1}{4}</math> sec. cor. of sec. 4 only, with brass cap mkd.</p>
	<p style="text-align: center;"><math>\frac{1}{4}</math> S 4</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 5 ins. diam., bears S.53°E., 37 lks. dist., mkd. <math>\frac{1}{4}</math> S 4 B T.</p> <p>A fir, 7 ins. diam., bears S.49°W., 14 lks. dist., mkd. <math>\frac{1}{4}</math> S 4 B T.</p>
	<p>Thence from the cor. of secs. 31 and 32 only, on S. bdy. of Tp., previously described.</p> <p>N.0° 09' E., bet. secs. 31 and 32.</p> <p>Asc. 185 ft. over SW. slope, through heavy timber and light undergrowth.</p>
12.92	<p>Donegan Prairie Way Trail, bears E. and W.</p>
31.70	<p>Spur, slopes W.; desc. 15 ft. over NW. slope.</p>
33.67	<p>Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p>
	<p style="text-align: center;">↑</p> <p style="text-align: center;">S31 S32</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A cedar, 45 ins. diam., bears N.67°E., 37 lks. dist., mkd. <math>\frac{1}{4}</math> S 32 B T.</p> <p>A white fir, 33 ins. diam., bears N.69°W., 50 lks. dist., mkd. <math>\frac{1}{4}</math> S 31 B T.</p> <p>Desc. 78 ft. over NW. slope.</p>
43.75	<p>Spur, slopes NW.; desc. 525 ft. over NE. slope, changing to N. slope.</p>

## Subdivisions of T. 30 S., R. 2 E.

## Chains

- 68.73 Spring branch, 1 lk. wide, course N.20°W.; desc. 105 ft. over N. slope.
- 73.67 Intersect sectional correction line, 10 lks. E. of temp. cor. of secs. 29, 30, 31, and 32.  
Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 29, 30, 31, and 32, with brass cap mkd.
- T30S R2E  
S30|S29  
S31|S32
- 1937
- from which
- A fir, 37 ins. diam., bears N.35°E., 57 lks. dist., mkd. T 30 S R 2 E S 29 B T.
- A fir, 45 ins. diam., bears S.35°E., 70 lks. dist., mkd. T 30 S R 2 E S 32 B T.
- A fir, 50 ins. diam., bears S.40°W., 56 lks. dist., mkd. T 30 S R 2 E S 31 B T.
- A fir, 25 ins. diam., bears N.37½°W., 47 lks. dist., mkd. T 30 S R 2 E S 30 B T.

Land, mountainous.  
Soil, sandy loam and rocky; 2nd and 4th rate.  
Timber, fir, hemlock, cedar, and pine.  
Undergrowth, vine maple, 2nd growth, rhododendron, and salal.

From the cor. of secs. 28, 29, 32, and 33.

West, on sectional correction line bet. secs. 29 and 32.

Asc. 4 ft. over NE. slope, through heavy timber and light undergrowth.

- 2.00 Spur, slopes N, 10°W.; desc. 295 ft. over NW. slope.
- 14.00 Enter opening, bears N. and S.
- 18.00 Leave opening; enter heavy timber and dense undergrowth, bears N. and S.
- 21.00 Creek, 4 lks. wide, course N.20°W.; asc. 170 ft. over NE. slope.
- 34.15 Spur, slopes N.; desc. 67 ft. over NW. slope.
- 39.98 Set an iron post, 3 ft. long, 1 in. diam., 15 ins. in the ground to bedrock, and in a mound of stone to top, for ¼ sec. cor., with brass cap mkd.
- S 29  
¼ S 32
- 1937
- from which
- A white fir, 10 ins. diam., bears N.4°W., 62 lks. dist., mkd. ¼ S 29 B T.
- A white fir, 15 ins. diam., bears S.70°E., 21 lks. dist., mkd. ¼ S 32 B T.
- Desc. 165 ft. over W. slope.

21940 310

## Subdivisions of T. 30 S., R. 2 E.

Chains	
47.75	Creek, 4 lks. wide, course N.20°W.; asc. 47 ft. over NE. slope.
58.00	Spur, slopes N.; desc. 250 ft. over NW. slope.
79.96	The cor. of secs. 29, 30, 31, and 32. Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, vinemaple, rhododendron, 2nd growth, and salal.
	West, on a random line bet. secs. 30 and 31.
40.00	Set temp. $\frac{1}{4}$ sec. cor..
76.20	Intersect W. bdy. of Tp., 11 lks. N. of cor. of secs. 30 and 31 only. Thence N.89° 55' E., on true line bet. secs. 30 and 31. Asc. 735 ft. over SW. slope, through scattering timber and dense undergrowth.
20.50	Enter heavy timber and light undergrowth, bears NE. and SW.
36.20	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ S 30 $\frac{1}{4}$ S 31 1937 from which A fir, 30 ins. diam., bears N.45°E., 22 lks. dist., mkd. $\frac{1}{4}$ S 30 B T. A fir, 42 ins. diam., bears S.51°E., 74 lks. dist., mkd. $\frac{1}{4}$ S 31 B T.. Asc. 70 ft. over W. slope.
42.40	Spur, slopes NW.; desc. 360 ft. over NE. slope.
59.30	Creek, 2 lks. wide, course N.; asc. 110 ft. over NW. slope.
64.80	Spur, slopes N.; desc. 95 ft. over NE. slope.
72.07	Spring branch, 1 lk. wide, course N.20°W.; asc. 25 ft. over NW. slope.
76.10	Spring branch, 1 lk. wide, course N.10°W.; along N. slope.
76.20	The cor. of secs. 29, 30, 31, and 32. Land, mountainous. Soil, sandy loam and rocky; 2nd and 4th rate. Timber, fir, hemlock, and pine. Undergrowth, vinemaple, salal, chinquapin, 2nd growth, rhododendron, huckleberry, and syringa.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	N.Q° 09' E., bet. secs. 29 and 30.
	Desc. 245 ft. over NW. slope, through heavy timber and dense undergrowth.
15.03	Spring branch, 1 lk. wide, course N.8Q°W.; asc. 30 ft. over SW. slope.
20.05	Spur, slopes W.; desc. 90 ft. over NW. slope.
29.97	Draw, drains W.; asc. 15 ft. over gradual SW. slope.
37.00	Spur, slopes NW.; enter scattering timber and light undergrowth, bears NW. and SE.; desc. 35 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	from which
	A fir, 40 ins. diam., bears N.52°E., 113 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	A fir, 15 ins. diam., bears N.12°W., 87 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.
	Desc. 665 ft. over NE. slope.
66.82	Creek, 3 lks. wide, course N.70°W.; asc. 100 ft. over SW. slope.
69.10	Spur, slopes N.70°W.; desc. 165 ft. over NW. slope.
73.75	Squaw Creek, 15 lks. wide, course S.80°W.; asc. 190 ft. over SE. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 19, 20, 29, and 30, with brass cap mkd.
	from which
	A fir, 42 ins. diam., bears N.69°E., 78 lks. dist., mkd. T 30 S R 2 E S 20 B T.
	A fir, 30 ins. diam., bears S.57°E., 66 lks. dist., mkd. T 30 S R 2 E S 29 B T.
	A fir, 50 ins. diam., bears S.13°W., 67 lks. dist., mkd. T 30 S R 2 E S 30 B T.
	A fir, 37 ins. diam., bears N.64°W., 95 lks. dist., mkd. T 30 S R 2 E S 19 B T.
	Land, mountainous.
	Soil, clay loam; 3rd rate.
	Timber, fir, hemlock, pine, and cedar.
	Undergrowth, rhododendron, vinemapple, manzanita, and salal.

21912 312

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	East, on a random line bet. secs. 20 and 29.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.84	Intersect N. and S. line, 5 lks. S. of cor. of secs. 20, 21, 28, and 29.
	Thence
	S.89° 58' W., on true line bet. secs. 20 and 29.
	Desc. 15 ft. over NW. slope, through heavy timber and dense undergrowth.
0.75	Creek, 3 lks. wide, course N.20°W.; asc. 65 ft. over NE. slope.
5.75	Spur, slopes N.; desc. 60 ft. over NW. slope.
9.03	Spring branch, 1 lk. wide, course NE.; asc. 160 ft. over NE. slope.
18.10	Top of ascent on N. slope; desc. 12 ft. along N. slope.
23.85	Spur, slopes NW.; desc. 330 ft. over NW. slope.
32.50	Draw, drains N.70°W.; desc. 33 ft. over NW. slope.
35.65	Spur, slopes NW.; desc. 95 ft. over NW. slope.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S. 20}{S. 29}$
	1937
	from which
	A yew, 10 ins. diam., bears N.57°W., 47 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.
	A fir, 35 ins. diam., bears S.8°W., 14 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.
	Draw, drains NW.; asc. 33 ft. over NE. slope.
44.20	Spur, slopes N.20°W.; desc. 350 ft. over NW. slope.
58.25	Creek, 5 lks. wide, course N.10°W.; asc. 160 ft. over NE. slope.
59.45	Top of bluff, 50 ft. high, bears N. and S.
61.75	Spur, slopes N.; desc. 335 ft. over NW. slope.
67.65	Squaw Creek, 15 lks. wide, course S.75°W.; asc. 160 ft. over SE. slope.
69.00	Enter scattering timber and light undergrowth, bears NE. and SW.
79.84	The cor. of secs. 19, 20, 29, and 30.
	Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, yew, and pine. Undergrowth, rhododendron, manzanita, vinemaple, salal, 2nd growth, and chinquapin.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	S. 89° 55' W., on a random line bet. secs. 19 and 30.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
76.17	Intersect W. bdy. of Tp., 11 lks. S. of cor. of secs. 19 and 30 only.
	Thence .
	East, on true line bet. secs. 19 and 30.
	Asc. 620 ft. over SW. slope, through scattering timber and dense undergrowth.
36.17	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 19}{S 30}$
	1937
	from which
	A fir, 30 ins. diam., bears N. 40° W., 118 lks. dist., mkd. $\frac{1}{4}$ S 19 B T.
	A fir, 7 ins. diam., bears S. 30° E., 58 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.
	Asc. 140 ft. over SW. slope.
38.70	Top of bluff, 50 ft. high, bears NW. and SE.
39.25	Rocky spur, slopes SE.; desc. 83 ft. over SE. slope.
42.70	Draw, drains S.; asc. 145 ft. over SW. slope.
48.60	Spur, slopes S.; desc. 25 ft. over SE. slope.
52.72	Draw, drains S. 10° E.; asc. 55 ft. over SW. slope.
60.10	Spur, slopes S. 20° W.; desc. 73 ft. over SE. slope.
65.20	Creek, 2 lks. wide, course SE.; asc. 103 ft. over SW. slope.
71.25	Spur, slopes S.; desc. 60 ft. over SE. slope.
76.17	The cor. of secs. 19, 20, 29, and 30.
	Land, mountainous. Soil, sandy loam and rocky; 3rd and 4th rate. Timber, fir, pine, and cedar. Undergrowth, vine maple, poison oak, chinquapin, madrona, slickleaf, spirea, syringa, dogwood, and salal.
	N. 0° 09' E., bet. secs. 19 and 20.
	Asc. 490 ft. over SE. slope, through scattering timber and light undergrowth.
18.50	Spur, slopes SW.; asc. 215 ft. over SW. slope.
38.15	Same spur, slopes S. 30° E.; asc. 30 ft. over SE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

21914 314

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	↑ S19 S20 1937 from which A fir, 25 ins. diam., bears N.59°E., 73 lks. dist., mkd. $\frac{1}{4}$ S 20 B T. A fir, 33 ins. diam., bears N.30 $\frac{1}{2}$ °W., 258 lks. dist., mkd. $\frac{1}{4}$ S 19 B T. Asc. 355 ft. over SE. slope.
42.00	Enter heavy timber, bears NW. and SE.
62.20	North and South Trail, bears N.75°E. and S.60°W.
66.20	Ridge, bears N. and SW.; along top of ridge.
69.17	Same trail, bears N.10°W. and S.10°E.
72.16	Same trail, bears NE. and SW.
76.36	Same trail, bears NW. and SE.
78.00	Ridge, bears N.20°W. and South; along E. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 17, 18, 19, and 20, with brass cap mkd. <div style="text-align: center; margin-top: 10px;">             T30S R2E              S18 S17              S19 S20              1937              from which              A fir, 30 ins. diam., bears N.62°E., 74 lks. dist.,              mkd. T 30 S R 2 E S 17 B T.              A fir, 37 ins. diam., bears S.40°E., 24 lks. dist.,              mkd. T 30 S R 2 E S 20 B T.              A fir, 25 ins. diam., bears S.30°W., 123 lks. dist.,              mkd. T 30 S R 2 E S 19 B T.              A fir, 42 ins. diam., bears N.42°W., 43 lks. dist.,              mkd. T 30 S R 2 E S 18 B T.              Land, mountainous.              Soil, clay loam; 3rd rate.              Timber, fir, hemlock, and pine.              Undergrowth, rhododendron, spirea, vinemaple, and salal.           </div>
	N.89° 58' E., on a random line bet. secs. 17 and 20.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.86	Intersect N. and S. line, 3 lks. S. of cor. of secs. 16, 17, 20, and 21.
	Thence
	S.89° 57' W., on true line bet. secs. 17 and 20.
	Desc. 118 ft. over SW. slope, through heavy timber and dense undergrowth.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
5.73	Draw, drains S.; desc. 22 ft. along rolling S. slope.
9.70	Enter fir reproduction, bears N. and S.
15.46	Spring branch, 1 lk. wide, course S.10°W.; asc. 335 ft. over SE. slope.
19.50	Leave fir reproduction, bears N. and S.
33.25	Rocky spur, slopes S.; desc. 90 ft. over SW. slope.
39.93	Set an iron post, 3 ft. long, 1 in. diam., 20 ins. in the ground to bedrock, and in a mound of stone to top, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{r} S 17 \\ S 20 \end{array}$
	1937
	from which
	A fir, 17 ins. diam., bears N.6°W., 59 lks. dist., mkd. $\frac{1}{4}$ S 17 B T.
	A fir, 25 ins. diam., bears S.14°W., 21 lks. dist., mkd. $\frac{1}{4}$ S.20 B T.
	Desc. 205 ft. over SW. slope.
45.06	Draw, drains SW.; desc. 225 ft. over SW. slope.
59.06	Spring branch, 1 lk. wide, course S.20°E.; asc. 340 ft. over SE. slope.
71.15	Small spur, slopes S.10°E.; desc. 14 ft. over SW. slope.
72.65	Draw, drains SE.; asc. 80 ft. over SE. slope.
79.86	The cor. of secs. 17, 18, 19, and 20.
	Land, mountainous. Soil, clay loam; 3rd rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, rhododendron, manzanita, 2nd growth, salal, and chinquapin.
	West, on a random line bet. secs. 18 and 19.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
75.96	Intersect W. bdy. of Tp., 9 lks. S. of cor. of secs. 18 and 19 only.
	Thence
	S.89° 56' E., on true line bet. secs. 18 and 19.
	Desc. 225 ft. over NE. slope, through heavy timber and dense undergrowth.
13.58	Draw, drains N.; asc. 15 ft. over NW. slope.
16.75	Top of ascent on N. slope; desc. 65 ft. over NE. slope.
22.48	Creek, 2 lks. wide, course N.20°W.; asc. 345 ft. over NW. slope, changing to SW. slope.
33.00	Enter light undergrowth, bears NE. and SW.
35.96	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>ground, for <math>\frac{1}{4}</math> sec. cor., with brass cap mkd.</p> <p style="text-align: center;"><math>\frac{1}{4} \begin{array}{l} S 18 \\ S 19 \end{array}</math></p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 28 ins. diam., bears N.17°E., 52 lks. dist., mkd. <math>\frac{1}{4}</math> S 18 B T.</p> <p>A fir, 10 ins. diam., bears S.4°E., 33 lks. dist., mkd. <math>\frac{1}{4}</math> S 19 B T.</p> <p>Asc. 685 ft. over SW. slope.</p>
73.60	North and South Trail, bears N. and S.
74.00	Ridge, bears N.10°E. and S.10°E.; desc. 30 ft. over SE. slope.
75.96	The cor. of secs. 17, 18, 19, and 20.
	<p>Land, mountainous.</p> <p>Soil, clay loam; 3rd rate.</p> <p>Timber, fir, hemlock, and pine.</p> <p>Undergrowth, vinemaple, rhododendron, 2nd growth, salal, and chinquapin.</p>
	<p>N.0° 09' E., bet. secs. 17 and 18.</p> <p>Asc. 275 ft. over SE. slope, through heavy timber and dense undergrowth.</p>
15.25	Ridge, bears NE. and S.30°W.; desc. 290 ft. over NW. slope.
18.19	North and South Trail, bears NE. and SW.
32.55	Draw, drains N.80°W.; asc. 23 ft. over SW. slope.
34.75	Spur, slopes W.; desc. 17 ft. over NW. slope.
36.20	Ravine, course S.75°W.; asc. 85 ft. over S. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<p style="text-align: center;"><math>\frac{1}{4}</math></p> <p style="text-align: center;">S18 S17</p> <p style="text-align: center;">1937</p> <p style="text-align: right;">from which</p> <p>A fir, 35 ins. diam., bears N.66°E., 42 lks. dist., mkd. <math>\frac{1}{4}</math> S 17 B T.</p> <p>A fir, 10 ins. diam., bears N.68°W., 20 lks. dist., mkd. <math>\frac{1}{4}</math> S 18 B T.</p> <p>Asc. 175 ft. over SE. slope.</p>
54.10	Spur, slopes NW.; desc. 405 ft. over NE. slope.
75.65	Enter fir and hemlock reproduction, bears E. and W.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 7, 8, 17, and 18, with brass cap mkd.

Subdivisions of T. 30 S., R. 2 E.

Chains

T30S R2E  
S 7 | S 8  
S18 | S17

1937

from which

- A fir, 41 ins. diam., bears N.14°E., 75 lks. dist., mkd. T 30 S R 2 E S 8 B T.
- A fir, 35 ins. diam., bears S.67°E., 60 lks. dist., mkd. T 30 S R 2 E S 17 B T.
- A fir, 55 ins. diam., bears S.80°W., 103 lks. dist., mkd. T 30 S R 2 E S 18 B T.
- A fir, 35 ins. diam., bears N.54°W., 35 lks. dist., mkd. T 30 S R 2 E S 7 B T.

Land, mountainous.  
Soil, clay loam; 3rd rate.  
Timber, fir, hemlock, cedar, and pine.  
Undergrowth, rhododendron, 2nd growth, vinemaple, salal, and chinquapin.

N.89° 57' E., on a random line bet. secs. 8 and 17.

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.
- 79.98 Intersect N. and S. line, 14 lks. S. of cor. of secs. 8, 9, 16, and 17.
- Thence
- S.89° 51' W., on true line bet. secs. 8 and 17.
- Desc. 65 ft. over rolling NW. slope, through scattering timber and dense undergrowth.
- 11.50 Spur, slopes NW.; desc. 275 ft. over NW. slope.
- 20.80 Creek, 2 lks. wide, course N.10°W.; asc. 65 ft. over NE. slope.
- 22.60 Spur, slopes N.; desc. 10 ft. over NW. slope.
- 24.40 Branch, 1 lk. wide, course NE.; asc. 415 ft. over NE. slope.
- 37.85 Spur, slopes N.; desc. 10 ft. over NW. slope.
- 39.99 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$\frac{1}{4}$   $\frac{S 8}{S 17}$

1937

from which

- A white pine, 17 ins. diam., bears N.8°E., 32 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.
- A fir, 30 ins. diam., bears S.28°W., 19 lks. dist., mkd.  $\frac{1}{4}$  S 17 B T.
- Desc. 45 ft. over NW. slope.
- 53.30 Spur, slopes NW.; desc. 245 ft. over SW. slope.
- 67.30 Creek, 3 lks. wide, course NW.; asc. 35 ft. over NE.

21918<sup>318</sup>

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	slope.
71.80	Spur, slopes N.10°E.; desc. 10 ft. over NW. slope.
73.00	Branch, 1 lk. wide, course NE.; enter fir and hemlock reproduction, bears NE. and SW.; asc. 135 ft. over NE. slope.
79.98	The cor. of secs. 7, 8, 17, and 18.
	Land, mountainous. Soil, clay loam; 3rd rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, hemlock and fir reproduction, rhododendron, chinquapin, vinemaple, and salal.
	N.89° 56' W., on a random line bet. secs. 7 and 18.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
75.81	Intersect W. bdy. of Tp., 13 lks. S. of cor. of secs. 7 and 18 only.
	Thence
	S.89° 50' E., on true line bet. secs. 7 and 18.
	Asc. 170 ft. over NW. slope, through heavy timber and dense undergrowth.
4.50	Spur, slopes N.; desc. 78 ft. over NE. slope.
6.05	Branch, 1 lk. wide, course N.10°W.; asc. 975 ft. over NW. slope.
35.81	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4}$ $\frac{S}{S}$ $\frac{7}{18}$
	1937
	from which
	A pine, 45 ins. diam., bears N.44°E.; 158 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
	A pine, 57 ins. diam., bears S.44°W.; 19 lks. dist., mkd. $\frac{1}{4}$ S 18 B T.
	Asc. 20 ft. over NW. slope.
38.80	Spur, slopes NW.; desc. 90 ft. over NE. slope.
46.16	Creek, 2 lks. wide, course N.20°W.; asc. 375 ft. over NW. slope.
62.75	Enter fir and hemlock reproduction, bears N. and S.
64.20	Spur, slopes N.10°W.; desc. 65 ft. over NE. slope.
69.70	Spring branch, 1 lk. wide, course N.20°E.; desc. 50 ft. over NE. slope.
75.81	The cor. of secs. 7, 8, 17, and 18.
	Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, pine, and cedar. Undergrowth, fir and hemlock reproduction, rhododendron,

## Subdivisions of T. 30 S., R. 2 E.

Chains

vinemaple, chinquapin, manzanita, hazel, and salal.

N.0° 09' E., bet. secs. 7 and 8.

Desc. 385 ft. over NE. slope, through heavy timber and dense undergrowth.

12.93 Creek, 3 lks. wide, course N.20°W.; asc. 53 ft. over SW. slope.

15.50 Leave fir and hemlock reproduction, bears NW. and SE.

16.75 Spur, slopes NW.; desc. 480 ft. over NW. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

S 7 | S 8

1937

from which

A cedar, 20 ins. diam., bears N.85°E., 77 lks. dist., mkd.  $\frac{1}{4}$  S 8 B T.A fir, 37 ins. diam., bears N.62°W., 30 lks. dist., mkd.  $\frac{1}{4}$  S 7 B T.

Desc. 285 ft. over NW. slope.

50.07 Creek, 3 lks. wide, course N.10°W. from S.15°W.; desc. 80 ft. over NW. slope.

60.45 Draw, drains N.85°W.; asc. 210 ft. over SW. slope.

68.85 Small spur, slopes N.80°W.; along W. slope.

73.70 Spur, slopes NW.; desc. 55 ft. over NE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 5, 6, 7, and 8, with brass cap mkd.

T30S R2E

S 6 | S 5

S 7 | S 8

1937

from which

A fir, 17 ins. diam., bears N.64°E., 65 lks. dist., mkd. T 30 S R 2 E S 5 B T.

A pine, 27 ins. diam., bears S.48°E., 48 lks. dist., mkd. T 30 S R 2 E S 8 B T.

A fir, 25 ins. diam., bears S.63°W., 20 lks. dist., mkd. T 30 S R 2 E S 7 B T.

A fir, 30 ins. diam., bears N.23°W., 56 lks. dist., mkd. T 30 S R 2 E S 6 B T.

Land, mountainous.

Soil, clay loam and rocky; 3rd and 4th rate.

Timber, fir, hemlock, cedar, and pine.

Undergrowth, fir and hemlock reproduction; rhododendron, salal, chinquapin, madrona, manzanita, and vinemaple.

21920 320

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	N.89° 51' E., on a random line bet. secs. 5 and 8.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
79.84	Intersect N. and S. line, 5 lks. N. of cor. of secs. 4, 5, 8, and 9.
	Thence
	S.89° 53' W., on true line bet. secs. 5 and 8.
	Desc. 190 ft. over NW. slope, through heavy timber and dense undergrowth.
11.00	Bottom of descent on N. slope; asc. 32 ft. over NE. slope.
18.35	Spur, slopes N.; desc. 285 ft. over NW. slope.
39.92	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \frac{S 5}{S 8}$
	1937
	from which
	A fir, 25 ins. diam., bears N.25°W., 63 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
	A fir, 17 ins. diam., bears S.39°W., 60 lks. dist., mkd. $\frac{1}{4}$ S 8 B T.
	Desc. 125 ft. over NW. slope.
45.70	Creek, 2 lks. wide, course N.10°E.; asc. 310 ft. over rolling NE. slope.
79.84	The cor. of secs. 5, 6, 7, and 8.
	Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, hemlock, cedar, pine, and yew. Undergrowth, vinemaple, rhododendron, manzanita, salal, chinquapin, and 2nd growth.
	N.89° 50' W., on a random line bet. secs. 6 and 7.
40.00	Set temp. $\frac{1}{4}$ sec. cor.
76.01	Intersect W. bdy. of Tp., 11 lks. N. of cor. of secs. 6 and 7 only.
	Thence
	S.89° 55' E., on true line bet. secs. 6 and 7.
	Asc. 80 ft. over NW. slope, through heavy timber and dense undergrowth:
4.25	Spur, slopes N.20°W.; desc. 95 ft. over NE. slope.
15.80	Spring, on line, flows N.20°E.; asc. 11 ft. over NW. slope.
17.15	Spur, slopes N.20°E.; desc. 35 ft. over NE. slope.
21.05	Branch; 1 lk. wide, course N.; asc. 13 ft. over NW. slope.
22.50	Spur, slopes N.; desc. 123 ft. over NE. slope.

## Subdivisions of T. 30 S., R. 2 E.

Chains	
26.00	Creek, 2 lks. wide, course N.; asc. 85 ft. over NW. slope.
32.60	Spur, slopes N.; desc. 60 ft. over NE. slope.
35.42	Creek, 5 lks. wide, course NW.; asc. 5 ft. over NW. slope.
36.01	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 6 \\ S 7 \end{array}$
	1937
	from which
	A fir, 50 ins. diam., bears N.20°E., 54 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.
	A fir, 23 ins. diam., bears S.68°W., 71 lks. dist., mkd. $\frac{1}{4}$ S 7 B T.
	Asc. 35 ft. over NW. slope.
39.50	Draw, drains N.20°W. from SE.; asc. 65 ft. over SW. slope.
43.80	Same draw, drains S.30°W. from E.; asc. 18 ft. in draw.
44.80	Same draw, drains W. from NE.; asc. 415 ft. over SW. slope.
60.85	Small draw, drains SW.; asc. 350 ft. over W. slope, changing to NW. slope.
73.00	Spur, slopes N.30°W.; desc. 30 ft. over NE. slope.
76.01	The cor. of secs. 5, 6, 7, and 8.
	Land, mountainous. Soil, sandy clay; 3rd rate. Timber, fir, pine, hemlock, and cedar. Undergrowth, 2nd growth, rhododendron, vinemaple, salal, manzanita, chinquapin, and madrona.
	N.0° 19' E., bet. secs. 5 and 6.
	Desc. 120 ft. over NE. slope, through heavy timber and dense undergrowth.
11.30	Head of draw, drains N.30°W.; desc. 270 ft. over NW. slope.
25.50	Spur, slopes NW.; desc. 420 ft. over NE. slope.
34.75	Top of bluff, 25 ft. high, bears E. and W.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	$\frac{1}{4} \begin{array}{c} S 6 \\ S 5 \end{array}$
	1937
	from which
	A yew, 8 ins. diam., bears N.40°E., 80 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
	A fir, 40 ins. diam., bears N.41°W., 86 lks. dist., mkd. $\frac{1}{4}$ S 6 B T.

21922322

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	Desc. 65 ft. over NE. slope.
45.00	Bottom of descent on E. slope; asc. 28 ft. over SE. slope.
49.90	Spur, slopes N.40°E.; desc. 475 ft. over NE. slope.
65.89	Creek, 5 lks. wide, course N.80°W.; asc. 160 ft. over SW. slope.
71.85	Spur, slopes NW.; desc. 250 ft. over NE. slope.
77.64	Intersect S. bdy. of T. 29 S., R. 2 E.
	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for closing cor. of secs. 5 and 6, with brass cap mkd.
	<p style="text-align: center;">T29S R2E S31 S 6 S 5 T30S R2E C C</p>
	1937
	from which
	A white fir, 15 ins. diam., bears S.30°E., 68 lks. dist., mkd. T 30 S R 2 E S 5 C C B T.
	A white fir, 23 ins. diam., bears S.58°W., 74 lks. dist., mkd. T 30 S R 2 E S 6 C C B T.
	From point of intersection the cor. of secs. 31 and 32 only, S. bdy. T. 29 S., R. 2 E., previously described, bears S.89° 57' E., 0.44 chs. dist.
	Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, pine, hemlock, cedar, and yew. Undergrowth, 2nd growth, rhododendron, vinemaple, salal, chinquapin, madrona, and manzanita.
	In order to complete the survey of sec. 5, I go to the $\frac{1}{4}$ sec. cor. of sec. 32 only, on S. bdy. of T. 29 S., R. 2 E.
	Thence
	S.89° 58' W., bet. secs. 5 and 32.
0.36	Midpoint on N. bdy. of sec. 5.
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 5 only, with brass cap mkd.
	<p style="text-align: center;">S 5</p>
	1937
	from which
	A pine, 17 ins. diam., bears S.8°E., 37 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.
	A fir, 13 ins. diam., bears S.56°W., 12 lks. dist., mkd. $\frac{1}{4}$ S 5 B T.

## Subdivisions of T. 30 S., R. 2 E.

## Chains

In order to complete the survey of sec. 6, I go to the  $\frac{1}{4}$  sec. cor. of sec. 31 only, on S. bdy. of T. 29 S., R. 2 E.

Thence

N. 89° 56' W., bet. secs. 6 and 31.

0.52 A point 40.00 chs. in departure from the closing cor. of secs. 5 and 6.

Set an iron post, 3 ft. long, 1 in. diam., 6 ins. in the ground, to bedrock, and in a mound of stone to top, for  $\frac{1}{4}$  sec. cor. of sec. 6 only, with brass cap mkd.

$\frac{1}{4}$  S 6

1937

from which

An oak, 6 ins. diam., bears S. 66° E., 51 lks. dist., mkd.  $\frac{1}{4}$  S 6 B T.

A fir, 20 ins. diam., bears S. 2° W., 41 lks. dist., mkd.  $\frac{1}{4}$  S 6 B T.

## FINAL TESTS OF SOLAR COMPASSES

August 6, in camp, about 15 chs. West of the  $\frac{1}{4}$  sec. cor. of secs. 16 and 17, at 8h 0m a.m., app. t., I set off 42° 57 $\frac{1}{2}$ ' N., on the lat. arcs; 16° 43' N., on the decl. arcs; and orient the instruments with the solars; the lines of sight agree with the meridian established by Polaris observation.

At 4h 0m p.m., app. t., I set off 42° 57 $\frac{1}{2}$ ' N., on the lat. arcs; 16° 37 $\frac{1}{2}$ ' N., on the decl. arcs; and repeat the tests of the solars; the lines of sight agree with the meridian established by Polaris observation.

August 6, 1937.

## GENERAL DESCRIPTION

Township 30 South, Range 2 East, which lies in the Rogue River and Umpqua National Forests, consists, for the most part, of quite rough mountainous land. The elevation varies from about 2,250 ft. above sea level, at Jackson Creek's most westerly crossing of the N. bdy., to 6, 140 ft. above sea level on Abbott Butte. The soil is a shallow, loose sandy loam or sandy clay that produces a good growth of vegetation. None of the township is adapted to agricultural purposes other than grazing, and most of it is too heavily timbered for the growing of forage plants suitable for the grazing of sheep or cattle. Practically all of the township is covered with a dense growth of vinemaple, huckleberry, rhododendron, young fir, hemlock, and cedar, manzanita, slickleaf, hazel, spirea, syringa, willow, salal, Oregon grape, and bracken.

Above 5,000 ft. elevation the timber is mostly white, Noble, silver, and Shasta fir, but below this elevation the timber is predominantly Douglas fir. There are also scattering patches of hemlock, yellow, sugar, and white pine, incense and western red cedar, yew, madrona, chin-quapin, and maple. A large part of this timber is of commercial size and quality, but at the present time is inaccessible.

There are no apparent indications of mineral deposits nor has there been any diligent prospecting.

21924 324

T. 30 S., R. 2 E.

Chains

The southeast portion of the township is drained by the tributaries of the Rogue River and the balance by the tributaries of the South Umpqua River. Abbott Butte Look-out is located in the south central portion of section 23. A Forest Service road and telephone line to Abbott Butte passes through sections 33, 34, 27, 26, and 23. The location of the road, telephone line, and trails are ascertained by notation of the intersections on the section boundaries.

The magnetic variation has a range from 18° E. to 22° E.; the mean of numerous observations is 21° E.