

Dependent Resurvey of North Boundary of T. 31 S., R. 2 E.

Chains	
17.00	Enter dense undergrowth, bears N. and S.
25.75	Abbott Creek, 30 lks. wide, course S.20°E.; asc. 14 ft. over SE. slope.
33.70	Creek, 20 lks. wide, course SE.; asc. 55 ft. over NE. slope.
39.80	Point for the old $\frac{1}{4}$ sec. cor. of secs. 1 and 36, as determined by reference to the record bearing and distance to the original SE. bearing tree.
	I now change this cor. to refer to sec. 1 only.
	At point for corner,
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 1 only, with brass cap mkd.
	<u>$\frac{1}{4}$ S 1</u>
	1937
	from which
	A hemlock, 16 ins. diam., bears S.78°E., 22 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (Old B.T.)
	A fir, 28 ins. diam., bears S.24°E., 96 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)
	A white pine, 22 ins. diam., bears S.5°W., 58 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)
	Thence
	N.89° 30' W., continuing measurements.
	Asc. 5 ft. over NE. slope.
40.00	A point 40.00 chs. in departure from the cor. of Tps. 30 and 31 S., Rs. 2 and 3 E., previously described.
	Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 36 only, with brass cap mkd.
	<u>$\frac{1}{4}$ S 36</u>
	1937
	from which
	A white pine, 28 ins. diam., bears N.63°E., 110 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	A fir, 30 ins. diam., bears N.58°W., 46 lks. dist., mkd. $\frac{1}{4}$ S 36 B T.
	Asc. 55 ft. over NE. slope.
44.40	Spur, slopes N.; desc. 25 ft. over NW. slope.
47.40	Draw, drains N.; asc. 65 ft. over NE. slope.
53.00	Spur, slopes N.; desc. 30 ft. over NW. slope.
54.45	Spring branch, 1 lk. wide, course NE.; asc. 115 ft. over NE. slope.
62.25	Spur, slopes N.; desc. 30 ft. over NW. slope.
64.45	Spring branch, 1 lk. wide, course N.; asc. 300 ft. over NE. slope.