

21866

West Boundary of T. 30 S., R. 2 E.

Chains	
	N.0° 05' E., along W. bdy. of sec. 7.
	Desc. 65 ft. over broken NW. slope, through heavy timber and dense undergrowth.
4.70	Spring branch, 1 lk. wide, course W.; asc. 60 ft. over SW. slope.
12.50	Spur, slopes W.; desc. 148 ft. over NW. slope.
16.55	Creek, 2 lks. wide, course N.70°W.; asc. 225 ft. over SW. slope.
32.80	Spur, slopes S.80°W.; desc. 170 ft. over NW. slope.
38.67	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 12 only, with brass cap mkd. $\frac{1}{4}$ S 12 1937 from which A fir, 26 ins. diam., bears S.71°W., 55 lks. dist., mkd. $\frac{1}{4}$ S 12 B T. A fir, 30 ins. diam., bears N.39°W., 80 lks. dist., mkd. $\frac{1}{4}$ S 12 B T. Desc. 10 ft. over NW. slope.
39.40	Spur, slopes N.30°W.; desc. 15 ft. over NE. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor. of sec. 7 only, with brass cap mkd. $\frac{1}{4}$ S 7 1937 from which A fir, 50 ins. diam., bears N.60°E., 32 lks. dist., mkd. $\frac{1}{4}$ S 7 B T. A fir, 17 ins. diam., bears S.35°E., 92 lks. dist., mkd. $\frac{1}{4}$ S 7 B T. Desc. 305 ft. over NE. slope.
47.80	Branch, 1 lk. wide, course N.70°W.; asc. 85 ft. over SW. slope.
59.50	Top of ascent on W. slope; desc. 10 ft. over NW. slope.
64.10	Ridge, bears N.70°W. and S.70°E.; desc. 165 ft. over NW. slope.
78.67	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 1 and 12 only, with brass cap mkd. T30S T30S S 1 R2E S12 S 7 R1E 1937 from which A fir, 17 ins. diam., bears S.58°W., 85 lks. dist., mkd. T 30 S R 1 E S 12 B T.