

Subdivisions of T. 30 S., R. 2 E.

Chains

79.40

Intersect sectional correction line, 6 lks. E. of temp.
cor. of secs. 25, 26, 35, and 36.

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the
ground, for cor. of secs. 25, 26, 35, and 36, with brass
cap mkd.

T30S R2E
S26|S25
S35|S36

1937

from which

A fir, 8 ins. diam., bears N.20°E., 27 lks. dist.,
mkd. T 30 S R 2 E S 25 B T.

A fir, 10 ins. diam., bears S.68°E., 38 lks. dist.,
mkd. T 30 S R 2 E S 36 B T.

A fir, 17 ins. diam., bears S.32°W., 35 lks. dist.,
mkd. T 30 S R 2 E S 35 B T.

A fir, 15 ins. diam., bears N.57°W., 38 lks. dist.,
mkd. T 30 S R 2 E S 26 B T.

Land, mountainous.

Soil, clay loam and rocky; 3rd and 4th rate.

Timber, fir, pine, hemlock, yew, cedar, and alder.

Undergrowth, salal, manzanita, vinemaple, and serviceberry.

From the cor. of secs. 25 and 36 only, on E. bdy. of Tp.,
which is an iron post, 2 ins. diam., 9 ins. above
ground, firmly set, mkd. and witnessed as described in
the official record.

West, on sectional correction line, bet. secs. 25 and 36.

Asc. 78 ft. over SE. slope, through scattering timber and
dense undergrowth.

1.00 Enter light undergrowth, bears N. and S.

3.45 Spur, slopes S.20°W.; desc. 415 ft. over SW. slope.

21.55 Draw, drains SW.; along S. slope.

23.35 Spur, slopes S.; desc. 56 ft. over SW. slope.

27.95 Abbott Creek, 15 lks. wide, course S.15°E.; asc. 80 ft.
over SE. slope.

30.65 Enter heavy timber, bears NW. and SE.

39.97 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the
ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S 25
S 36

1937

from which

A hemlock, 14 ins. diam., bears N.48°E., 18 lks.
dist., mkd. $\frac{1}{4}$ S 25 B T.

A yew, 12 ins. diam., bears S.35°E., 16 lks. dist.,
mkd. $\frac{1}{4}$ S 36 B T.

Along S. slope.