

21882

Subdivisions of T. 30 S., R. 2 E.

Chains	
	<p>A cedar, 10 ins. diam., bears S.25°E., 95 lks. dist., mkd. $\frac{1}{4}$ S 26 B T.</p> <p>Asc. 74 ft. over SE. slope.</p>
47.60	Divide bet. South Umpqua River and Rogue River, bears N.30°E. and S.30°W.; desc. 52 ft. over SW. slope.
50.15	Road, bears NE. and SW.
53.55	Telephone line, bears NE. and SW.
57.35	Dry wash, 3 lks. wide, course S.20°W.; asc. 7 ft. over SE. slope.
63.75	Point of spur, slopes S.; desc. 300 ft. over SW. slope.
73.86	North and South Trail, bears N.20°W. and SE.
80.02	The cor. of secs. 22, 23, 26, and 27.
	<p>Land, mountainous. Soil, clay loam and rocky; 3rd and 4th rate. Timber, fir, cedar, pine, and hemlock. Undergrowth, vinemaple, 2nd growth, spirea, and salal.</p>
	<p>N.0° 11' E., bet. secs. 22 and 23.</p> <p>Asc. 245 ft. over SW. slope, through scattering timber and light undergrowth.</p>
10.88	North and South Trail, bears N.30°W. and S.30°E.
26.25	Spur, slopes W.; desc. 8 ft. over NW. slope.
30.13	Dry wash, 10 lks. wide, course W.; asc. 132 ft. over SW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	<p style="text-align: center;"> </p>
	<p>A cedar, 26 ins. diam., bears S.79°E., 16 lks. dist., mkd. $\frac{1}{4}$ S 23 B T.</p> <p>A white pine, 12 ins. diam., bears S.66°W., 21 lks. dist., mkd. $\frac{1}{4}$ S 22 B T.</p> <p>Asc. 105 ft. over SW. slope.</p>
60.75	Ridge, bears NW. and SE.; trail, bears NW. and S.60°E.; desc. 270 ft. over NE. slope, changing to N. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 14, 15, 22, and 23, with brass cap mkd.
	<p style="text-align: center;"> </p>
	<p>A fir, 33 ins. diam., bears N.70°E., 187 lks. dist.,</p>