

## Subdivisions of T. 30 S., R. 2 E.

Chains	
	slope.
8.90	Spur, slopes W.; desc. 95 ft. over NW. slope.
12.60	Creek, 2 lks. wide, course N.60°W.; asc. 118 ft. over SW. slope.
21.00	Top of ascent on W. slope; desc. 74 ft. over NW. slope.
26.90	Ravine, course S.80°W.; asc. 285 ft. over SW. slope.
39.15	Spur, slopes W.; desc. 5 ft. over NW. slope.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

↑  
S 9 | S10

1937

from which

A fir, 10 ins. diam., bears S.83°E., 45 lks. dist.,  
mkd.  $\frac{1}{4}$  S 10 B T.

A fir, 18 ins. diam., bears N.56°W., 35 lks. dist.,  
mkd.  $\frac{1}{4}$  S 9 B T.

Desc. 128 ft. over NW. slope.

46.15	Spur, slopes N.30°W.; desc. 370 ft. over NE. slope.
54.42	Dry creek bed, 2 lks. wide, course N.30°W.; asc. 12 ft. over SW. slope.
55.60	Point of spur, slopes W.; desc. 22 ft. over NW. slope.
56.66	Spring branch, 1 lk. wide, course S.80°W.; asc. 450 ft. over SW. slope.
68.80	Spur, slopes S.75°W.; asc. 5 ft. over broken W. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 3, 4, 9, and 10, with brass cap mkd.

T30S R2E

S 4 | S 3

S 9 | S10

1937

from which

A fir, 13 ins. diam., bears N.53°E., 44 lks. dist.,  
mkd. T 30 S R 2 E S 3 B T.

A fir, 22 ins. diam., bears S.44°E., 144 lks. dist.,  
mkd. T 30 S R 2 E S 10 B T.

A fir, 18 ins. diam., bears S.63°W., 63 lks. dist.,  
mkd. T 30 S R 2 E S 9 B T.

A fir, 11 ins. diam., bears N.55°W., 31 lks. dist.,  
mkd. T 30 S R 2 E S 4 B T.

Land, mountainous.

Soil, sandy loam and rocky; 3rd and 4th rate.

Timber, fir, hemlock, pine, cedar, and yew.

Undergrowth, vinemaple, rhododendron, slickleaf, salal, chinquapin, spirea, huckleberry, and serviceberry.