

Subdivisions of T. 30 S., R. 2 E.

Chains	
55.50	Spring branch, 1 lk. wide, course W.; asc. 92 ft. over SW. slope.
63.40	Spur, slopes N.85°W.; desc. 60 ft. over NE. slope.
75.08	Intersect sectional correction line, 6 lks. E. of temp. cor. of secs. 28, 29, 32, and 33. Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 28, 29, 32, and 33, with brass cap mkd. T30S R2E S29 S28 S32 S33 1937 from which A white fir, 35 ins. diam., bears N.30°E., 64 lks. dist., mkd. T 30 S R 2 E S 28 B T. A white fir, 30 ins. diam., bears S.59°E., 46 lks. dist., mkd. T 30 S R 2 E S 33 B T. A white fir, 17 ins. diam., bears S.37°W., 42 lks. dist., mkd. T 30 S R 2 E S 32 B T. A white fir, 37 ins. diam., bears N.30°W., 30 lks. dist., mkd. T 30 S R 2 E S 29 B T. Land, rolling mountainous. Soil, sandy loam; 2nd and 3rd rate. Timber, fir, hemlock, cedar, and pine. Undergrowth, vinemaple, mountain ash, alder, huckleberry, and salal.
	From the cor. of secs. 27, 28, 33, and 34. West, on a sectional correction line bet. secs. 28 and 33. Asc. 115 ft. over NE. slope, through heavy timber and light undergrowth.
13.80	Spur, slopes N.; desc. 95 ft. over NW. slope.
24.20	Draw, drains N.; asc. 45 ft. over NE. slope.
37.50	Spur, slopes N.; desc. 10 ft. over NW. slope.
40.02	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd. $\frac{1}{4}$ $\frac{S 28}{S 33}$ 1937 from which A white fir, 9 ins. diam., bears N.26°W., 9 lks. dist., mkd. $\frac{1}{4}$ S 28 B T. A white fir, 32 ins. diam., bears S.33°E., 28 lks. dist., mkd. $\frac{1}{4}$ S 33 B T. Desc. 240 ft. over NW. slope.
58.00	Creek, 2 lks. wide, course N.; asc. 160 ft. over NE. slope.
80.04	The cor. of secs. 28, 29, 32, and 33.