

## Subdivisions of T. 30 S., R. 2 E.

Chains	
3.50	Spur, slopes N.60°W.; desc. 175 ft. over NE. slope.
7.70	Small draw, drains N.15°W. from S.30°E.; desc. 80 ft. over NW. slope.
13.05	Spur, slopes NW.; desc. 175 ft. over N. slope.
18.50	Squaw Creek, 25 lks. wide, course S.60° W. from E.; asc. 195 ft. over SW. slope.
25.25	Spur, slopes W.; desc. 47 ft. over NW. slope.
27.15	Draw, drains S.70°W.; asc. 370 ft. over SW. slope.
34.45	Top of bluff, 70 ft. high, bears N.60°W. and E.
40.00	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	from which
	A fir, 17 ins. diam., bears S.77°E., 65 lks. dist., mkd. $\frac{1}{4}$ S 21 B T.
	A fir, 18 ins. diam., bears N.82°W., 38 lks. dist., mkd. $\frac{1}{4}$ S 20 B T.
	Asc. 95 ft. over SW. slope.
44.75	Spur, slopes W.; desc. 170 ft. over N. slope.
47.85	Small draw, drains W.; asc. 130 ft. over SW. slope.
55.60	Spur, slopes S.80°W.; desc. 40 ft. over NW. slope.
58.50	Small draw, drains W.; asc. 22 ft. over SW. slope.
60.00	Spur, slopes W.; desc. 95 ft. over NW. slope.
63.65	Creek, 2 lks. wide, course S.80°W.; asc. 375 ft. over SW. slope.
80.00	Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 16, 17, 20, and 21, with brass cap mkd.
	from which
	A fir, 13 ins. diam., bears N.82°E., 47 lks. dist., mkd. T 30 S R 2 E S 16. B T.
	A fir, 13 ins. diam., bears S.58°E., 79 lks. dist., mkd. T 30 S R 2 E S 21 B T.
	A fir, 6 ins. diam., bears S.55°W., 22 lks. dist., mkd. T 30 S R 2 E S 20 B T.
	A fir, 10 ins. diam., bears N.81°W., 19 lks. dist., mkd. T 30 S R 2 E S 17. B T.
	Land, mountainous.
	Soil, coarse sandy loam and rocky; 3rd and 4th rate.