

Subdivisions of T. 30 S., R. 2 E.

Chains

N.0° 09' E., bet. secs. 29 and 30.

Desc. 245 ft. over NW. slope, through heavy timber and dense undergrowth.

15.03 Spring branch, 1 lk. wide, course N.80°W.; asc. 30 ft. over SW. slope.

20.05 Spur, slopes W.; desc. 90 ft. over NW. slope.

29.97 Draw, drains W.; asc. 15 ft. over gradual SW. slope.

37.00 Spur, slopes NW.; enter scattering timber and light undergrowth, bears NW. and SE.; desc. 35 ft. over NE. slope.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S30 S29

1937.

from which

A fir, 40 ins. diam., bears N.52°E., 113 lks. dist., mkd. $\frac{1}{4}$ S 29 B T.A fir, 15 ins. diam., bears N.12°W., 87 lks. dist., mkd. $\frac{1}{4}$ S 30 B T.

Desc. 665 ft. over NE. slope.

66.82 Creek, 3 lks. wide, course N.70°W.; asc. 100 ft. over SW. slope.

69.10 Spur, slopes N.70°W.; desc. 165 ft. over NW. slope.

73.75 Squaw Creek, 15 lks. wide, course S.80°W.; asc. 190 ft. over SE. slope.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, for cor. of secs. 19, 20, 29, and 30, with brass cap mkd.

T30S R2E

S19|S20

S30|S29

1937

from which

A fir, 42 ins. diam., bears N.69°E., 78 lks. dist., mkd. T 30 S R 2 E S 20 B T.

A fir, 30 ins. diam., bears S.57°E., 66 lks. dist., mkd. T 30 S R 2 E S 29 B T.

A fir, 50 ins. diam., bears S.13°W., 67 lks. dist., mkd. T 30 S R 2 E S 30 B T.

A fir, 37 ins. diam., bears N.64°W., 95 lks. dist., mkd. T 30 S R 2 E S 19 B T.

Land, mountainous.

Soil, clay loam; 3rd rate.

Timber, fir, hemlock, pine, and cedar.

Undergrowth, rhododendron, vinemapple, manzanita, and salal.