

**FIELD NOTES OF THE SEGREGATION MINERAL SURVEY OF THE MINING CLAIMS OF J. AND J. CAMPBELL AND WILLIAM REYNOLDS KNOWN AS: THE BELL PLACER MINE AND WM REYNOLDS MINERAL CLAIM OLALLA MINING DISTRICT DOUGLAS COUNTY OREGON**

SITUATED IN THE S½ OF SEC. 27. TP29S. R7W. OF WILLAMETTE MERIDIAN. SURVEY ORDERED BY COMMISSIONERS LETTER "N" DATED NOVEMBER 23<sup>RD</sup> 1897 AND MADE UNDER INSTRUCTIONS OF THE SURVEYOR GENERAL FOR OREGON, DATED DECEMBER 10<sup>TH</sup> 1897

SURVEY COMMENCED DEC. 20<sup>TH</sup> 1897  
SURVEY COMPLETED DEC. 25<sup>TH</sup> 1897

ADDRESS OF CLAIMANTS  
OLALLA PO  
DOUGLAS COUNTY OREGON

SURVEYED BY EUGENE SCHILLER  
248½ STARK STREET  
PORTLAND, OR

Bell Placer Mine

Chs  
Feet

Beginning at Cor. No. 1.,

On the West line of Sec. 27 T29S., R7W., from which the South West corner of Sec. 27 bears S.0°55'W. ~~930 ft.~~ 14.09 chs

A fir post 4 ft. long 4 ins square set 2 ft in the ground with mound of earth and stone, scribed S.M.S. 1, whence

A red fir 16 ins. diam. bears N.82°45'E., 10 ft and

A white fir 8 ins. diam. bears S.37°57'W., 27.2 ft.

Each blazed and scribed S.M.S-1 BT.

-----  
Thence N.0°55'E.  
Va. 19°45'E.

On West line of sec. 27

1.49 chs

~~98.~~

4.54½ chs

~~300~~

9.09 chs

~~600.~~

Mining ditch 2 ft. wide, flows west

Bushnell Creek 4 ft. wide flows west

To Cor. No. 2

A fir post 4 ft long 4 ins long 4 ins square set 2 ft in the ground with mound of earth, scribed S.M.S. 2, whence

A black oak 10 ins. diam. bears S.28°15'E., 9.3 ft. and

A red fir 6 ins. diam. bears N.70°W., 2.9 ft.

22260

Chs.

~~Feet~~

Each blazed and scribed S.M.S. 2 BT.

The  $\frac{1}{4}$  sec. cor. on west line of sec. 27 bears N.0°55'E.,  
~~1185.6 ft.~~ 16.82 chs.

-----

Thence S.89°5'E.  
Va. 19°45'E.

22.73 chs

~~1500~~

To Cor. No. 3

A black oak post 4 ft long, 4" square, set 2 ft. in the  
ground with mound of earth, scribed S.M.S.-3., whence

A red fir 24 ins. diam., bears S.89°25'W. 36.4 ft.

A red fir 20 ins. diam., bears N.32°35'W., 24.5 ft.

Each blazed and scribed S.M.S.-3-BT.

-----

Thence S.0°55'W.  
Va 19°45'E.

2.53 chs

~~167~~

Bushnell Creek 4 ft. wide, flows West

4.54½ chs

~~300~~

Trail, bears N.75°E., and S.75°W.

9.09 chs

~~600~~

To Cor. No. 4

A fir post 4 ft. long 4 ins. square set 18 ins. in the  
ground with mound of earth and stone, scribed S.M.S.-4, whence

A Laurel 24 ins. diam., bears N.46°45'W., 34 ft.

A red fir 24 ins. diam., bears S.84°W., 22.5 ft.

Each blazed and scribed S.M.S. 4 - BT

-----

Thence N.89°5'W.  
Va. 19°45'E.

12.95 chs

~~855~~

Branch 2 ft. wide, flows N.60°W.

22.73 chs

~~1500~~

To Cor. No. 1, the place of beginning.

---

chs  
feet

Wm. Reynolds Mineral Claim

Beginning at Cor. No. 1

The South  $\frac{1}{4}$  sec. cor. of sec. 27 bears S.30°43'E. ~~82.6 ft.~~ 1.25 chs.

A maple post 4 ft. long 4 ins. square set 2 ft. in the ground with mound of earth, scribed S.M.S.-1, whence

A red fir 20 ins. diam., bears N.12°20'E., 24 ft. dist.

A maple 10 ins. diam., bears N.87°30'E., 29 ft. dist.

Each blazed and scribed S.M.S-1-BT.

-----

Thence N.40°11'W.

Va. 19°40'E.

22.48 chs

~~1484.2~~

Intersect line 3-4 of Bell Placer mine ~~240.2 ft.~~ 3.63 chs N.0°55'E., of Cor. No. 4 Bell Placer.

22.73 chs

~~1500~~

To Cor. No. 2

A fir post 4 ft long 4 ins square Set 2 ft in the ground, with mound of earth, scribed S.M.S. 2, whence

A laurel 20 ins. diam., bears N.64°45'E., 22.3 ft.

A red fir 8 ins. diam., bears S.3°15'E., 19.6 ft.

Each blazed and scribed S.M.S-2-BT.

-----

Thence N.49°49'E

Va. 19°45'E

0.22 chs

~~13.9~~

Intersect line 3-4 of Bell Placer mine

1.06 chs

~~70~~

Trail bears S.80°W., and N.80°E.

4.54½ chs

~~300~~

Bushnell Creek 3 ft. wide, flows N.80°W.

9.09 chs

~~600~~

To cor. No. 3

A cedar post 3 ft. long 4 ins. square set 18 ins. in the ground, with mound of earth, scribed S.M.S - 3., whence

A red fir 24 ins. diam., bears S.22°15'E., 28 ft.

A red fir 6 ins. diam., bears S.82°30'E., 36 ft.

Each blazed and scribed S.M.S. -3 - BT.

-----

22262

chs  
~~feet~~

Thence S.40°11'E.  
Va. 19°50'E

1.17 chs

~~80~~

Branch 2 ft. wide, flows S.50°W.

5.30 chs

~~350~~

Mining ditch, 2 ft. wide, flows S.10°W.

22.73 chs

~~1500~~

To Cor. No. 4

A red fir post 3 ft. long 4 ins. square set 18 ins in the ground, with mound of earth, scribed S.M.S.-4., whence

A laurel 12 ins. diam., bears S.74°45'W., 4.4 ft.

A black oak 20 ins. diam., bears S.49°45'E., 16.5 ft.

Each blazed and scribed S.M.S.-4-BT

-----

Thence S.49°49'W.  
Va. 19°45'E

4.01 chs

~~265~~

Trail, bears N.40°W., and S.40°E.

4.47 chs

~~295~~

Bushnell Creek, 3 ft. wide, flows N.40°W.

9.09 chs

~~600~~

To Cor. No. 1, the place of beginning.

---

Center  
of  
Section

27

T. 29S., R. 7 W.

34.<sup>75</sup> Acres.

37.<sup>68</sup> Acres.

27.<sup>80</sup> Acres.

22.<sup>16</sup> Acres.

36.<sup>28</sup> Acres.

BELL  
PLACER  
MINE

W. REYNOLDS.

