

Date: 11/29/2013 By: JC
This survey consists of:
Map: VOL. 58 PAGE
Narratives: 22947-22948
Corner Rpt.: THIS PLAT REPRESENTS THE ENTIRE RECORD OF THE RETRACEMENT
DOUGLAS COUNTY SURVEYOR

TOWNSHIP 27 SOUTH, RANGE 2 WEST, OF THE WILLAMETTE MERIDIAN, OREGON

SHEET 2 OF 2

RETRACEMENT

(A) The cor. of secs. 2, 3, 10, and 11, perpetuated by Douglas, PLS 336, in 1989, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd.

(C) The 1/4 sec. cor. of sec. 10 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.

(F) The SW 1/6 sec. cor. of sec. 3, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd.

(I) The cor. of secs. 5, 6, 7, and 8, monumented with a brass tablet, cemented in a rock outcropping, 2 ft. x 4 ft. 2 in. high, with brass cap mkd.

(K) The center 1/4 sec. cor. of sec. 7, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above a mound of stone, 4 ft. base, 5 ft. high, built into a steep SE slope, with brass cap mkd.

from which the remains of bearing trees mkd. by Roberts
A sowed, decayed fir stump, 39 ins. diam., bears S 50° E, 60.0 ft. dist., with fragmentary scribe marks visible on an open blaze.

from which the remains of a bearing tree mkd. by Wenz, PLS 1005, in 1978
A fir snag, 23 ins. diam., bears S 81 3/4° W, 36.6 ft. dist., with a heated blaze. (Record, S 85° W, 45.5 ft. dist.)

from which the remains of bearing trees mkd. by Rogers
A fir, 19 ins. diam., bears S 47 1/2° E, 31.7 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Roberts
A fir, 22 ins. diam., bears S 1/2° E, 27.7 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 22 ins. diam., bears S 1/2° E, 27.7 ft. dist., with a heated blaze.

A decayed cedar snag, size indeterminate, bears S 28 1/2° E, 19.8 ft. dist., with no marks visible.
A hemlock stump, size indeterminate, bears N 57 1/2° W, 21.8 ft. dist., with no marks visible.

from which the remains of a bearing tree mkd. by Strum
A roothole bears S 8° E, 38.0 ft. dist., uphill of which is a fallen hemlock trunk, 9 ins. diam., with scribe marks / BT visible on an open blaze.

from which a bearing tree mkd. by Peterson and Berry
A forked maple, 9 ins. diam., bears S 33° E, 11.2 ft. dist., with a heated double blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 13 ins. diam., bears N 74 1/2° E, 27.7 ft. dist., with a heated double blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 13 ins. diam., bears N 74 1/2° E, 27.7 ft. dist., with a heated double blaze.

(B) The S 1/6 sec. cor. of secs. 2 and 3, perpetuated by Douglas, PLS 336, in 1989, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd.

(D) The 1/4 sec. cor. of sec. 3 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above a collar of stone, with brass cap mkd.

(G) The 1/4 sec. cor. of sec. 8 only, perpetuated by Gatzler, PLS 1986, in 1984, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd.

(L) The center W 1/6 sec. cor. for the NW 1/4 of sec. 7 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd.

(M) The center W 1/6 sec. cor. for the NW 1/4 of sec. 7 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd.

A decayed hemlock stump, size indeterminate, bears S 21 1/2° W, 29.7 ft. dist., with scribe marks R2W S10 C6 visible on an open blaze, lying downhill of which is the fallen, sowed, decayed, hemlock trunk, size indeterminate, with no marks visible. (Record, N 21 1/2° W, and new bearing tree)

from which the remaining bearing tree mkd. by Corbin
A fir, 24 ins. diam., bears N 42 3/4° W, 40.6 ft. dist., with a heated blaze.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 4 ins. diam., bears S 68 3/4° E, 7.7 ft. dist., mkd. X B1

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

(E) The W 1/6 sec. cor. of sec. 3 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above a collar of stone, with brass cap mkd.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir snag, 44 ins. diam., bears N 78 1/2° W, 30.4 ft. dist., mkd. 1/4 S5 BT in the bark. (Record, N 8° W, 56.7 ft. dist.)

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

A sowed cedar stump, 31 ins. diam., bears S 37° E, 32.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Corbin
A fir, 9 ins. diam., bears N 21° E, 19.9 ft. dist., mkd. 1/4 S5 BT.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

(H) The 1/4 sec. cor. of sec. 5 only, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

(J) The SW 1/6 sec. cor. of sec. 3, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which the remains of a bearing tree mkd. by Peterson and Berry
A fir, 17 ins. diam., bears N 19 1/2° W, 18.4 ft. dist., mkd. 1/4 S5 BT.

from which bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

from which the remains of bearing trees mkd. by Rogers
A fir, 15 ins. diam., bears N 14 1/2° E, 6.3 ft. dist., with a heated blaze.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
Portland, Oregon

The survey represented by this plat, having been correctly executed in accordance with the requirements of law and the regulations of this Bureau, is hereby accepted.

For the Director
Mary J. M. Hault
Chief Cadastral Surveyor of Oregon

November 19, 2012
Date