

Douglas County Surveyor's Record of  
Government Corners Renewed

23 T. S. 6 R. W. W. M.

HOKE-CHAPMAN CO., EUGENE, ORE., 97106

Wilford N. Haines and Leo J. Martin  
For Harold Woolley & E. G. Whipple  
Yoncalla Lumber Co.  
April, 1957  
R. M. 1 - 17 (FB H-226 & H-227)

**RE-RENEWED CORNER NO. #90** 18  
 $\frac{1}{4}$  Section Corner to Sections 16 & 25.  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 42" Fir N.50°E. 9.3 ft.  
 24" Fir S.28°E. 35.7 ft. (SEE FB. H-226 FOR DIFFERENT BESS. 2/10/57)

$\frac{1}{4}$  Section Corner to Sections 9 & 16. 19  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 10" Fir S.75°E. 17.7 ft.  
 8" Fir N.47°30'W. 19.0 ft.

Center of Section 16. 20  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 8" Fir S.63°W. 1.7 ft.  
 10" Fir N.03°W. 8.1 ft. **RE-RENEWED CORNER NO. #91**

$\frac{1}{4}$  Section Corner to Sections 16 & 21. 21  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 52" Fir S.40°E. 30.0 ft.  
 40" Fir N.45°E. 33.0 ft. **RE-RENEWED CORNER NO. #80**

$\frac{1}{4}$  Section Corner to Section 16 & 17. 22  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 20" Hemlock S.50°E. 55.0 ft.  
 20" Fir N.69°W. 63.5 ft.

Section Corner to Sections 8,9,16,& 17. 23  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 40" I.Cedar S.32°24'E. 94.6 ft. See 1957 BLM RESURVEY & C-263/104  
 28" Fir S.04°38'E. 73.0 ft.  
 32" Fir N.79°E. 42.9 ft.  
 44" I.Cedar N.07°15'W. 103.0 ft.

$\frac{1}{4}$  Section Corner to Section 8 & 9. 24  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 10" Fir S.40°E. 42.0 ft.  
 6" Fir N.88°W. 12.1 ft. **RE-RENEWED CORNER NO. #37**

Section Corner to Section 8,9,5, & 4. 25  
 Set 1"X 36" Angle Iron with Brass Cap. Same as Cor #17A  
 Bearing Trees: 14" I.Cedar N.53°W. 12.7 ft.  
 48" Fir N.44°E. 41.0 ft.  
 14" I.Cedar S.44°W. 36.7 ft.  
 Found Original Fir B.T.T. S.E.

$\frac{1}{4}$  Section Corner to Sections 8 & 17. 26  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 36" Fir N.35°E. 10.6 ft.  
 28" Fir S.43°E. 17.0 ft.

$\frac{1}{4}$  Section Corner to Section 7 & 8. 27  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 22" Cedar N.27°W. 10.3 ft.  
 16" Cedar S.86°E. 6.5 ft.

$\frac{1}{4}$  Section Corner to Sections 18 & 19. 28  
 Set 1"X 36" Angle Iron with Brass Cap.  
 Bearing Trees: 10" Fir N.62°W. 34.6 ft.  
 22" Fir S.33°E. 11.5 ft. **RE-RENEWED CORNER NO. #100**