

Douglas County Surveyor's Record of
Government Corners Renewed

T. 30 T. S. R. 4 R.W.W.M.

FOKE-CHAPMAN CO., EUGENE, ORE. 97501

Mark F. Smalley
For: Roseburg Resources
May 20, 1991
M 113 - 18

1/4 Corner for sections 19 & 30.

294

Found - 1" iron pipe set by Markham in 1953. See renewal # 222
BTs - 12" fir bears N.22°W., 69.8 ft. snag
8" maple bears S.25°W., 64.7 ft. healed face
New BT - 14" cedar bears N.71°E., 58.3 ft. scribed "S1/4 S19 BT"
6/91

1/4 Corner for sections 30 & 31

295

Found - Stone and 1" iron pipe set by Byron in 1963. See renewal # 227
BTs - 14" fir stub N.71°E., 25.4 ft. - rotted
16" fir stub S.12°E., 20.5 ft. - rotted
New BTs - 6" fir S.52°E., 34.3 ft. scribed "1/4 S 31 BT"
4" fir S.25°E., 22.3 ft. scribed "1/4 S31 BT"
Note - No trees within reasonable distance on rock bluff to the north.
6/91

1/4 Corner for Section 24 only.

296

Set - 2" x 36" iron pipe with brass cap mkd. "PLS 2391 T.30S 1/4 S24
R.4W 1992"
New BTs- 9" Madrona bears S.34°30'W., 84.8 ft. scribed "1/4 S24 BT"
10" Fir bears N.43°W., 24.6 ft. scribed "1/4 S24 BT"
3/4" iron pipe as set by Wenderoth bears S.29°10'29"E., 42.88 ft.
See renewal # 97.

8/92

S 1/16 Cor. Secs. 23|24

297

Found - 3 1/4" dia., BLM Brass cap on a 2 1/2" O.D. iron pipe 1" below ground.
BC/IP leans 4" northwest of plumb. 1981 BLM
28" dia., now 31" dia., D.Fir with a fully healed single low blaze,
bears S.14°W., 108.4' (Rec. S.14°W., 107.6" dist. possible face
measurement) 1981 BLM
10" dia., now 13" dia., D.Fir with a fully healed single low blaze,
bears S.88°E., 160.8' (Rec. S.88°E., 162.4' dist. is a slope
measurement) 1981 BLM
Set - BC/IP returned to plumb position BC is now flush with ground.
7" dia., B.Oak double blazed and scribed "S1/16 S24 CS BT", bears
N.74 1/2°E., 132.2'.
16" dia., Madrone double blazed and scribed "S1/16 S23 CS BT",
bears N.86 1/2°W., 58.0'.
See sketch in file.

298

Raymond Brown
For: Richard Snodgrass
Aug. 20, 1992
M 115 - 56

Douglas County Surveyor's Office
Randall W. Smith, Deputy -
Stephen J. Flause
2/10/94
C.S. File 64/50