

Clatsop County Surveyor's Record of
Government Corners Renewed

31

T. S.

2

R. W. W. M.

KOKE-CHAPMAN CO., EUGENE, ORE. 97501

233
233

Greg Lang
For: Phil Washburn
Roseburg Resources,
Mark Hubbard
7/94 M 120-69

#204

Secs. 3 & 4; & 33 & 34 T30-2
Found - Brass Cap
17 3/4" Cedar Cor. Tree (turning snag)
18" Fir, bears N.62°E., 43.3' (Ren #204)
21" Fir, bears S.68°32'W., 7.3'
42" Fir, bears N.66°35'W., 10.4'
Fir stump pile bears S.35°52'E., 8.0'
24" Fir, bears S.6°22'E., 14.7'
9" Cedar bears N.36°09'W., 13.8' (now down)
12" Fir, bears N.9°09'W., 32.6'

234

... of growing along south side of corner tree (Ren #204)
County Surveyor's Office
1992

Accessories FD.
Sigs' & Dist. taken from center of Old Cor. Tree
18" now 10" dia. 5' high D.V.P. stump with fully healed
single blaze & bark scabbing "HT" bears N.74°W., 11.5 ft.
(rec. N.74°W., 10.5 ft. dist. in a possible face of tree
measurement) Old HT.
10" now 4 1/2" dia. 18" high D.V.P. and with a previously
opened blaze, scabbing visible "HT" bears N.10°E., 11.5 ft.
(orig. rec. N.10°E., 10.4 ft.) Old HT.
Sigs' & Dist. taken from center of Old Cor. Tree
9" now 12" dia. 18" high D.V.P. stump with fully healed
blaze N.37°W., 34.1 ft. (rec. N.38°W., 34.6 ft.
possible slope distance) Ren. #204.
17" now 21" dia. W.T.P. with a fully healed double blaze
bears S.61°E., 11.7 ft. (rec. S.61°E., 11.5 ft.)
We investigated numerous positions to test 1992 BC/IP. None in which
the well on ground (BC/IP would fall inside cor. tree or lie on top of large
unhatched roots) We test BC/IP at most probable 1992 position
between two large roots on southerly side of corner tree. Lower test was
found between roots down to a depth that ground marks shown on BC/IP
BC/IP protrudes 1/2" above ground and is surrounded by a 2 1/2" dia. 18"
high mound of stone.

County Surveyor's Office
WIFE & DIST.
R to
1
1
W
1992

New Accessories
Sigs' & Dist. taken from center of Old Cor. Tree
1992 BC/IP bears S.17°W., 1.6 ft.
21" dia. W.T.P. (1992 tree) with fully healed
blaze bears S.47°E., 13 ft.
6" dia. W.T.P. double blazed and scabbed
bears S.14°E., 10.3 ft.
8" dia. D.V.P. double blazed and scabbed
bears S.7°W., 13.3 ft.
8" dia. Maple double blazed and scabbed
bears W.19°E., 19.3 ft.
The corner is the Old corner tree. All new accessories are
to the corner tree. The 1992 BC/IP should be used as a reference
corner tree.