

C. S. File No.

4-16



Solvey for Sindt, Johnson - Littrel

Went to 1/4 cor bet 6+1

T 27-7 & T 27-6, Found one O.B.T

Set 1/4" I. Pipe

Marked 10" W.O

S 67 1/2° E 43' + t.

30" W.O. S 56° W 22 E

T. E. Littrel; J. F. Johnson; Julius Sindt.
Witness

Var 21' 20 Solar

Set 1/4 cor. ran. 20' ft to stk

thence East 268° to West R.W. Co. Road.

Deed for J. F. Johnson

Set 1/4 cor.

go west 10', th North 423 2/3 10'

Set stk

1/4 Cor as set

1

50' 0" R

3'

—

300'

105°

S 0° 05' E

S 50° 20' E

S 0° 20' E

2

20' 17" R

2'

217'

S 2° W

S 1° 53' W

3

0' 30" L

—

268'

S 1° 30' W

S 1° 23' W

4

295
3 2 1

299
82
2 7

4-16

63³

299⁶
105²

717⁰

768⁴

CS 4-16

4					
5	18°08' R	-	129 ²	S20°20' W	S19°31' W
6	41°50' L		115 ²	S22°½' E	S22°19' E
7	2°34' L	-	75 ⁸	S25° E	S74°43' E
8	25°01' L		361 ²	S0°30' E	S0°18' W
9	-	5°	300 ⁰ 300 ⁰ 130 ⁺		"
10	7°24' L	-	113 ^L	S7° E	S7°06' E
11	-	7°	149 ⁰		"
12	70°07' R	70°	37 ²	S63° W	S63°01' W

Sec/or

NW corner Sec. 7. is in Creek. Find one O.B.T. a Fir Reset corner Set Pipe.

Marked a 14" Fir N42° E

24" Fir S42° E

8" Fir 20° W E S55¾° W

14" Fir N29° W

19° @ 22° = 16⁸

99° @ 11° = 97³

57⁴ ft

47° @ 15° = 45⁴

OS 4-16

350

1778

113

298 1/2
430 1/2

3617

758

1155

1295

Witness • Chas. H. Kaiser
A.S. Reed.
V.I. Bousick
Johnson, Kittel, Sindt
May 17-22

Set = Sub. E. 3.22 ft to
 True line. Run Needleline
 S 1026 E 50 ft from this point
 to point on South side old
 Co. Road. Making this point
 S 1103 3/4 ft @ 81° 26' E. from 1/4 cor.
 Set Iron Pipe 1/2"
 Marked 3" Fir N 56° W 35 ft.

105-29
 50
 1103 3/4
 1126

Johnson
 1.50
 8.50
 1.50
 8.50
 1.50