

~~2996~~
~~May 20 1929~~

4-17

1205
571
730

297⁻

298⁷
233

● 293⁷ 21-22-27-28

657

285^E
96⁶ Found 2 O.B.T.s and stump of another
Set I. Pipe for Cor.

O.B.T. A 24" B.O. N 72° W 18⁵ ft.

(28) 18" W.O. S 1° 30' W 135⁶

170⁹-22 - 18" B.O. N 89° E 169⁷

O.B.T. 18" B.O. N 75° E 73⁴ ft.

164⁶ ✓

● 144⁸ ✓
B.T.s did not check for distance
Nor Bearings. Cor. Set from
distance to Two O.B.T.s

71⁸ Bent Springstead - W. S. Crear Witness

Set 1/16 cor on sec line bet

21-28.

Set I. Pipe

59⁵
269⁸
55⁵

12" Fir N 7° W 14⁰

12" Fir N 89 1/2° W 20⁶ ft

292⁹

300²

●

104⁶

C. S. File No. 4/17

From $\frac{1}{16}$ Cor dis set, I run Needle
line North Var $21^{\circ} 15'$

-	76°	
$12\frac{1}{2}^{\circ}$	114 ⁹	
22°	95 ⁴	
5°	131 ²	
	<u>66⁰</u>	<u>1° E</u>

$14\frac{1}{2}$	300°	1° W
-	112 ²	2° W

11°	140°	2° W
	21 ⁶	3° W
		1° E

$35\frac{1}{2}$	193 ⁷	
-----------------	------------------	--

34°	1162°	
--------------	-------	--

Back up 7³ ft,

Set stks for $\frac{1}{16}$ cor. Marked a

~~48" Fir~~

~~11² ft.~~

12" Maple

So. 1° ft.

1206.4
1135.9
319.9

147.0
166.4
185.0
1459

498.4

1095
560
305

52.0
180.1
134.0
113.6

3939

3141

1320 ft

320 420
8923
3141
1206.4

CS 4/17

1/4 cor bet 27 - 28

		$14\frac{1}{2}^{\circ}$	$300\frac{0}{65}$	East	East
1	$1^{\circ}35' R$	$11^{\circ}45'$	300°	$S88^{\circ}10' E$	$S88^{\circ}25' E$
2	$2^{\circ}37' R$	18 30°	$300\frac{0}{112}$	$S85^{\circ} E$	$S85^{\circ}53' E$
3	$6^{\circ}35' W$	27°	$191\frac{8}{}$	$N88^{\circ} E$	$N87^{\circ}32' E$
4	$0^{\circ}10' R$	22°	$177\frac{5}{}$		$N87^{\circ}42' E$
5	$0^{\circ}46' R$	$28\frac{1}{2}$	$160\frac{5}{}$	$N88\frac{1}{2} E$	$N88^{\circ}28' E$
6	—	—	$71\frac{8}{}$	—	"
7	$0^{\circ}37' R$	25° $25\frac{1}{2}$	$65\frac{7}{}$ $299\frac{0}{}$ 555	$N88^{\circ} E$	$N89^{\circ}55' E$
8	$6^{\circ}41' R$	$12\frac{1}{2}$	300° 300°	$S86^{\circ} E$	$S85^{\circ}29' E$
9	$38^{\circ}20' L$	—	$104\frac{6}{}$	$N56^{\circ} E$	$N50^{\circ}20' E$
Sec cor					

~~C. B. N. 4/17~~

5/20/22

GG Stewart, D.C.S

Bert Springstead.

27- 4 - Sec 21

Found 20 B.Ts for 1/4 cor

bet 21 & 28. One Rotted

Drove Galv. Pipe for Cor

Marked. 12" Fir N75°E 50° ft.

Re Marked 12" W.O N27°E 34 3 OBS

Springstead & Crearer, Witness

From Cor. as set, Iron North Var 2195

- 147°

27° 186°

23° 201°

25° 161°

20 116°

Tophill - 56°

- 305°

33 62°

36° 223°

25° 148

20 120

Set 1/16 cor. Set STK Marked

N76°W 2 3/4 ft. 6" Fir

$$\begin{array}{r} 220 \\ 58 \\ \hline 162 \end{array}$$

$$\begin{array}{r} 752 \\ 91 \\ \hline 26 \end{array} \quad \begin{array}{r} 14 \\ 86 \\ \hline 100 \end{array}$$

$$\begin{array}{r} 1520 \\ 1530 \end{array}$$

$$\begin{array}{r} 76 \ 0 \\ 112 \ 1 \\ 88 \ 5 \\ 130 \ 5 \\ 66 \ 0 \end{array}$$

$$\begin{array}{r} 291 \ 0 \\ 112 \ 2 \end{array}$$

$$\begin{array}{r} 137 \ 4 \\ 21 \ 6 \\ \hline 1035 \ 3 \end{array}$$

$$\begin{array}{r} 157 \ 8 \\ 134 \ 2 \end{array}$$

$$1327.3$$

CS 4/17

