

6-28

①

# Survey for Nice Wood Camas Valley

Beg on. at the Cor to Sec.  
 Renewed this cor. from the  
 Fir line Trees 25 and 30 Nks N  
 Set a Cedar Post 4"x4"x36"  
 Orig Fir B.T. (did not open)  
Fence Corners at this location

Marked New Trees 26" Fir  
 Fir 36" N 68° W 842 ft.

Hub Def. MC. CC. <sup>Slope</sup> Dist.

Thence Traverse Westerly

Cor. = #0

-9°45'	
3000	2954
-7°15'	
3000	2976
518	518

588°42W

#1 R1°07'

N 89°00' W 589°49' W 1414

#2

0°47'  
L0°25'

589°24W

-6°00'	
3000	2984
3148	3148

#3

1°20'  
L0°40'

588°44W

-5°20'	
3000	2987
-4°15'	
2272	2266

6-28

Fair

(2)

{ April 23/23

{ Var. Assumed  $21^{\circ}35'E$ .

1<sup>00</sup> PM.

{ NE Richardson  
{ GC Nicewood  
{ Dick Martindale

20-21-28-29 - T29 SR 8W.

original Fir BTs also Cedar and  
of Cor. Respectively  
from which Orig Fir BT bears  $N 22^{\circ} E$  50 kts  
brs.  $S 27^{\circ} E$  48 kts. Laurel BTs missing

$S 49^{\circ} 15' W$  470 A. - 30" Chincajin  $S 66^{\circ} E$  470 A.

C. S. File No. 6/28

3

#4 <sup>0°39'</sup>  
R. 0°20'

West. 889°04W <sup>-5°50'</sup> 300° 2986  
552

#5 <sup>0°47'</sup>  
R 0°23'

N 89°20'W 589°27W <sup>-5°45'</sup> 300° 2985  
62°

#6. <sup>0°19'</sup>  
L 0°10'

N 89°45'W 589°17W <sup>-3°00'</sup> 300°  
-300  
300°  
-3°00'  
206°  
1021°

#7. R 70°53'

N 19°00'W N 19°40'W 6965

#8  
Oak BT.

#7 L 91°44'

S 2°30'E 5845

Solar at #5 4:00 PM 4/23/23 BS on #4  
 (#1) Def. L 14° 36' M.C. S 75° 00' W. Alt. 33° 53' A. 1/2  
 (#2) L 13° 37' M.C. S 76° 45' W. " 32° 30'

↘ #6 Near Approx. 1/4 Cor. 5' South of fence

# On Bridge in Co Road and 4' South of line  
 of old fence bet Cutlook and Porter.

#7-25 # East of Co Road 9 WFS  
 to NE Cor Martindale 1/4

5

Nice Wood - Cutlatch.

Solar Obs. Hub. # 5

Dec. N 12° 16' 46.2" HC. 50.30. x 12

12 hrs Change. 10' 03."

N 12° 26' 49" at 4:00 P.M.

Lat. Roseburg 43° 13' Alt 33° 53'

Change for 2 1/2 TWPS 11' Ref 0° 01'

43° 02'

33° 52'

cos Q = Tan A x Tan L - 1 + Sec. A x Sec. L x Sine D

Tan 33° 52' = .6711

Sec. 33° 52' = 1.2043

" 43° 02' = .9336

" 43° 02' = 1.3677

.6265

1.6471

1.6471 x .2156 = .3551

.6265

3551

.2714

cos 74° 15'

14° 36'

S 88° 51' W.

Tan 32° 29' = .6367

Sec 32° 29' = 1.1855

" 43° 02' = .9336

43° 02' = 1.3677

.5944

1.6214

3496

.2448

1.6214 x .2156 = 3496

Q = 75° 50'

13° 37'

S 89° 27' W.

Rotten take another

6-28

6

C. S. File No. 6/28

(7)

#7

L 0° 04'

589° 13' W

792<sup>3</sup>

Hub

R 90° 00'

North

40

Sec. Cor.

Set Iron Pipe 1 1/4" x 36" 16" below  
Pine Tree 24" dia. (In S.E. Cor of  
Pear Tree, 10" dia. (In ditch  
Fir " 20" dia.

No Tree Near. S.W.

Iron Pipe 1 1/2" x 40" bears

Set 1/4 Cor.

Set at #6 FS #5.

N 89° 27' E

#6

R 90° 07'

50° 30' E

50° 26' E

542°

#7B.

778°

#8B.

Wood copying field notes

1.00

Cor.

27

2.70

work.

21.00

Recording

2.50

27.20

9

Var 20°45'

Surface of Ground from which

Cemetery.) brs N 32°E 537° ft. Mk'd Sec. 20. CS  
BT.

N 31°30'W 1646 " Sec 19

S 41°45'E 730° Sec 29

N 89°07'E 453° on Sec line and West  
Bdy of Coas. Co Highway.

Go East 124 and North 4 ft.

Set a steel mower pitman from which  
Ftr 18" dia. S 77°20'E 743 ft.

Sugar Pine 26" N 62°40'E 150° ft.

# 8 B Set Stee Auto Axle 1" x 30" from  
which B. Oak 14" dia N 19°15'E 340 ft

CS FILE FOLDER

CONTAINS

MORE

INFORMATION