

May 1 1928

1/4 Sec Cor between Secs 4 & 5  
T25 S R5 W

Drove a ford axle for corner  
in position of old stub placed  
by B.H. Manning in position of  
original corner.

A 14" Cedar S 70° E 92 lks.

8" B.O. S 12° W 57 lks.

Witnesses Alfred Hand  
R.L. Irving

Ben J. Irving  
Deputy Co. Surveyor

14-30

J. B. H. Manning hereby certify that I know the location of the original 1/4 section corner between Secs. 4 & 5 of T25SR5N W1/4M and that I drew an oak stub at this location and that the Ford Axe driven by Surveyor Irving is in this location. I have known this corner for 50 years having owned the adjoining property during a portion of the time.

B. A. Manning  
Acknowledged in the presence of me this  
1st day of May 1928.

Edmund J. Downing  
Deputy County Surveyor

I. Alfred Hand hereby certifies that the 1/4 Section  
Corner between Secs. 4 & 5 T25SR5W. T25SR5W and  
that I have known this corner for a period of 18 years  
and that the stub driven by Mr. B.H. Manning is in the  
location of this corner. The food ask driven by  
Surveyor Irving now occupies this location.

Alfred Hand

Acknowledged before me this 1st day of May 1928

Beno B. Shumway  
Deputy County Surveyor

14-30

I H. L. Hulse. hereby certify that I know the location of the 1/4 section corner between Secs. 4 & 5 of T 25 S R 5 W W.M. and that I have indicated this location to Surveyor Irving who drove a Ford Auk for this corner.

A. L. Hulse

Acknowledged before me this 1st day of May 1928

Burd B. Jennings  
Deputy County Secretary