

219

1045

$$\begin{array}{r} 1.165 \\ \hline 300.165 \end{array}$$

$$\begin{array}{r} 1.22 \\ \hline 2.22 \end{array}$$

$$\begin{array}{r} 99.32 \\ \hline 198.76 \end{array}$$

$$\begin{array}{r} 1.15 \\ \hline 1.57 \end{array}$$

$$\begin{array}{r} 99.83 \\ 501.1 \\ \hline 9983 \\ 9983 \\ \hline 299490 \\ 30058713 \\ \hline 2998 \end{array}$$

$$\begin{array}{r} 9985 \\ \hline 3 \end{array}$$

$$\begin{array}{r} 99942 \\ \hline 299826 \end{array}$$

108 count

$$\begin{array}{r} 4131 \\ \hline 1239 \\ \hline 1204 \end{array}$$

$$\begin{array}{r} 3.4 \\ \hline 10.2 \\ \hline 2.5 \\ \hline 1.4 \end{array}$$

Hour	Obs.	Z	LC	MC	
11	1.447		✓		
10	4.542	13.52 6.56 L	576° 46' W	577 1/2 W	+15° 1597
9	<del>2.708</del>	14.45 7° 2 L	583° 36' W	584° W	+22° 10' 4904
8	3.183	1.54 1.27 L	N 89° 22' W	N 84° W	8° 2735
7	4.082	4.41 2.28 L	N 87° 55' W	N 87 1/2 W	-13° 3278
6	1.264	7.33 2.17 L	N 85° 31' W	N 85° W	
5	10.350	10.50 5.28 R	N 83° 14' W	N 82° 50' W	
4	.729	0.51 0.24 R	N 88° 43' W	N 88° W	+32° 419 L 1.22 11° 20' 5.00
3	4.502	1.51 0.7 L	N 89° 6' W	N 84 1/4 W	
2	1.618	2.44 1.23 L	N 88° 59' W	N 88 1/2 W	+17° 30' 4.72
1	5.170	3.12 1.36 L	N 87° 36' W	N 87° W	11.56/1.899 18° 5.500 2.9520

44.946

Temp. 1/4 S.C.

89 22  
2 2  
27060  
27039  
27036  
90631

45  
4  
35

0520  
260  
208  
2240

92609

92609  
4904  
380436  
3334810  
370432

92609 8  
4904 8

370436 1  
3234810  
370432

9037

90972155  
54164536  
99027  
2735

9029  
4082

9010

498135

198008  
797232  
3761160

297081

404436378

678189

3278  
97100 9

198054

327800

270838845

29502

318293800

93358

3912  
1.220  
4903  
10036

98020

9805

93358 1  
419 5

49025

440222  
43358  
375432

95572 8  
472 4

190744

95372

667004  
381438  
4591558 4

39817002

98078

1863  
4714

90631  
1192

95106

11288

634419  
815279

98078  
190

475532

1267465

8827020  
98078  
18634820

1.74737707

	2158 <del>2076</del>	15 37 7 48 R	S 85° 40' W	S 86° W	+26' 15"	2123
	475	20 27 12 26 L	S 77° 52' W	S 78° W		
21	2669	15 5 10 2 L	N 89° 40' W	N 88 1/2° W	+31' 30"	3.13
19	5.645	15 56 9 23 R	N 82° 38' W	N 82° W	+28° 6' 30"	765
19	1.731	1 51 0 55 L	S 87° 54' W	S 87° W	-8° 50'	2.77
17	2.118	9 26 4 33 R	S 88° 49' W	S 88° W	+12' 30"	2.77
16	2.228	19 33 9 47 L	S 84° 16' W	S 85° W		
15	3.374	9 43 4 51 R	N 85° 57' W	N 85° W	+21' 15"	3.65
14	2.947	10 28 8 14 R	S 89° 12' W	S 89 3/4° W		
13	.715	8 28 4 14 L	S 80° 58' W	S 81 1/2° W		
12	2.057	12 20 6 10 R	S 85° 12' W	S 85° W	+25°	2.27
11	7.121	20 44 2 20 R	S 79° 2' W	S 79° W	+19' 30"	2.25
			S 76° 40' W			

89687

85264 7  
313 7

88295

25599 2  
85264 4  
255792  
2668763 2

765  
441 475  
529770  
618065  
675456.75

85264

99397

88295

675  
4.979  
3.246

496985

99397

98841 3

9763 1  
217 1

98841

1742 1

68341 7

97630

197692  
485364  
671887  
98841  
173089022

9763 7  
19526  
2.11857

92300

3656 4

9063 1

95372

928 1  
10968  
7302  
32904  
3374488

227 1  
634417  
181262  
181262  
2.0573437

90631

94264 7

95372 8

94264

225 1  
471320  
148528  
188528  
2.12094028

309 3  
858348  
61160 6  
29469948

1/4 S. 22/25

.569

25-

1.777

24

84° 27' L

5 18,  
2039' R

S 3° 52' W

S 88° 19' W

S 85° 40' W

S 5° W

-27° 20' 2.00

200  
185

20  
185

Identified corner by Laurel BT  
bearing proper scribe marks.  
found hole where other BT burned  
out. conformed to original notes.

16" Laurel 55° W 32 lbs. OBT.

New BT 32" Fir N 10° W E #65 lbs.  
Bark scribed 4523 CS BT

18935

36" Fir N 81° 30' W 55 lbs

scribed 4522 CS BT.

Set 6" x 48" New wood post

scribed 4523  
4522

92/31

Hub	Chs.	L	CC	M.C.	Slope
30' 768	36				
	3,802		S 21° 31' W	S 21 1/2° W	-23° 41' 3
	35	6 26, 3° 13' R			
	1,108		S 18° 18' W	S 18 1/2° W	-22° 55' 1203
	34	31 34, 15° 47' L			
	1,273		S 34° 5' W	S 34° W	1,273
	33	29 38, 14° 09' R			
	1,701		S 19° 16' W	S 19 1/2° W	+14° 15' 1,705
	32	11° 58', 40° 59' R			
	3,170		S 21° 43' E	S 22° E	+33° 15' 3,79
	31	24 55, 12° 28' R			
19.704	1,700		S 34° 11' E	S 32 3/4° E	+33° 30' 2,038
	30	23 18, 11° 39' L			
	3,070		S 22° 32' E	S 22° E	+23° - 3,335
	29	48 14, 24° 7' L			
14.934	2,661		S 10° 35' W	S 2° W	+30° 40' 3,094
	28	34, 0° 17' R			
	6,051		S 1° 18' W	S 2° W	+34° 0' 1,99 +28° 20' 5.00
	27	32 25, 16° 12' L			
	6,222		S 17° 30' W	S 18° W	+26° 0' 1.26 L 5.00
	26	207.0, 103° 30' R			
	2,250		S 86° E	S 85 1/4° E	

They 1/2" Co. at Cross.

Cos

56  
34  
20  
11

103 30  
96  
17 30

92050 61  
27  
15

92107

21  
28  
23

96923

83629

83389

92050

86015

82904  
88020

89879

83629  
379

752667  
585403  
250887  
31695391

9205 7  
33367 5  
460 25  
276 15  
276 15  
276 15  
30698675

8902  
44010  
6051

39  
3  
117

9205  
413

27 15  
92 05  
86827  
3861645

92107  
1203 6

276321  
11052840  
1,108,047 21

96923 2  
1755

484614  
484615  
678461  
96923  
170099865

83389 4  
3038 4

677112  
250167 7  
1667780  
169956782

86015 4  
3094 7

344060 0  
374135  
2586450  
266420410

82904  
199

786136  
748136  
5270  
6407896

89879 5  
136 1

539274  
269687  
89879  
12223544

1/31

Hub

Chs.

L

CC

ML

Slope

39

S 0° 3' W

S 19' W

- 8° 15' 2366  
- 13° 55' 5.00

38

2033,  
10° 16' L

S 10° 19' W

S 10' W

+ 4° 15' 2317

36458

2311

1417,  
78' R

37

S 3° 11' W

S 4° W

- 14° 10' 2485

2,409

3640,  
18° 20' L

36

S 21° 31' W

20768

99725


96959

99725  
2317

698075
99725
299175
199450
<hr/>
231062725

7695  
2185

284795
775672
387836
193818
<hr/>
2409431




Stever - Peery & Co

Morse.

Sec 23 T 283 RAW

20/21



CS FILE FOLDER

CONTAINS

MORE

INFORMATION