

LINE EAST FROM  
SW COR SEC 28 TO 1/4S BET SEC'S 27 & 34  
T 29 S R 8 W. W. 14.  
APRIL 11 1949

ARTHUR BOYER  
RANGES

---

CORNER RECOVERY FOR  
1/4S BET. SEC'S 27 & 34 T 29 S R 8 W)

---

RESET 1/4S BET. SEC'S 28 & 33  
T 29 S R 8 W

---

RESET SEC CORNER TO  
SECTIONS 27, 28, 33 & 34  
T 29 S R 8 W

---

VARIATION 20° EAST

CS. 90/192

| ①<br>STA | ANGLE              | VERT L<br>&<br>SLOPE<br>DIST | HORIZ<br>DIST | NEEDLE    | C.C.      |
|----------|--------------------|------------------------------|---------------|-----------|-----------|
| 12       | 1°-43' R           | +7°-30'<br>177.5             | 175.9         | EAST      | S89°-51'E |
| 11       | 1°-33' L           | +8°-40'<br>106.8             | 105.6         | N88° E    | N88°-26'E |
| 10       | 13°-20' L          | 113.0                        | 113.0         | EAST      | N89°-59'E |
| 9        | 3°-35' L           | 103.2                        | 103.2         | S77° E    | S76°-41'E |
| 8        | 48°-20' R          | 133.8                        | 133.8         | S73½° E   | S73°-06'E |
| 7        | 31°-12' L          | 142.4                        | 142.4         | N58½° E   | N58°-34'E |
| 6        | 0°-43' R           | 62.6                         | 62.6          | EAST      | N89°-46'E |
| 5        | 2°-57' L           | 178.8                        | 178.8         | N89° E    | N89°-03'E |
| 4        | 3°-22' R           | 19.3 }<br>200.0 }<br>219.3   | 219.3         | S88½° E   | S88°-00'E |
| 3        | 0°-52'<br>0°-26' L | 0°<br>64.6                   | 64.6          | N87½° E   | N88°-38'E |
| 2        | 2°-38'<br>1°-19' R | +8°-15'<br>194.0             | 192.0         | N89° E    | N89°-04'E |
| 1        |                    | +9°-35'<br>196.4             | 193.7         | N87°-45'E | N87°-45'E |
| 0        | SW                 | Sec 6                        | Sec 28        |           |           |



(2)

24

0°-34R +12°-15 16' EAST N88°-44'E

23

1°-05R +12°-35' 177.5 N89°-15'E N89°-10'E

22

0°-47L +10°-37 137.6 N87½°E N88°-05'E

21

1°-19L +3°-30' 113.1 N89°E N88°-52'E

20

0°-55R 121.2 121.2 EAST S89°-49'E

19

1°-04L +5° 159.9 N89°-E N89°-16'E

18

2°-16L +6°-38' 137.3 EAST S89°-40'E

17

4°-40R +6°-25' 127.1 S88°-E S87°-20'E

16

7°-00L +9° 120.0 118.5 N87½°E N87°-56'E

15

16°-01R +8°-35' 125.7 124.3 S85°-E S85°-04'E

14

6°-10L +7°-40' 76.1 75.4 N77½°E N78°-55'E

13

5°-04L +10°-10' 122.3 120.4 N85°-E N85°-05'E

12

ECKER'S TEMP 1/4 S

AT STATION #20 I GO 8.92' NORTH &  
 12.92' EAST AND SET A 4" X 4" X 4' FIR POST  
 MARKED "1/4 S 28" ON NORTH FACE AND "1/4 S 33"  
 ON SOUTH FACE FOR 1/4 SEC COR BETWEEN  
 SEC'S 28 & 33 T29 S R8W FROM WHICH BEARS  
 A FIR 12" DIA. N37°W 90' MARKED  
 "1/4 S 28 T29 S R8W - BT. 1581"  
 A FIR 14" DIA S10°E 186' MARKED  
 "1/4 S 33 T29 S R8W - BT. 1581"

③

|    |          |                           |       |        |           |
|----|----------|---------------------------|-------|--------|-----------|
| 36 | 3°-44'L  | 179.4<br>+8°-10'<br>98986 | 177.6 | N86° E | N86°-30'E |
| 35 | 11° L    |                           | 85.3  | EAST   | S89°-46'E |
| 34 | 16°-13'R |                           | 74.2  | S79° E | S78°-46'E |
| 33 | 9°-12'L  | +2½°                      | 136.0 | N85° E | N85°-01'E |
| 32 | 5°-18'R  |                           | 159.7 | S86° E | S85°-47'E |
| 31 | 2°-16'L  | +12°-15'                  | 87.4  | N89° E | N88°-55'E |
| 30 | 0°-03'R  |                           | 112.7 | EAST   | S88°-49'E |
| 29 | 3°-13'R  | -10°-52'                  | 100.6 | S89° E | S88°-46'E |
| 28 | 3°-05'L  |                           | 58.0  | N78° E | N88°-01'E |
| 27 | 0°-45'L  | +5°-15'                   | 207.2 | S88° E | S88°-54'E |
| 26 | 18°-10'L | +6°-45'                   | 122.3 | S89°-E | S88°-09'E |
| 25 | 20°-17'R | F                         | 84.9  | S70° E | S69°-59'E |
| 24 |          |                           |       |        |           |



④

|    |              |                                    |       |          |           |
|----|--------------|------------------------------------|-------|----------|-----------|
| 48 | 3°-14'L      |                                    | 127.3 | N84° E   | N84-16'E  |
| 47 | 1°-53'R      |                                    | 55.8  | N87° E   | N87°30'E  |
| 46 | 3°-27'L      |                                    | 180.7 | N85° E   | N85-37'E  |
| 45 | 12°-28'L     |                                    | 122.7 | N89° E   | N89°-04'E |
| 44 | 4°-40'R      |                                    | 97.0  | S79° E   | S78-28'E  |
| 43 | 9°-12'R      |                                    | 93.1  | S83° E   | S83-08'E  |
| 42 | 6°-30'L      |                                    | 115.4 | N87° E   | N87-40'E  |
| 41 | 6°-40'R      |                                    | 151.0 | S86-30'E | S85-50'E  |
| 40 | 7°-47'L      |                                    | 242.9 | N87-30'E | N87-30'E  |
| 39 | 3°-28'R      | 79.0 Z.T.<br><del>2000-16-20</del> | 270.9 | S85° E   | S84-43'E  |
| 38 | 5°-19'R -15° |                                    | 113.6 | S88° E   | S88-11'E  |
| 37 | 180°         |                                    | 47.4  | N86° E   | N86-30'E  |
| 36 |              |                                    |       |          |           |

AT STATION # 40 I GO 97.01' NORTH AND  
 2.18' EAST AND SET A 4"X4"X4' FIR POST  
 FOR SECTION CORNER TO SECTIONS 27, 28,  
 33 & 34 T29S R8W MARKED S27, S28, S33  
 & S34 ON RESPECTIVE FACES; FROM WHICH  
 BEARS

A FIR 32" DIA N65°E 53.5' MARKED "S27 T29S R8W  
 B.T. - 1581"

A FIR 50" DIA S63°20'E 73.7' MARKED "S34  
 T29S R8W - B.T. 1581"

A WHITE FIR 22" DIA S22°45'W 59.7' MARKED  
 "S33-T29S R8W - B.T. 1581"

A FIR 38" DIA N47°10'W - 220' MARKED  
 "S28 T29S R8W - B.T. 1581"

#31

AT STA #40 DILIGENT SEARCH WAS  
 MADE FOR SEC. COR. - NO TRACE FOUND.  
 THE TIMBER IN SECTION 28 HAS BEEN  
 LOGGED AND THE CORNER DESTROYED

⑤

|    |          |       |           |           |
|----|----------|-------|-----------|-----------|
| 60 | 29°-52'R | 36.6  | N56°-30'E | N57°-01'E |
| 59 | 63°-41'L | 130.3 | N78°E     | N27°-09'E |
| 58 | P.O.T.   | 239.9 | EAST      | S89°-10'E |
| 57 | 4°-24'L  | 303.9 | EAST      | S89°-10'E |
| 56 | 13°-46'R | 126.0 | S85°E     | S84°-46'E |
| 55 | 10°-52'L | 95.0  | N81°-30'E | N81°-28'E |
| 54 | 4°-26'R  | 54.1  | S88°E     | S87°-40'E |
| 53 | 5°-06'R  | 155.0 | N86°-30'E | N87°-54'E |
| 52 | 9°-22'L  | 133.9 | N83°E     | N82°-48'E |
| 51 | 0°-32'R  | 218.4 | S89°E     | S87°-50'E |
| 50 | 4°-57'R  | 127.0 | S88°-30'E | S88°-22'E |
| 49 | 2°-25'R  | 129.1 | N87°E     | N86°-41'E |
| 48 |          |       |           |           |

STA. 60 = 1/4S BET SEC'S 27 & 34 T29S R28W

FOUND ORIGINAL FIB B.T. S68°E 12 LINKS

"1/4S MARKED PLAINLY" - R.H. (USE WITNESS

ALSO FOUND ORIGINAL B.T. N79°E 27 LINKS

THIS TREE IS DOWN

MARKED 12" INCENSE CEDAR "1/4S 27"  
' B.T. "

RESET 1/4 COR WITH 2X3X4 "581" LIVE OAK

POST MARKED "1/4S 27" ON NORTH FACE  
AND "1/4S 34" ON SOUTH FACE

2/17/49

#32

N 89° 02' E BETWEEN SEC'S 28 & 33 T 29 S R 8 W

VARIATION 20° EAST

0+00 COR TO SEC'S 28, 29, 32 & 33

2649.52 SET 4"X4"X4' POST FOR  $\frac{1}{4}$ S BETWEEN  
SEC'S 28 & 33 MARKED " $\frac{1}{4}$ S 28" ON  
NORTH FACE AND " $\frac{1}{4}$ S 33" ON SOUTH  
FACE FROM WHICH BEARS:

A FIR 12" DIA N 37° W 9.0 FEET

A FIR 14" DIA S 10° E 18.6 "

5299.04 SET 4"X4"X4' FIR POST FOR CORNER  
TO SECTIONS 27, 28, 33 & 34 MARKED  
"S 27", "S 28", "S 33" & "S 34" ON RESPECTIVE  
FACES FROM WHICH BEARS:

A FIR 32" DIA N 65° E 53.5 FEET MARKED

"S 27 T 29 S R 8 W - B.T. - 1581"

A FIR 50" DIA S 63° 20' E 73.7 FEET MARKED

"S 34 T 29 S R 8 W - B.T. 1581"

A WHITE FIR 22" DIA S 22° 45' W 59.7 FEET

MARKED "S 33 T 29 S R 8 W B.T. 1581"

A FIR 38" DIA N 47° 10' W 27.0 FEET

MARKED "S 28 T 29 S R 8 W B.T. 1581"

ARTHUR BOYCEZ

APRIL 1949

COR 3 & 4 ONLY  
T. 30-B

AT STA 105 SET 3" YEW  
POST FOR NW COR SEC 3 & NE  
COR SEC 4 T30S R8W, FOUND

B.T. S52°E 10.6 - ORIG. B.T.  
WITH SCRIBE IN BARK.

SET 12" FIR S13°-30'W 23.7  
FROM COR. - SCRIBED "BT"

S 4 T30S R 8W 1581"

40/192



RANDOM LINE NORTH BET  
SECTIONS 27 & 28 T29S R8W

APRIL 14, 1949

A. BOYER

B. H. GEE

R. J. HENRIKSON

CORNER RECOVERY

1/4 S BET SEC'S 27 & 28 T29S R8W

CORNER RECOVERY

SEC CORNER TO SEC'S 21, 24, 27 & 28  
T29S R8W

TRUE LINE SE COR. S28 & 1/4 S  
BET SEC'S 27 & 28 T29S R8W

40/192

①

| STA | ANGLE                  | H. DIST          | NEEDLE   | C.C.     |
|-----|------------------------|------------------|----------|----------|
| 117 | 19°10'L                | 198 <sup>6</sup> | N1°30'E  | N1°34'E  |
| 116 | 19°08'R                | 164°             | N21°E    | N20°44'E |
| 115 | 25°52'R                | 115 <sup>1</sup> | N1°E     | N1°36'E  |
| 114 | 13°36'L                | 169 <sup>5</sup> | N24°W    | N24°16'W |
| 113 | 15°43'R                | 218°             | N10°30'W | N10°40'W |
| 112 | 37°29'L                | 114 <sup>3</sup> | N26°30'W | N26°23'W |
| 111 | 35°30'L                | 101°             | N11°E    | N11°06'E |
| 110 | 76°13'R                | 97 <sup>6</sup>  | N46°30'E | N46°36'E |
| 109 | 29°37'L                | 135°             | N30°W    | N29°37'W |
| 108 | 5°22'R                 | 310 <sup>9</sup> | NORTH    | NORTH    |
| 107 | 0°24'L                 | 47 <sup>3</sup>  | N5°30'W  | N5°22'W  |
| 106 | 99°08'L                | 557 <sup>2</sup> | N5°W     | N4°58'W  |
| 40  | BACK SIGHT ON STA. #41 |                  |          |          |

TOP OF RIDGE

②

CORNER RECOVERY - COR. TO SECS 21, 22, 27 & 28. T295 RBW  
FOUND 3 ORIGINAL B.T.'S AND RESET CORNER WHICH  
IS A 6" X 6" X 4 CEDAR POST MARKED "S21, S22, S27, S28."  
FROM WHICH BEARS

A FIR 60" IN DIA. N 78° W 29.7' MARKED  
"S21-T295 RBW - B.T. 1581" (ORIGINAL)

A FIR 24" IN DIA S 37° W 29.5' MARKED  
"S28-T295 RBW B.T. 1581 (NEW)

A FIR SNAG 26" IN DIA S 48° W 29.0 MARKED  
"1/4 S" IN BARK (ORIGINAL)

A FIR 28" IN DIA. S 82° E 23.8 MARKED  
"1/4 S" IN BARK (ORIGINAL)

\*34

122

85° 10' R 17<sup>6</sup> S 57° E S 56° 51' E

121

11° 30' R 114<sup>2</sup> N 37° 37' E N 37° 59' E

120

38° 37' R 119<sup>3</sup> N 26° 30' E N 26° 29' E

119

16° 26' L 244<sup>6</sup> N 12° W N 12° 08' W

118

2° 44' R 170<sup>5</sup> N 4° 30' E N 4° 18' E

117

(2)

A FIR 48" IN DIA. N48°E 48.0' MARKED  
'S 22-T295 RBW-B.T. 1581' (NEW)

APRIL 14, 1949

A. BOYER

R. GEE

R. J. HENRIKSON

FOUND TREE REFERRED TO IN GOV'T NOTES AS  
BEING 46 LINKS NORTH OF 'AS. RESET THE 'AS  
WITH AXAXA FIRE POST MARKED "1/4S 27" ON EAST  
FACE AND "1/4S 28" ON WEST FACE FROM WILSON  
BEARS

A 20" FIR N57 1/2°E 18.5' MARKED  
"1/4S 27 T295 RBW ?  
B.T. 1581"

A 14" FIR S18°W 20.9' MARKED  
'1/4S 28 T295 RBW ?  
B.T. 1581"

APRIL 14, 1949

'OVER'

40/192

TRUE BEARING BETWEEN SE COR  
SEC 28 AND  $\frac{1}{4}$ S BETWEEN SEC'S 28 & 27  
IS N 00° 33' W - 2634.34 FEET.  
VARIATION 20° EAST.

RANDOM LINE  
SOUTH  
BETWEEN SEC'S 33 & 34 T29S R8W

BOYER  
GEE  
HENRIKSON

APRIL 17 & 13 '49

① SOUTH BET SEC'S 33 & 34

| STA | ANGLE             | H. DIST | NEEDLE    | C. C.     |
|-----|-------------------|---------|-----------|-----------|
| 72  | 15°-33'R          | 1254    | S28°E     | S27°-28'E |
| 71  | 34°-54'L          | 545     | S43°E     | S43°-01'E |
| 70  | 1°-41'L           | 1321    | S08°-30'E | S08°-09'E |
| 69  | 14°-36'L          | 1955    | S06°-15'E | S06°-28'E |
| 68  | 3°-35'R           | 797     | S08°W     | S08°-08'W |
| 67  | 1°-40'L           | 968     | S05°W     | S04°-33'W |
| 66  | 0°-42'L           | 633     | S06°-30'W | S06°-13'W |
| 65  | 6°-20'R           | 2108    | S07°W     | S06°-55'W |
| 64  | 4°-05'R           | 1642    | S0°-45'W  | S0°-35'W  |
| 63  | 12°-47'R          | 2747    | S03°E     | S03°-30'E |
| 62  | 15°-52'L          | 1448    | S16°E     | S16°-17'E |
| 61  |                   | 1991    | S0°-25'E  | S0°-25'E  |
| 40  | BACK SIGHT ON #41 |         |           |           |

CROSS SMALL STREAM

APPROX SE COR SEC 28 T29S R8W

00/197

②

| STA | ANGLE    | H. DIST          | NEEDLE    | C. C.     |
|-----|----------|------------------|-----------|-----------|
| 84  | 2°-30'L  | 182°             | S12°-30'W | S13°-36'W |
| 83  | 1°-23'L  | 147 <sup>8</sup> | S15°W     | S16°-06'W |
| 82  | 30°-31'R | 165 <sup>8</sup> | S17°-30'W | S17°-29'W |
| 81  | 0°-49'L  | 63 <sup>8</sup>  | S13°-30'E | S13°-07'E |
| 80  | 21°-43'L | 133 <sup>6</sup> | S12°-45'E | S12°-13'E |
| 79  | 7°-20'L  | 230 <sup>7</sup> | S09°W     | S09°-30'W |
| 78  | 23°-05'E | 77'              | S16°-30'W | S16°-50'W |
| 77  | 4°-39'L  | 88 <sup>7</sup>  | S07°E     | S06°-15'E |
| 76  | 9°-29'R  | 622              | S02°E     | S01°-36'E |
| 75  | 24°-23'R | 71 <sup>3</sup>  | S11°-30'E | S11°-05'E |
| 74  | 10°-19'L | 161 <sup>4</sup> | S35°E     | S35°-28'E |
| 73  | 2°-20'R  | 196 <sup>3</sup> | S26°E     | S25°-09'E |
| 72  |          |                  |           |           |





③

| STA | ANGLE    | H. DIST          | NEEDLE    | C. C.     |
|-----|----------|------------------|-----------|-----------|
| 96  | 6°-17'L  | 61 <sup>0</sup>  | S58°E     | S59°-53'E |
| 95  | 71°-19'L | 76 <sup>9</sup>  | S51°-30'E | S53°-36'E |
| 94  | 10°-12'L | 108 <sup>3</sup> | S19°W     | S17°-43'W |
| 93  | 70°-24'R | 163 <sup>2</sup> | S30°W     | S27°-55'W |
| 92  | 34°-03'L | 145 <sup>2</sup> | S41°E     | S42°-29'E |
| 91  | 23°-27'L | 83 <sup>1</sup>  | S06°E     | S08°-26'E |
| 90  | 11°-40'R | 81 <sup>6</sup>  | S17°W     | S15°-11'W |
| 89  | 9°-37'L  | 99 <sup>6</sup>  | S05°W     | S03°-21'W |
| 88  | 2°-15'L  | 84 <sup>1</sup>  | S15°W     | S12°-58'W |
| 87  | 3°-50'R  | 259 <sup>2</sup> | S17°W     | S17°-28'W |
| 86  | 7°-00'L  | 180 <sup>8</sup> | S13°W     | S13°-38'W |
| 85  | 7°-02'R  | 129 <sup>2</sup> | S20°W     | S20°-38'W |
| 84  |          |                  |           |           |

CROSS BERRY CREEK

2/2/62

④

| STA | ANGLE    | H. DIST.         | NEEDLE    | C. C.     |
|-----|----------|------------------|-----------|-----------|
| 105 | 82°-03R  | 152°             | N89°-30'W | S88°-39'W |
| 104 | 3°-41'L  | 117 <sup>6</sup> | S08°-30'W | S06°-36'W |
| 103 | 20°-58'R | 116°             | S12°-W    | S10°-17'W |
| 102 | 0°-10'L  | 96 <sup>8</sup>  | S09°-30'E | S10°-41'E |
| 101 | 7°-45'L  | 66 <sup>1</sup>  | S08°-30'E | S10°-31'E |
| 100 | 33°-30'L | 83 <sup>8</sup>  | S01°E     | S02°-46'E |
| 99  | 43°-37'R | 102 <sup>9</sup> | S33°W     | S30°-44'W |
| 98  | 14°-11'L | 51°              | S11°-E    | S12°-53'E |
| 97  | 61°-11'R | 57 <sup>9</sup>  | S03°W     | S01°-18'W |
| 96  |          |                  |           |           |