



COUNTY SURVEYORS FILE DATA DO NOT REMOVE FROM OFFICE

SEC. 3, T32S, R.1W

ARTHUR BOYER
ROSEBURG, OREGON

The following corners all apply to section 3, T. 32 S;
R. 1 W; W.M. except one corner which is the section
corner for sections 34 and 35 T. 31 S; R. 1W; which is
on the north line of said sec. 3.

Section Corner for Sec's 34 & 35,

Found two orig B.T's for this cor. the two maples, the one
to the N.E. still alive and standing and the one to the N.W.
still standing but showing signs of decay; found also the
tree to the S.E. a fir snag and found the stump of the
B.T to the S.W. this cor. applies to secs 34 & 35 so
marked a new tree to the N.W. only and blazed and scribed a
12 inch maple N.46°30'W. 18½ ft. scribed S.34, 1581 B.T.
At cor. raised a mound of rocks 12" high and a 4" x 4" ced.
post. Corner is in a shallow rocky draw which drains into
creek approx. 600 ft. N. Cor is 80' S. of old phone line.

Sept 3rd, 1949 A. Boyer Herb Northcraft Ted Schattenkerk

North Quarter Cor Sec. 3.

Set this cor. mid dist bet N.W. cor and N.E. cor of sec. 3
which falls 218.2 ft. westerly from sec. cor. 34 & 35. 31/1W
Set a 4"x4" oak post in a mound of rocks 18" high for cor.
Bark blazed and scribed a 30" fir S.46°W. 8.0 ft scribed
¼ S 3 B.T. 1581 and blazed and scribed a 14" fir S.48°E. 37.2 ft
scribed. ¼ S. 3, B.T. 1581. Cor. is on a hillside sloping
to the north

Sept. 3, 1949 A. Boyer Herb Northcraft Ted Schattenkerk

¼ cor. bet. secs 3 & 4

Found Orig Madrone B.T. N.65°W. 4.0 ft. and an old decayed
oak orig B.T. N.82°E. 34'; there is a live oak tree growing
out of the decayed oak B.T. which I scribed ¼ S. 3 B.T. 1581
also blazed and scribed a 12 inch oak N.76°E 4.5 ft. scribed
¼ S 3 B.T. 1581. This cor is on a 48° slope to the west 300'
E. of creek and 400' approx. N. of a road and on edge of sec-
ond rocky bluff from the W. There is an old U.S.F.S tin,
yelly tag here.

Sept 10, 1949 A. Boyer, Herb Northcraft, Ted Schattenkerk

~~FILED~~
RECEIVED

NOV 5 1949

COUNTY SURVEYOR
DEWEE COUNTY, ORE.

40/214

Sheet 2

ARTHUR BOYER
ROSEBURG, OREGON

$\frac{1}{4}$ sec. cor bet. secs 3 and 10

Found orig. maple B.T. in sec, 10 for this cor. it had been recently knocked down and was still alive; cut out the scribe marks which were plain although the tree had grown very little. Set a mound of rocks here and blazed and scribed an 18" white fir S.70°W. 16.5 ft. scribed $\frac{1}{4}$ S 10 B.T. 1581 and a 11" Fir N.40°E. 82' scribed $\frac{1}{4}$ S. 3, B.T. 1581. This cor is on top of a sloping hill which faces the N. and S. 35' from a logging road.

Aug. 23, 1949. A.Boyer Herb Northcraft Ted Schattenkerk

Quarter section Corner between sections 2 and 3.

Searched for three days for this corner with crew. this cor is supposed to be on a hill sloping to the E. which is covered with loose rocks and trash made up of dead leaves and ferns and much decayed loose limbs and dead small trees which have decayed. There were so many loose rocks around that the orig. rock could not be located and the B.T.'s which were one 4" and one 7" fir tree could not be found either on the ground or standing. Set this corner by proportional measurement bet the S.E. and N.E. corners of this sec. Raised a mound of rocks, basalt, about 18" high and placed a 3" x 3" fir post for cor. fr. wh. an 18" fir brs. N.72°W. 28' scribed $\frac{1}{4}$ S. 3, B.T. 1591 and a 12" fir brs. S:37 E. 17.3 ft. scribed $\frac{1}{4}$ S. 2, B.T. 1581. There are many old growth fir trees within a 500 ft. radius of this corner or where it would come if it were $\frac{1}{2}$ mi. N. of the S.E. cor. of this sec. 3, so it might seem that the cor. was never set. This^{new} cor as set is 18 ft. W. of the cen. of a creek and N.37°E. approx 100 ft. from a rock ledge which is about 10' high and 50 ft. long N.& S.

Sept 8, 1949 A.Boyer Herb Northcraft Ted Schattenkerk

Section corner for secs. 33 and 34, T. 31 S; R. 1 W;
Found rock in place for this section corner; all four
recorded trees are alive and all are as given in the
recorded field notes except the 40" fir tree which is
recorded as being S.40 E. 45 links, which measures from
the corner rock 36 links and not 45 links. This tree
is marked or scribed distinctly "S 3" it is in sec. 4
and not 3. This corner is of course for sections
33 and 34 and not for either 3 or 4.

Sept 15, 1949 A.B. Ted S.