

100-453

REVISED  
SURVEY

OF A PARCEL OF GROUND (DESIGNATED AS "B" ON SKETCH)  
IN SEC. 30, T.32 S., R.5 W., DOUGLAS COUNTY, OREGON.

**COUNTY SURVEYORS FILE DATA  
DO NOT REMOVE FROM OFFICE**

FILED 3-1-54  
REC'D 3-1-54  
COUNTY SURVEYOR  
DOUGLAS COUNTY, OREGON

C.S. File No. 40/297-3

REVISED

NARRATIVE OF SURVEY

OF A PARCEL OF GROUND ( designated as "B" on sketch )  
IN SEC. 30, T. 32 S., R.5 W., DOUGLAS COUNTY, ORE.

This survey was made for Mr. Parley Winkelman on Nov. 25, 1950, for the purpose of transferring title. Used a transit, long band chain, and range pole, Mr. Winkelman and two others helping with the survey. Bearing of the lines were taken from an observation on Polaris made on Sept. 5, 1950 at E. elongation.

DESCRIPTION

Beginning at a point 1307.0 feet east and 1427.5 feet south of the  $\frac{1}{4}$  section corner between sections 19 and 30 of T.32 S., R.5 W., thence along the westerly side of Barton Road and the property of Oregon State Road Commission

S. 0°-08' W. for 443.3 feet, thence along the northeastly bank of Woodford Creek

N. 32°-43' W. for 350.2 feet, thence leaving the Creek bank

N. 0°-08' E. for 148.6 feet, thence

N. 89°-58' E. for 190.0 feet to the point of beginning.

Area enclosed is 1.292 acres, all in the west half of the northeast quarter of section 30 township 32 south range 5 west of the Willamette Meridian, Douglas County, Oregon.

Corner Stakes

All corner stakes are  $\frac{3}{8}$  inch iron pipes, 30 inches long, driven 24 inches into the ground.

See accompanying sketch for further information.

October 12, 1953.



**SKETCH of SURVEY**  
of 2 PARCELS of GROUND ("A" & "B") in  
W 1/2 of the NE 1/4, SEC. 30, T. 32 S., R. 5 W. W.M.  
for  
**MR. PIRLEY WINKELMAN**



Scale: 1 in. = 100 ft.

Date: Dec. 7, 1950

Surveyed and Sketched by *A. W. Lawrence.*

Revised: Oct. 12, 1953.

