

REN. T 22 S R 6 W W 1/4 x S 30

FD. FIR TREE (NOW 40" DIAM)
N 58° W (INSTEAD OF S 58° W) 7³ FT.
(TO FACE). THIS TREE HAS BEEN CHOPPED
OPEN & GOOD SCRIBING "BT" VISIBLE.

FD. FIR TREE (60" DIAM.) N 52° E
13² FT. UPROOTED & DOWN - FACE DOWN.
IMPOSSIBLE TO SEE SCARS OR SCRIBING.

AT COR. SET IRON PIPE WITH
BRASS CAP MKD. "COUNTY SURVEYOR'S
OFFICE 1961 T 22 S R 1/4 R"
7 x 5
W 30 W

BLAZE & SCRIBE NEW TREES:

12" DOUGLAS FIR S 10° E 24⁸ FT.
MKD. "1/4 S 30 CS BT"

9" DOUGLAS FIR S 73° E 22⁵ FT.
MKD. "1/4 S 30 CS BT"

NOTE - HAINES "T" IRON PREVIOUSLY
SET FOR 1/4 COR. BY PROPORTIONATE
MEASUREMENT BEARS N 55° W 37³ FT.

DEC. 13, 1961

W. E. Godfrey

M.G.
W.T.
C.P.

+ * 0 ✓

C. R. File No. 49/143-95

Wilford N Haines
Drain Oregon
Nov. 30, 1961.

County Surveyor
Roseburg, Oreg.

At West $\frac{1}{4}$ cor. Sect. 30, T.22S., R.6W.
found old B.T., A ⁽⁺⁾ 36" fir, S 52° E 29.7 ft. from
cor. Tiron I set in 1955. (scribed on S.E. side)

There is a down tree ^{N 78° E} ~~N 88° E~~ 44.4' from Tiron
I thought might be other B.T., but they don't seem
to fit.

REGISTERED
OREGON
LAND SURVEYOR

Wilford N. Haines

MAY 7, 1948
WILFORD N. HAINES
239

FILED
RECEIVED

DEC 4 1961

COUNTY SURVEYOR
DOUGLAS COUNTY, ORE.

