

The following Corners have been renewed for
Roseburg Lumber Co.:

$\frac{1}{4}$ corner for sections 9 and 16 T 25 S,
R 8 W:

Found: 60 in. D. Fir N 70 E 49⁵ ft.

Scribe visible

Set: 1 in. x 30 in Iron pipe

Scribed:

34" D. Fir S 51 W 59⁹ ft. O+✓

—H—

$\frac{1}{4}$ corner for sections 27 and 28, T 28 S,
R 8 W.

Found: 18" cedar S 01 E 24 lks (now 36 in.)

24" Fir S 60 W 19 lks (now a stump)

Set:

4" x 4" x 4 ft. Post

Scribed: 4 in Fir S 48 W 10° ft. O+✓

—H—

SECTION Corner for sections 18 and 19, T 30 S R 6 W
and sections 13 and 24 T 30 S R 7 W.

Found: 24 in. B. Oak S 60 W 327 lks. (now 36 in + Dying)

23 in. B. Oak N 70 E 70 lks. (now 32 in + Dying)

15 in B. Oak S 50 E 122 lks (good now 24 in.)

~~22 in. Fir N 51 W 56 feet (now renewed)~~ H 11/18

Set: 1 in. x 30 in. Iron Pipe

Scribed: 16 in. Pine S28W 58° ft.

12 in. Fir N51½E 50° ft.

22 in Pine N51W 36° ft.

—

0
O+✓

¼ CORNER for sections 22 and 23 T30S R7W

Found: 20 in Pine N22E 34 1/2 ft.

Set: 1 in. x 30 in. Iron Pipe

Scribed: 15 in D. Fir S51½W 23° ft.

14 in. D. Fir N50E 58° ft.

—

O+✓

¼ CORNER for sections 27 and 34 T31S R7W

Found: 14 in. Pine S70W 132 ft (Down)

26 in. Pine N05W 45° ft. (Swag)

Set: 1" x 30" Iron Pipe

Scribed: 5" D. Fir N43½W 8° ft.

32" Pine S87E 54° ft.

—

O+✓

¼ CORNER for sections 27 and 26 T31S R7W

Found: 14" Pine S18E 40° ft (Swag)

26" Pine S12W 18° ft (stump hole only)

Set: 1" x 30" Iron Pipe

Scribed: 24" D. Fir N02½W 21° ft

6" Pine S42E 56° ft.

O+✓

Section corner for sections 22, 23, 26, and 27
T 31 S, R 7 W

Found: 8" Fir N 36 E 13² ft. (dead)
12" Fir S 48 E 16⁵ ft. (down)
12" Fir S 14 W 19⁴ ft. (down)
10" Fir N 68 W 21⁸ ft. (good)

Scribed: 12" D. Fir N 05 1/2 E 11³ ft
18" D. Fir S 14 W 25⁵ ft.
11" D. Fir S 09 E 30⁰ ft.

~~///~~

OT ✓

Section corner for sections 1 and 12 only on Range line
T 27 S, R 2 W.

Found: 5" x 6" x 8" stone 5 notches on south side
28" W. Fir S 50 E 17 lks (wood scribe visible)
30" Fir N 73 W (Record N 80 W) 20 lks (Faint Bark scribe)
34" Fir S 52 W (Record S 45 W) 33 lks (Bark scribe Destroyed)

Set: 3/4" x 30" Iron Pipe

Scribed 10 in Fir N 31 W 22⁴ ft.
34 in Fir S 52 W 23⁸ ft.

OT ✓ ✓

August 18, 1962

Witnesses:

Jerry Clark

R. J. Henricksen



Howard W. Johnstone

