

ACCESSORIES ADDED THIS DATE:

MAGNETIC DECLINATION 20°

	BEARING	FEET	ORIG. B.T.	"W" NAIL	PLATE	BRASS DISC
38" Fir	S33°W	43.1	X	X	X	
22" Hem.	N60°E	28.5	X	X	X	

IDENTIFIED ON PHOTO:

INFORMATION ON LOCATION OF CORNER AS NOW SET:

GROUND COVER: Old growth Fir, Hemlock and rhododendron

(USING FORM LINES SKETCH TOPOG AT CORNER ON PAGE 2 PLAT)

SLOPE FACES (GIVE BEARING IN DEGREES) N40°W ON MINUS (-) 50 %

NORTH: Due North -47% 200' to 0 300'

FROM CORNER | SOUTH: Due South on +45% 75' to top of ridge

EAST: Due East +17% to top of ridge 50'

WEST: Due West -33% 55' to bottom of creek +30% 200' to top of ridge

WORK DONE FOR W. CO.

FIELD NOTES IN BOOK:

BY: Dave Montgomery DATE: 5/27/69

~~PROFESSIONAL~~ SURVEYOR Dist. Engineer

ASSISTED BY: L. Wilson and L. Warren

UNDER THE SUPERVISION OF:

COPIES SENT TO:

SEAL

PAGE 3

C. S. File No. 53/110