

2-11-74

33/34 T20S R7W

(SEE REN. # 22) T21-7
REN # 40 - T20-7

Fo

ORIG. 36", NOW 38" D. FIR WITH
SCRIBING "20S R7W S33" SHOWING
ON PREVIOUSLY OPENED BLAZE.

A TAGGED FIR TO THE NE DOES NOT
FIT PROPER BEARING & DISTANCE.

SET BRASS CAP AT RECORDED BEARING
& DISTANCE FROM OBT:

MARKED:

COUNTY SURVEYORS OFFICE

T20S R7W

S33/S34

T21S

1974

#101 - T21-7 ✓

#78 - T20-7 ✓

C.S. File No. 56/93-23

(PAGE 1)

C

FROM WHICH

ORIG 36" NOW 38" D. FIR BEARS

N 32° W 92 FT.

N. 57° W 7 1/2 FT

A 1" X 1" T-IRON WITH COPPER WASHER
ATTACHED, MARKED

WILFORD N. HAINES 239

SURVEY POINT

DRAIN, OREGON

BEARS S 25 1/2° W 36 FT.

NEW BEARING TREES:AN 8" RED CEDAR BEARS N 65 1/2° E
11 8 FT. SCRIBED "T 203 R 7W S 34
CS BT"A 6" RED CEDAR BEARS N 47° W
22° FT. SCRIBED "T 203 R 7W S 33
CS BT"

2-11-76

Gary Langis

P.L.E.

OK
J.H.L.

VIRGINIA!

~~7/15/74~~

T205 RTW

RENEWAL # 78

WE REVISITED THIS CORNER. THE
OBT 38" FIR BEARS N57°W 92 FT.

NOT N 32° W AS STATED IN THE
RENEWAL

GARY