

3-6-74

29 | 28

32 | 33

T215 R9W

Fd:

BRASS CAP, OUT OF THE GROUND, LAYING
AT THE BASE OF THE ORIGINAL NW
BEARING TREE., MARKED:

U.S. DEPARTMENT OF
INTERIOR
BUREAU OF LAND MANAGEMENT
CADASTRAL SURVEY

T215 R9W

529 | 528

532 | 533

1966

FROM WHICH

88" D. FIR BEARS N 33 ³/₄° W 37.9

FT (TO THE FACE OF THE TREE), AN
ORIGINAL BT BEING PREVIOUSLY OPENED

NO MARKS VISIBLE.

PAGE 1

C.S. No. 56/49-L

C

J. L. DARLING CORP.
TACOMA WASH. U.S.

Put in the Rain
LEATHER-PROOF

No. 312

#45 ✓

THE REMAINS OF

AN ORIGINAL PT, A 20" DECAYED FIR
STUMP BEARS N 18° E 52³/₄ FT. (TO THE
FACE) NO MARKS REMAINING.

35" NOW 36" BIGLEAF MAPLE BEARS
S 36° W 140³/₄ FT. (TO S 33° W
40³/₄ FT) WITH A HEADED BLADE

ALL REMAINING ORIGINAL AND 1906
RESURVEY CORNER ACCESSORIES HAVE
BEEN DESTROYED OR DISPLACED DUE
TO RECENT ROAD BUILDING AND A
SUBSEQUENT LANDSLIDE.

SINCE ~~THE~~ THE CORNER LOCATION IS IN
THE SLIDE AREA, I SET A WITNESS
BRASS CAP ~~AS~~ ^A WITNESS CORNER,
55' WEST OF THE TRUE CORNER.

MARKED:

COUNTY SURVEYOR'S OFFICE

T215 RAW

WIT. COR.

529 | 528

532 | 533

C. S. File No. 56/49-1 55' EAST TO COR.
1974

FROM WHICH I MARK THE FOLLOWING
BEARING TREES:

18" HEMLOCK BEARS N 10° W 21° A
SCRIBED " WC TZ 1 S R 9 W S 2 9
CS BT "

24" BIG LEAF MAPLE BEARS S 32 1/2° W
52 FT, SCRIBED " WC TZ 1 S R 9 W
S 32 CS BT "

NO TREES SUITABLE TO THE NE & SE

THIS WITNESS CORNER LIES APPROX.
70 FT. WEST OF A ~~TRAIL~~

~~ACCESS ROAD~~, NEWLY CONSTRUCTED
DIRT ROAD.

3-6-74

Larry Langley
P.L.E.

OK *[Signature]*