

5-6-74

T255

33	34
4	3

 R6W

T265

SEE REN. # 134

FD:

BRASS CAP AND BEARING TREES AS NOTED IN RENEWAL # 134. THIS CORNER IS NOW LOCATED AT THE TOE OF A SLIDE AREA. THE BRASS CAP AND ALL BEARING TREES EXCEPT TWO HAVE BEEN SUBJECTED TO MOVEMENT IN THE SLIDE. MEASUREMENTS FROM THE TWO UNDISTURBED BEARING TREES:

A 7' NOW 8' D. FIR BEARING N 46° E
64 $\frac{1}{2}$ FT, WITH SCRIBING "S 34 CS BT"
VISIBLE.

AND AN 8' NOW 10' W. OAK BEARING S 35° E
39 $\frac{3}{4}$ FT, WELL-HEALED,

ARE IN AGREEMENT WITH EACH OTHER
AND INDICATE THE BRASS CAP HAS MOVED
APPROX. 4 FT DOWNHILL.

#172 T26-6 ✓

#176 T25-6 ✓

C.S. File No. 56/51-7 Page 1

C

DIETZGEN NO. 385-6

BASED ON THE MEASUREMENTS FROM THE
TWO UNDISTURBED B.T.'S AS NOTED
PREVIOUSLY, WE REMOVE THE BRASS CAP
AND RESET IT AT A WITNESS CORNER
100 FT. EAST OF THE TRUE CORNER.
WE REMARK THE BRASS CAP TO READ
AS FOLLOWS:

COUNTY SURVEYOR'S OFFICE

T 255

WITNESS CORNER

S.33	S.34	R
S.4	S.3	G
		W

100 FT. WEST TO COR.

T 265

1974

1963

WE MARK THE FOLLOWING BEARING TREES
FOR THE WITNESS CORNER:

18 " D. FIR BEARS S. 83° W., 19.2 FT.

SCRIBED: "WC T265 ROW SB CS BT"

172 - T 26 - 6

176 - T 25 - 6

G.S. No. 56/51-7

DIETZGEN NO. 3885-6

7" W. OAK BEARS N. 52° E., 26.7 FT,
SCRIBED: "WC T255 R6W S34 CS BT"

10" W. OAK BEARS S. $79\frac{1}{2}^{\circ}$ E., 32⁸ FT
SCRIBED: "WC S3 CS BT"

15" MADRONE BEARS S. $15\frac{1}{2}^{\circ}$ W., 32⁸ FT.,
SCRIBED: "WC T265 R6W S3 CS BT"

NOTE:

THIS WITNESS CORNER LIES APPROX.
30 FT. SOUTH OF A DIRT ROAD.

DECLINATION: 20° EAST

5-6-74

Gary Langley
PETER L. EARLE

OK
[Signature]